



DIAMACH

Stoneworking Tools & Equipment



**Unit 9/20 Barcoo St,
ROSEVILLE NSW 2069**



**Office 02 8915 5095
Nic Hoskin 0417 466 505**



sales@diamach.com.au



Shop: diamach.com.au



TIGER Concrete Flush Cut Blades

For cutting and shaping stone and concrete. Unique segment design for faster cooling and better dry cutting performance. Diamond inserts to resist blade jamming and premature wear. M14 thread suits popular grinders.

Code	Spec	Price
105TIGERSBM14	105mm Ø x 22.2mm Bore/M14	33
125TIGERSBM14	125mm Ø x 22.2mm Bore/M14	40
150TIGERSBM14	150mm Ø x 22.2mm Bore/M14	60
180TIGERSBM14	180mm Ø x 22.2mm Bore/M14	70
230TIGERSBM14	230mm Ø x 22.2mm Bore/M14	96



TIGER Sandstone Flush Cut Blades

For cutting and shaping stone and concrete. Unique segment design for faster cooling and better dry cutting performance. Diamond inserts to resist blade jamming and premature wear. M14 thread suits popular grinders.

Code	Spec	Price
105TIGERHBM14	105mm Ø x 22.2mm Bore/M14	33
125TIGERHBM14	125mm Ø x 22.2mm Bore/M14	40
150TIGERHBM14	150mm Ø x 22.2mm Bore/M14	60
180TIGERHBM14	180mm Ø x 22.2mm Bore/M14	70
230TIGERHBM14	230mm Ø x 22.2mm Bore/M14	96



CARVER Flush Cut Blades

For shaping and flush cutting stone. Thicker centre so can be used for both cutting and grinding. Very popular with sculptors. Laser Welded. Designed for dry cutting. M14 thread suits popular angle grinders.

Code	Spec	Price
75CARVER	75mm Ø 22.2mm Bore/M14	36
105CARVER	105mm Ø 22.2mm Bore/M14	39
125CARVER	25mm Ø 22.2mm Bore/M14	50
180CARVER	180mm Ø 22.2mm Bore/M14	81
230CARVER	230mm Ø 22.2mm Bore/M14	104



TAIPAN Marble Flush Cut Blades

For shaping and flush cutting Marble. Very popular with sculptors. Electroplated diamond both sides of blade. Designed for dry cutting. M14 thread suits popular angle grinders.

Code	Spec	Price
105TAIPAN	105mm Ø 22.2mm Bore/M14	42
125TAIPAN	125mm Ø 22.2mm Bore/M14	54
180TAIPAN	180mm Ø 22.2mm Bore/M14	110
230TAIPAN	230mm Ø 22.2mm Bore/M14	123



TIGER Segmented Turbo HB (Hard Bond)

For cutting sandstone, concrete block, hebel. Hard bond matrix ensures long life in abrasive materials. Unique segment design for faster cooling and better dry cutting performance. Diamond inserts to resist blade jamming and premature wear.


Code	Spec	Price
105TIGERHB	105mm Ø x 2.2 x 8 x 20/16	26
115TIGERHB	115mm Ø x 2.2 x 8 x 22.23/20	28
125TIGERHB	125mm Ø x 2.2 x 8 x 22.23/20	29
150TIGERHB	150mm Ø x 2.4 x 8 x 25.4/22.23	53
180TIGERHB	180mm Ø x 2.6 x 8 x 25.4/22.23	57
200TIGERHB	200mm Ø x 2.6 x 10 x 30/25.4	69
230TIGERHB	230mm Ø x 2.6 x 10 x 22.23	77
250TIGERHB	250mm Ø x 3.0 x 10 x 30/25.4	105



TIGER Segmented Turbo SB (Soft Bond)

For cutting granite, basalt, hard brick, reinforced concrete. Soft bond matrix ensures fast cutting of hard materials. Unique segment design for faster cooling and better dry cutting performance. Diamond inserts to resist blade jamming and premature wear.

Code	Spec	Price
105TIGERSB	105mm Ø x 2.2 x 8 x 20/16	26
115TIGERSB	115mm Ø x 2.2 x 8 x 22.23/20	28
125TIGERSB	125mm Ø x 2.2 x 8 x 22.23/20	29
150TIGERSB	150mm Ø x 2.4 x 8 x 25.4/22.23	53
180TIGERSB	180mm Ø x 2.6 x 8 x 25.4/22.23	57
200TIGERSB	200mm Ø x 2.6 x 10 x 30/25.4	69
230TIGERSB	230mm Ø x 2.6 x 10 x 22.23	77
250TIGERSB	250mm Ø x 3.0 x 10 x 30/25.4	105



RAZOR Ultra Thin Reinforced Turbo

For cutting the hardest tile with ease. Unique reinforced centre for straighter cutting. Ultra-thin for minimal tile wastage and faster cutting. Turbo style for better dry performance.


Code	Spec	Price
105RAZOR	105mm ϕ x 1.2 x 7 x 20/16	20
115RAZOR	115mm ϕ x 1.2 x 7 x 22.23/20	22
125RAZOR	125mm ϕ x 1.2 x 7 x 22.23/20	24



CHAMPION Granite Turbo

For cutting hard granites. Turbo style with laser slots to allow better cooling. Made in Korea. Thick blade for stronger cutting performance. 8mm high segment

Code	Spec	Price
LTG105	105mm ϕ x 2.6 x 8 x 22.23/20	64
LTG115	180mm ϕ x 2.6 x 8 x 22.23/20	76
LTG125	125mm ϕ x 2.6 x 8 x 22.23/20	81
LTG150	150mm ϕ x 2.6 x 8 x 22.23/20	92
LTG180	180mm ϕ x 2.6 x 8 x 22.23/20	101
LTG200	200mm ϕ x 2.6 x 8 x 25.4	116
LTG230	230mm ϕ x 2.6 x 8 x 22.23/20	138



DIA-MESH Reinforced Thin Turbo

For cutting the hardest tile with ease. Unique reinforced centre for straighter cutting. Ultra-thin for minimal tile wastage and faster cutting. Mesh style for better dry performance, minimal chipping. 10mm high segment

Code	Spec	Price
105DIAMESH	105mm ϕ x 1.4 x 10 x 20/16	20
115DIAMESH	115mm ϕ x 1.4 x 10 x 22.23	22
125DIAMESH	125mm ϕ x 1.4 x 10 x 22.23	24
150DIAMESH	150mm ϕ x 1.4 x 10 x 25.4/22/23	46
180DIAMESH	180mm ϕ x 1.4 x 10 x 25.4/22.23	54
200DIAMESH	200mm ϕ x 1.4 x 10 x 30/25.4	75
230DIAMESH	230mm ϕ x 1.4 x 10 x 22.23	80
250DIAMESH	250mm ϕ x 1.4 x 40 x 30/25.4	110



GLASS Continuous Rim

For cutting the hard. For cutting mosaics and glass. Premium diamond and excellent cutting characteristics.

Code	Spec	Price
100GLASS	100mm ϕ x 1.0 x 10 x 20/16	28
110GLASS	110mm ϕ x 1.0 x 10 x 22.23	39
120GLASS	120mm ϕ x 1.2 x 10 x 22.23/20	50
150GLASS	150mm ϕ x 1.2 x 10 x 25.4/22.23	56
180GLASS	180mm ϕ x 1.4 x 10 x 25.4/22.23	69
200GLASS	200mm ϕ x 1.4 x 10 x 30.0/25.4	95
230GLASS	230mm ϕ x 1.8 x 10 x 25.4/22.23	104
250GLASS	250mm ϕ x 1.5 x 10 x 25.4/22.23	166
300GLASS	300mm ϕ x 1.5 x 10 x 30.0/25.4	221



J-SLOT Rim

For cutting tiles, marble and stone. J-Slot reduces blade tension, providing straighter cuts and better performance. Also known as music slot blades. Minimal chipping on vitrified, ceramic and porcelain.


Code	Spec	Price
105JSLOT	105mm ϕ x 1.4 x 8 x 20/16	26
115JSLOT	115mm ϕ x 1.8 x 8 x 22.23/20	27
125JSLOT	125mm ϕ x 1.8 x 8 x 22.23/20	28
150JSLOT	150mm ϕ x 2.0 x 8 x 25.4/22.23	36
180JSLOT	180mm ϕ x 2.0 x 8 x 25.4/22.23	43
200JSLOT	200mm ϕ x 2.0 x 8 x 30.0/25.4	64
230JSLOT	230mm ϕ x 2.0 x 8 x 25.4/22.23	90
250JSLOT	250mm ϕ x 2.0 x 8 x 25.4/22.23	121
300JSLOT	300mm ϕ x 2.2 x 10 x 30.0/25.4	145
350JSLOT	350mm ϕ x 2.2 x 10 x 30.0/25.4	177



ELECTROPLATED Diamond Blades

For cutting tiles, marble and stone. Electroplated for dry cutting. Segmented style with spokes is standard, but we can supply in other variations.

Code	Spec	Price
105EPSS	105mm ϕ x 20/16	21
115EPSS	115mm ϕ x 22.23/20	25
125EPSS	125mm ϕ x 22.23/20	29
150EPSS	150mm ϕ x 25.4/22.23	43
180EPSS	180mm ϕ x 25.4/22.23	60
200EPSS	200mm ϕ x 30/25.4	75
230EPSS	230mm ϕ x 22.23	92
250EPSS	250mm ϕ x 25.4/22.23	128
300EPSS	300mm ϕ x 30/25.4	180



Mesh Turbo Porcelain Rim Blades

Super thin with reinforced centre for porcelain and ceramic tile

Code	Spec	Price
MSRBR100	100mm (4") x 1.2t x 10w x 22.2h-20-15.8 (Dry Use)	32
MSRBR115	115mm (4.5") x 1.2t x 10w x 25.4h (Dry Use)	39
MSRBR125	125mm (5") x 1.2t x 10w x 25.4h (Dry Use)	54
MSRBR180	180mm (7") x 1.6t x 10w x 25.4h (Dry Use)	63
MSRBR200	200mm (8") x 1.6t x 10w x 25.4h (Dry Use)	76
MSRBR230	230mm (9") x 1.6t x 10w x 25.4h (Dry Use)	84
MSRBR250	250mm (10") x 1.6t x 10w x 25.4h (Wet Use)	94
MSRBR300	300mm (12") x 2.0t x 10w x 25.4h (Wet Use)	154
MSRBR350	350mm (14") x 2.4t x 10w x 25.4h (Wet Use)	191



U-Mesh Ultimate Mesh Porcelain Blade

For the hardest porcelain. Ultimate dry cutting blade for dry

Code	Spec	Price
UMESH125	125mm Ø x 2.0 x 8 x 22.23/20	104



Continuous Rim Graphite Powder Cutter

Continuous Rim with Laser Slots & Graphite Powder for ultra hard porcelain

Code	Spec	Price
GRCRC230	230mm (9") x 1.6t x 7w x 30/25.4h	107
GRCRC250	250mm (10") x 1.6t x 7w x 30/25.4h	123
GRCRC300	300mm (12") x 2.0t x 8w x 30/25.4h	184



FHWA Granite TURBO Diamond Blades

For cutting brick, concrete and general masonry. Economical and long lasting in most materials. Wet or dry use.

Code	Spec	Price
ETG125	125mm Ø x 2.0 x 8 x 22.23/20	47
ETG180	180mm Ø x 2.4 x 8 x 25.4/22.23	80
ETG230	230mm Ø x 2.4 x 8 x 22.23	113



PORCELAIN Diamond Blades

For clean cutting the hardest porcelain. Premium Korean quality. Suit most popular tilesaws.

Code	Spec	Price
POR100	105mm Ø x 1.6 x 8 x 20/16	37
POR115	115mm Ø x 1.6 x 8 x 22.23	40
POR125	125mm Ø x 1.6 x 8 x 22.23	46
POR150	150mm Ø x 1.6 x 8 x 25.4	69
POR180	180mm Ø x 1.6 x 8 x 25.4	74
POR200	200mm Ø x 1.6 x 8 x 30	80
POR230	230mm Ø x 2.0 x 8 x 22.23	90
POR250	250mm Ø x 2.0 x 8 x 25.4	114
POR300	300mm Ø x 2.2 x 8 x 30	125
POR350	350mm Ø x 2.2 x 8 x 30	199



Continuous Rim Cutter with Laser Slots

Premium Continuous Rim Cutter with Laser Slot for extremely hard tile

Code	Spec	Price
CRC180	180mm (7") x 1.6t x 7w x 25.4/20h	58
CRC200	200mm (8") x 1.6t x 7w x 30/25.4h	71
CRC230	230mm (9") x 1.6t x 7w x 30/25.4h	75
CRC250	250mm (10") x 1.6t x 7w x 30/25.4h	88
CRC300	300mm (12") x 2.0t x 8w x 30/25.4h	138
CRC350	350mm (14") x 2.6t x 8w x 30/25.4h	168



FHWA ZENESIS Segmented Chaser Blades

For cutting brick, concrete and general masonry. Aligned Zenesis diamond for maximum lifespan and cutting speed.

Code	Spec	Price
125PLES	125mm Ø x 2.0 x 8 x 22.23/20	40
180PLES	180mm Ø x 2.4 x 8 x 25.4/22.23	83



Super-Wide Blade

For porcelain and ceramic tile mitres and cutting. This for fast cutting performance.

Code	Spec	Price
SW115	115mm	
SW125	125mm	30



GRID Blade

For porcelain and ceramic tile mitres and cutting. Thick for straighter cuts and mitres

Code	Spec	Price
125GRID	125mm	46



SILENT GRANITE Blades

Made in Korea. New segment design to improve cutting performance. Fast cutting and smooth cutting. Laminated sandwich core to reduce noise. 20mm Sandwich segments for clean cutting. Chip free cutting by narrow slot.

Code	Spec	Price
NSVG353220	350D x 3.2W x 20H x 60/50B	408
NSVG403220	400D x 3.2W x 20H x 60/50B	430
NSVG453620	450D x 3.6W x 20H x 60/50B	510
NSVG504020	500D x 4.0W x 20H x 60/50B	678
NSVG604020	600D x 4.0W x 20H x 60/50B	865
NSVG654220	650D x 4.2W x 20H x 60/50B	1116



SILENT ENGINEERED STONE Blades

Made in Korea. Suitable for Caesarstone, Silestone, Technistone and other brands of engineered stone. Fast speed and chip free clean cutting. Silent blade with laminated steel core to reduce noise. 20mm high segment.

Code	Spec	Price
NSE303220	300D x 3.2W x 20H x 60/50B	314
NSE353220	350D x 3.2W x 20H x 60/50B	372
NSE403220	400D x 3.2W x 20H x 60/50B	443
NSE453620	450D x 3.6W x 20H x 60/50B	571
NSE504020	500D x 4W x 20H x 60/50B	705
NSE554020	550D x 4W x 20H x 60/50B	844
NSE604220	600D x 4.2W x 20H x 60/50B	948
NSE654220	650D x 4.2W x 20H x 60/50B	1224



SILENT MARBLE Blades

Made in Korea. Suitable for bridge saws. Noise reduction by sandwich laminated core.

Code	Spec	Price
NSM303210	300D x 3.2W x 10H x 60/50B	247
NSM353210	350D x 3.2W x 10H x 60/50B	277
NSM403210	400D x 3.2W x 10H x 60/50B	354
NSM453610	450D x 3.6W x 10H x 60/50B	441
NSM504010	500D x 4.0W x 10H x 60/50B	509
NSM554010	550D x 4.0W x 10H x 60/50B	671
NSM604210	600D x 4.2W x 10H x 60/50B	753
NSM654210	650D x 4.2W x 10H x 60/50B	996



SILENT DEKTON Blades

Made in Korea. Suitable for Dekton, Neolith and Lapitec. Engineered to cut ultra compact surface. Very narrow slot design minimises the chipping on the sharp edges. Excellent cost performance

Code	Spec	Price
DKQ352810	350D x 2.8W x 10H x 50B	396
DKQ403010	400D x 3.0W x 10H x 50B	567
DKQ453210	450D x 3.2W x 10H x 50B	671
DKQ503610	500D x 3.6W x 10H x 50B	816



Quartzite Blades

With 15mm split segment. Silver brazed wet use only

Code	Spec	Price
NSSQ403215	400mm x 3.2 x 15mm	538
MCQ353210	350mm x 3.2 x 10mm MitreCut	438
MCQ403210	400mm x 4.2 x 10mm MitreCut	490



EHWA Wallchaser Diamond Blades

For cutting brick, concrete and general masonry. Premium EHWA quality form Korea.

Code	Spec	Price
ETT125	125mm ϕ x 2.0 x 8 x 22.23/20	52
ETT150	150mm ϕ x 2.4 x 8 x 25.4/22.23	62
ETT180	180mm ϕ x 2.4 x 8 x 22.23	80
ETT200	200mm ϕ x 2.4 x 8 x 22.23	84
ETT230	230mm ϕ x 2.4 x 8 x 25.4/22.23	113
ETT250	250mm ϕ x 2.4 x 8 x 25.4/22.23	132



CRACK CHASER Blades

For widening cracks in concrete before repair. V shape allows for various groove widths. Laser Welded. Designed for dry cutting.

Code	Spec	Price
CCL1056	105mm ϕ x 6 x 10 x 20/16	97
CCL10510	105mm ϕ x 10 x 10 x 20/16	117
CCL1256	125mm ϕ x 6 x 10 x 22.23	120
CCL12510	125mm ϕ x 10 x 10 x 22.23	145
CCL1806	180mm ϕ x 6 x 10 x 22.23	174
CCL18010	180mm ϕ x 10 x 10 x 22.23	210

MILLING Wheel

For milling natural & artificial stone. Used on bridgesaws to calibrate stone. 10mm high x 40mm wide angled diamond segments. Nylon centre to reduce noise & vibration. Premium quality diamond segments, supplied with 60mm bore & reducing bush to 50mm

Code	Spec	Price
350MILL40	350mm ϕ x 40 x 10 x 60/50	1386



DIATEX Silent Bridgesaw Porcelain Blades

Dia-Tex premium Italian made porcelain and compact surface blades. Wet use only on bridgesaws

Code	Spec	Price
38669	300mm J Slot Porcelain	308
39308	350mm J Slot Porcelain	313
39511	360mm Porcelain	442
39513	410mm Porcelain	542
42067	410mm Mitre Cut	616
39089	350mm Fortyfive	557

DIATEX Bridgesaw Porcelain Blades

Dia-Tex premium Italian made porcelain and compact surface blades. Wet use only on bridgesaws

Code	Spec	Price
39510	360mm Porcelain	402
39512	410mm Porcelain	469
40887	460mm Porcelain	572



TUCK POINT Blades

For removing mortar joints in brick and stonework. Hard bond for maximum life in very abrasive materials. Laser Welded. Designed for dry cutting. 6,8 or 10mm Wide segment with undercut protection

Code	Spec	Price
STPP1056	105mm ϕ x 6 x 10 x 20/16	73
STPP1058	105mm ϕ x 6 x 10 x 20/16	92
STPP10510	105mm ϕ x 10 x 10 x 20/16	99
STPP1156	115mm ϕ x 6 x 10 x 22.23	85
STPP1158	115mm ϕ x 8 x 10 x 22.23	107
STPP11510	115mm ϕ x 10 x 10 x 22.23	115
STPP1256	125mm ϕ x 6 x 10 x 22.23	90
STPP1258	125mm ϕ x 8 x 10 x 22.23	114
STPP12510	125mm ϕ x 10 x 10 x 22.23	128
180TUCK6	180mm ϕ x 6 x 10 x 22.23	148
180TUCK10	180mm ϕ x 10 x 10 x 22.23	192



CONTOUR Sink Cut-Out Blade

For cutting out sinks and curves in granite and other hard stone. Robust construction with diamond inserts to assist in curve cutting.

Code	Spec	Price
125CONT	125mm ϕ x 4 x 10 x 22.23mm Bore	68

SANDSTONE Blades

Made in Korea. Hard bond for long life in abrasive materials. Great performance in all Australian sandstone.

Code	Spec	Price
Standard Centre		
LSS403210	400D x 3.2W x 10H	248
LSS453610	450D x 3.6W x 10H	323
LSS504010	500D x 4.0W x 10H	417
LSS604210	600D x 4.2W x 10H	551
LSS664210	650D x 4.2W x 10H	797
LSS754510	750D x 4.5W x 10H	1100

Silent Centre

SSS907010	900D x 7.0/6.0W x 10H	1744
SSS1007010	1000D x 7.0/6.0W x 10H	2056
SSS1057010	1050D x 7.0/6.0W x 10H	2535
SSS1207010	1200D x 7.0/6.0W x 10H	3335



HARD BRICK Blades

Made in Korea. HB blades can cut the hardest brick, pavers and stones. Excellent for prestressed concrete or precast concrete. High grade diamonds and high diamond concentration. Turbo segments make more fast cutting. Large slots.

Code	Spec	Price
Standard Centre		
DHBRH303210	300D x 3.2W x 10H	209
DHBRH353210	350D x 3.2W x 10H	253
DHBRH403210	400D x 3.2W x 10H	342
DHBRH453210	450D x 3.2W x 10H	385
DHBRH503610	500D x 3.6W x 10H	440

Silent Centre

SDHBRH303210	300D x 3.2W x 10H	231
SDHBRH353210	350D x 3.2W x 10H	294
SDHBRH403210	400D x 3.2W x 10H	342
SDHBRH453210	450D x 3.2W x 10H	445
SDHBRH503610	500D x 3.6W x 10H	505



CONCRETE Blades

Made in Korea. PROSPECS Premium concrete blade. Long life and fast speed in all concrete. Suits walk behind machines. 1" bore with pin hole.

Code	Spec	Price
WCFM353210	350D x 3.2W x 10H	181
WCFM403210	400D x 3.2W x 10H	236
WCFM453610	450D x 3.6W x 10H	270
WCFM504010	500D x 4.0W x 10H	342
WCFM604210	600D x 4.2W x 10H	419
WCFM664210	660D x 4.2W x 10H	600



BLOCK Blades

Made in Korea. For wet or dry cutting concrete block, green concrete etc. Long life in abrasive materials. 1" bore for most machines.

Code	Spec	Price
Standard Centre		
DBRH303210	300D x 3.2W x 10H	162
DBRH353210	350D x 3.2W x 10H	228
DBRH403210	400D x 3.2W x 10H	273
DBRH503610	500D x 3.6W x 10H	375

Silent Centre

SDBRH303210	300D x 3.2W x 10H	277
SDBRH353210	350D x 3.2W x 10H	330
SDBRH403210	400D x 3.2W x 10H	341
SDBRH503610	500D x 3.2W x 10H	481
SDBRH604010	600D x 4W x 10H	701



MONTOLIT Perfetto

Utilization: wet use
Material: glass tiles, porcelain stoneware, single-fired and double fired glazed tile, granite, marble
Application: laying tiles which require an excellent finish cutting

Code	Spec	Price
DBR250CPF	350D x 2.0W x 30/25.4H	150



MONTOLIT DNA EVO 3

Silent diamond blade with braze welded segments. ARIX Aligned Diamond.
Utilization: Wet use
Height band diamond: 9 mm
Material: Porcelain stoneware, porcelain stoneware high thickness, hard ceramic, granite.

Code	Spec	Price
DB2505CX	250D x 2.2W x 30/25.4H	200



HANSAW Blades

Made in Korea. Bonds for hard or abrasive materials. Excellent cutting speed and life. Wet or Dry cutting. For petrol cutters. 1" bore, stihl bush available just ask :)

Code	Spec	Price
Sandstone & Asphalt		
DAH303210	300D x 3.2W x 10H	168
DAH353210	350D x 3.2W x 10H	215
DAH403210	400D x 3.2W x 10H	250

Concrete

DCH303210	300D x 3.2W x 10H	166
DCH353210	350D x 3.2W x 10H	187
DCH403210	400D x 3.2W x 10H	215



COMBINATION Segmented-Turbo Blades

For cutting brick concrete. A great multi-purpose blade for a bricksaw or power cutter. Laser welded for wet or dry cutting, 1" bore suits most machines. HUGE 16mm Turbo segment!!

Code	Spec	Price
350COMBO	350D x 3.2W x 16H	120
400COMBO	400D x 3.2W x 16H	150



WHILE STOCKS LAST!

ELITE Diamond Core Drills

For drilling concrete, brick and masonry, and with bonds developed over many years to suit Australian conditions and materials. Suitable for use on handheld or stationary machines.

Code	Spec	Price	Code	Spec	Price
CBE12	12mm Ø x 300mm 1/2" Gas	66	CBE66	66mm Ø x 400mm 1-1/4" UNC	127
CBE14	14mm Ø x 300mm 1/2" Gas	67	CBE71	71mm Ø x 400mm 1-1/4" UNC	143
CBE16	16mm Ø x 300mm 1/2" Gas	69	CBE76	76mm Ø x 400mm 1-1/4" UNC	143
CBE18	18mm Ø x 300mm 1/2" Gas	69	CBE80	80mm Ø x 400mm 1-1/4" UNC	157
CBE20	20mm Ø x 400mm 1-1/4" UNC	71	CBE84	84mm Ø x 400mm 1-1/4" UNC	157
CBE22	22mm Ø x 400mm 1-1/4" UNC	71	CBE90	90mm Ø x 400mm 1-1/4" UNC	165
CBE24	24mm Ø x 400mm 1-1/4" UNC	72	CBE102	102mm Ø x 400mm 1-1/4" UNC	177
CBE26	26mm Ø x 400mm 1-1/4" UNC	72	CBE110	110mm Ø x 400mm 1-1/4" UNC	187
CBE28	28mm Ø x 400mm 1-1/4" UNC	75	CBE116	116mm Ø x 400mm 1-1/4" UNC	188
CBE30	30mm Ø x 400mm 1-1/4" UNC	75	CBE127	127mm Ø x 400mm 1-1/4" UNC	200
CBE32	32mm Ø x 400mm 1-1/4" UNC	76	CBE136	136mm Ø x 400mm 1-1/4" UNC	211
CBE36	36mm Ø x 400mm 1-1/4" UNC	80	CBE152	152mm Ø x 400mm 1-1/4" UNC	254
CBE38	38mm Ø x 400mm 1-1/4" UNC	89	CBE165	165mm Ø x 400mm 1-1/4" UNC	293
CBE40	40mm Ø x 400mm 1-1/4" UNC	89	CBE180	180mm Ø x 400mm 1-1/4" UNC	341
CBE42	42mm Ø x 400mm 1-1/4" UNC	89	CBE200	200mm Ø x 400mm 1-1/4" UNC	373
CBE46	46mm Ø x 400mm 1-1/4" UNC	90	CBE230	230mm Ø x 400mm 1-1/4" UNC	476
CBE52	52mm Ø x 400mm 1-1/4" UNC	100	CBE254	254mm Ø x 400mm 1-1/4" UNC	524
CBE56	56mm Ø x 400mm 1-1/4" UNC	102	CBE305	305mm Ø x 400mm 1-1/4" UNC	602
CBE63	63mm Ø x 400mm 1-1/4" UNC	113	CBE355	355mm Ø x 400mm 1-1/4" UNC	736
			CBE400	400mm Ø x 400mm 1-1/4" UNC	1007



Extension Rods

For extending core drills to enable deeper drilling. Centre water hole.

Code	Spec	Price
300EXTROD	300mm working length 1-1/4" UNC	64
450EXTROD	450mm working length 1-1/4" UNC	91
600EXTROD	600mm working length 1-1/4" UNC	114



Adapters

For converting threads & quick releasing core drills

Code	Spec	Price
M14MSDS	M14 Male to SDS Plus	22
M14HEX	M14 to Hex Shank	91
114MSDS	1-1/4" UNC Male to SDS Plus	55
12BSPSDS	1/2" BSP Female to SDS Plus	33
114UNCHILTI	1-1/4" UNC Male to HILTI 3 spoke	88
12GM114UNCM	1/2" Gas Male to 1-1/4" UNC Male	44
12GF114UNCF	1/2" Gas Female to 1-1/4" UNC Female	44
114QRF	1-1/4" UNC Quick Release Female	54
114QRM	1-1/4" UNC Quick Release Male	44

MONTOLIT Mondrillo Tile Drills

Use: Dry and wet use

Material: All types of ceramics, gres porcelain, terra cotta tiles, granite, marble, glass.

Application: For furniture and bathroom fittings, electric and plumbing installation.

Use: Universal drill and cordless drill (recommended minimum rpm 800)

Code	Spec	Price
FAJ06	6mm	44
FAJ08	8mm	44
FAJ10	10mm	44



MONTOLIT Mangiatutto Wet Stone and Tile Drills

Use: Wet use

Material: All types of ceramics, gres porcelain, terra cotta, granite and marble, single fired tiles.

Application: For furniture and bathroom fittings and electric and plumbing installation.

Perfect to drilling: porcelain stoneware, ceramic, single fired tile, granite, marble

Code	Spec	Price
MU06	6mm	44
MU08	8mm	46





Diamond Core Drills for Stone

For drilling granite, concrete, brick and stone. 60mm drill depth. Laser Welded, and with bonds developed over many years to suit a variety of Granites. Suitable for use on handheld or stationary machines. M14 & 1/2" Gas threads as standard, adapters available to suit any machine.

STANDARD - 60mm Drill Depth

Code	Spec	Price
6COREGR	6mm Ø x 8 x 1.5 x M14 & ½"G	35
8COREGR	8mm Ø x 8 x 2.0 x M14 & ½"G	35
10COREGR	10mm Ø x 10 x 2.0 x M14 & ½"G	35
12COREGR	12mm Ø x 10 x 2.5 x M14 & ½"G	37
14COREGR	14mm Ø x 10 x 2.5 x M14 & ½"G	40
16COREGR	16mm Ø x 10 x 2.5 x M14 & ½"G	41
18COREGR	18mm Ø x 10 x 2.5 x M14 & ½"G	42
20COREGR	20mm Ø x 10 x 2.5 x M14 & ½"G	42
22COREGR	22mm Ø x 10 x 2.5 x M14 & ½"G	49
25COREGR	25mm Ø x 10 x 2.5 x M14 & ½"G	58
28COREGR	28mm Ø x 10 x 2.5 x M14 & ½"G	61
30COREGR	30mm Ø x 10 x 2.5 x M14 & ½"G	62
32COREGR	32mm Ø x 10 x 3.0 x M14 & ½"G	64
35COREGR	35mm Ø x 10 x 3.0 x M14 & ½"G	67
38COREGR	38mm Ø x 10 x 3.0 x M14 & ½"G	69
40COREGR	40mm Ø x 10 x 3.0 x M14 & ½"G	72
42COREGR	42mm Ø x 10 x 3.0 x M14 & ½"G	65
45COREGR	45mm Ø x 10 x 3.0 x M14 & ½"G	74
50COREGR	50mm Ø x 10 x 3.0 x M14 & ½"G	78
55COREGR	55mm Ø x 10 x 3.0 x M14 & ½"G	84
60COREGR	60mm Ø x 10 x 3.0 x M14 & ½"G	99
65COREGR	65mm Ø x 10 x 3.0 x M14 & ½"G	102
70COREGR	70mm Ø x 10 x 3.0 x M14 & ½"G	102
75COREGR	75mm Ø x 10 x 3.0 x M14 & ½"G	108
80COREGR	80mm Ø x 10 x 3.0 x M14 & ½"G	111
85COREGR	85mm Ø x 10 x 3.0 x M14 & ½"G	116
90COREGR	90mm Ø x 10 x 3.0 x M14 & ½"G	122
95COREGR	95mm Ø x 10 x 3.0 x M14 & ½"G	124
100COREGR	100mm Ø x 10 x 3.5 x M14 & ½"G	125
110COREGR	110mm Ø x 10 x 3.5 x M14 & ½"G	130
115COREGR	115mm Ø x 10 x 3.5 x M14 & ½"G	135
125COREGR	125mm Ø x 10 x 3.5 x M14 & ½"G	145
135COREGR	135mm Ø x 10 x 3.5 x M14 & ½"G	160
150COREGR	150mm Ø x 10 x 3.5 x M14 & ½"G	165
180COREGR	180mm Ø x 10 x 3.5 x M14 & ½"G	170

LONGREACH - 150mm Drill Depth

Code	Spec	Price
10CORESTONE150	10mm Ø x 150mm x M14 & ½" G	50
12CORESTONE150	12mm Ø x 150mm x M14 & ½" G	52
14CORESTONE150	14mm Ø x 150mm x M14 & ½" G	53
16CORESTONE150	16mm Ø x 150mm x M14 & ½" G	55
18CORESTONE150	18mm Ø x 150mm x M14 & ½" G	56
20CORESTONE150	20mm Ø x 150mm x M14 & ½" G	63
22CORESTONE150	22mm Ø x 150mm x M14 & ½" G	66
25CORESTONE150	25mm Ø x 150mm x M14 & ½" G	68
28CORESTONE150	28mm Ø x 150mm x M14 & ½" G	72
30CORESTONE150	30mm Ø x 150mm x M14 & ½" G	73
32CORESTONE150	32mm Ø x 150mm x M14 & ½" G	75
35CORESTONE150	35mm Ø x 150mm x M14 & ½" G	83
38CORESTONE150	38mm Ø x 150mm x M14 & ½" G	89
40CORESTONE150	40mm Ø x 150mm x M14 & ½" G	97
45CORESTONE150	45mm Ø x 150mm x M14 & ½" G	114
50CORESTONE150	50mm Ø x 150mm x M14 & ½" G	119
55CORESTONE150	55mm Ø x 150mm x M14 & ½" G	126
60CORESTONE150	60mm Ø x 150mm x M14 & ½" G	134
65CORESTONE150	65mm Ø x 150mm x M14 & ½" G	138
70CORESTONE150	70mm Ø x 150mm x M14 & ½" G	142
75CORESTONE150	75mm Ø x 150mm x M14 & ½" G	147
80CORESTONE150	80mm Ø x 150mm x M14 & ½" G	156
85CORESTONE150	85mm Ø x 150mm x M14 & ½" G	157
90CORESTONE150	90mm Ø x 150mm x M14 & ½" G	159
95CORESTONE150	95mm Ø x 150mm x M14 & ½" G	162
100CORESTONE150	100mm Ø x 150mm x M14 & ½" G	167
115CORESTONE150	115mm Ø x 150mm x M14 & ½" G	180
125CORESTONE150	125mm Ø x 150mm x M14 & ½" G	188
135CORESTONE150	135mm Ø x 150mm x M14 & ½" G	180
150CORESTONE150	150mm Ø x 150mm x M14 & ½" G	200

Adapters

Adapters to convert M14 thread to other machines

Code	Spec	Price
8M14	8mm Shank to M14	3
10M14	10mm Shank to M14 Heavy Duty	9
12GM14	1/2" Gas to M14	14
WSWIVEL	Water Swivel 1/2"G	8
WSWIVELPRO	Premium Water Swivel 1-1/4"	154



M14 Vacuum Brazed Diamond Routers

For routing weep holes in stone, chasing mortar and joints in brickwork and similar applications. Fits M14 grinder/polishers, solid shaft in 6mm or 8mm diameter, custom lengths and diameters available.

Code	Spec	Price
M14X4X50	4mm x 50mm	50
M14X6X50	6mm x 50mm	50
M14X6X130	6mm x 130mm	77
M14X8X50	8mm x 50mm	50
M14X8X130	8mm x 130mm	77
M14X10X50	10mm x 50mm	50
M14X10X130	10mm x 130mm	77
M14X15X50	15mm x 50mm	50
M14X25X50	25mm x 50mm	66



Vacuum Brazed Milling Wheels

For routing stone, ideal for edges and cutouts.

Code	Spec	Price
MB10M14	10mm x 50mm x M14	40
MB15M14	15mm x 50mm x M14	42
MB20M14	20mm x 50mm x M14	48
M25M14	25mm x 50mm x M14	52
MB50M14	50mm x 50mm x M14	80
MB75M14	75mm x 50mm x M14	104



Vacuum Brazed Milling Drums

For routing stone, ideal for edges and cutouts.

Code	Spec	Price
MDB50M14	50mm x 50mm x M14	40
MDB75M14	75mm x 50mm x M14	42



ADI Diamond Blind Hole Pin Drills

For drilling any stone. 10mm shank. Premium ADI Italian quality. Ideal for tactile work. Wet drilling recommended on a high speed drill.

Code	Spec	Price
5ADIPIN	5mm	35
6ADIPIN	6mm	35
7ADIPIN	7mm	39
8ADIPIN	8mm	45
10ADIPIN	10mm	51
12ADIPIN	12mm	61



DIAMACH ECO Sintered Diamond Pin Drills

For drilling any stone. 10mm shank. Great for general purpose drilling. Ideal for tactile work. Wet drilling recommended on a high speed drill.

Code	Spec	Price
6ECOPIN	6mm	14
8ECOPIN	8mm	16



MultiCore Brazed Diamond Drills

For drilling any stone. Suitable for use on handheld or stationary machines. 40mm drill depth, M14 thread as standard, adapters available to suit any machine. For best results use on a high speed grinder!


Code	Spec	Price
6COREMULTI	6mm ϕ x M14	22
8COREMULTI	8mm ϕ x M14	22
10COREMULTI	10mm ϕ x M14	26
12COREMULTI	12mm ϕ x M14	30
14COREMULTI	14mm ϕ x M14	33
16COREMULTI	16mm ϕ x M14	36
18COREMULTI	18mm ϕ x M14	36
20COREMULTI	20mm ϕ x M14	20
22COREMULTI	22mm ϕ x M14	22
24COREMULTI	24mm ϕ x M14	24
25COREMULTI	25mm ϕ x M14	25
28COREMULTI	28mm ϕ x M14	28
30COREMULTI	30mm ϕ x M14	30
32COREMULTI	32mm ϕ x M14	32
35COREMULTI	35mm ϕ x M14	35
38COREMULTI	38mm ϕ x M14	38
40COREMULTI	40mm ϕ x M14	40
42COREMULTI	42mm ϕ x M14	42
45COREMULTI	45mm ϕ x M14	45
50COREMULTI	50mm ϕ x M14	50
55COREMULTI	55mm ϕ x M14	55
60COREMULTI	60mm ϕ x M14	60
65COREMULTI	65mm ϕ x M14	65
70COREMULTI	70mm ϕ x M14	70
75COREMULTI	75mm ϕ x M14	75
80COREMULTI	80mm ϕ x M14	80
85COREMULTI	85mm ϕ x M14	85
90COREMULTI	90mm ϕ x M14	102
92COREMULTI	92mm ϕ x M14	102
95COREMULTI	95mm ϕ x M14	104
100COREMULTI	100mm ϕ x M14	116
105COREMULTI	105mm ϕ x M14	105
110COREMULTI	110mm ϕ x M14	117
115COREMULTI	115mm ϕ x M14	119
125COREMULTI	125mm ϕ x M14	144
150COREMULTI	150mm ϕ x M14	157
165COREMULTI	165mm ϕ x M14	174
170COREMULTI	170mm ϕ x M14	200
200COREMULTI	200mm ϕ x M14	230
225COREMULTI	225mm ϕ x M14	254



150mm Floor Grinding Cup Wheels

Suits premium handheld floor grinding machine with dust extraction. 150mm diameter with 19mm bore. Lightweight and excellent performance. Aggressive 16 grit diamond, also available in grits up to # 200

Code	Spec	Price
150SEGCUP16G	150mm #16	174
150SEGCUP30G	150mm #30	154
150SEGCUPPCD	150mm PCD	196



Herzo Dust Shrouds

For dust extraction when grinding. Multiple adapters to suit almost all angle grinders. Grinding Shrouds have sliding guard to allow grinding right up to a wall. The cutting shroud is clear plastic to allow viewing of cut and has depth adjustment. All fit standard vacs.

Code	Spec	Price
GT119125A	125mm Grinding Shroud	69
GT119125B	125mm Cutting Shroud	58
GT119180C	180mm Grinding Shroud	92



Resin Filled Diamond Cup Wheels

Resin filled for smooth grinding. Ideal for use on bevel edge or delicate materials. M14 thread suits most popular grinders. Perfectly balanced. Colour coded & engraved for easy identification. Made in Korea. Wet use recommended.

Code	Spec	Price
R FCC100	100mm # 30 Grit (Coarse)	111
R FCM100	100mm # 60 Grit (Medium)	111
R FCF100	100mm # 120 Grit (Fine)	111



PCD Diamond Cup Wheels

Ideal for glue removal, membrane and epoxy grinding. Won't clog and eat up resins. Use in conjunction with other floor grinding wheels. For removal of soft coatings and epoxies. Huge 6mm PCD's for maximum efficiency. Removeable M14 flange available.

Code	Spec	Price
125PCDCUP6	125 x 6 PCD x 22.2mm/M14	158
180PCDCUP8	180 x 8PCD x 22.23mm/M14	198



EHWA T-Seg Diamond Cup Wheels

T-Seg for fast grinding performance. Segment extends past the steel base for better edge grinding.

Code	Spec	Price
100TESG16GRIT	100mm Ø #16 Grit	73
125TESG16GRIT	125mm Ø #16 Grit	91
125TSEG30GRIT	125mm Ø #30 Grit	91
125TSEG60GRIT	125mm Ø #60 Grit	91
180TSEG16GRIT	180mm Ø #16 Grit	146
180TSEG30GRIT	180mm Ø #30 Grit	146
180TSEG60GRIT	180mm Ø #60 Grit	146



130mm Diamond Cup Wheels

Compatible with Festool 130mm Grinders

Code	Spec	Price
	Silver - Concrete	
	Red - Abrasive Materials	
	Green - Hard Concrete and Stone	
	PCD - Coating Removal	

Turbo Diamond Cup Wheels

Ideal for smoothing and shaping, excellent choice for finishing granite, marble, tile and concrete

Code	Spec	Price
105TCUP16GRIT	105mm Ø x 5 x #16 Grit x 20	35
125TCUP16GRIT	125mm Ø x 5 x #16 Grit x 22.2/M14	45
180TCUP16GRIT	180mm Ø x 5 x #16 Grit x 22.2/M14	90
105TCUP30GRIT	105mm Ø x 5 x #30 Grit x 20	30
125TCUP30GRIT	125mm Ø x 5 x #30 Grit x 22.2/M14	40
105TCUP60GRIT	105mm Ø x 5 x #60 Grit x 20	30
125TCUP60GRIT	125mm Ø x 5 x #60 Grit x 22.2/M14	40
180TCUP60GRIT	180mm Ø x 5 x #60 Grit x 22.2/M14	85
105TCUP120GRIT	105mm Ø x 5 x #120 Grit x 22.2	30
125TCUP120GRIT	125mm Ø x 5 x #120 Grit x 22.2/M14	40
180TCUP120GRIT	180mm Ø x 5 x #120 Grit x 22.2/M14	85



Aluminium Body Diamond Cup Wheels

Alloy body for light weight, ideal for natural stone

Code	Spec	Price
105TCUPAL16GRIT	105mm Ø #16 Grit x M14	90
125TCUPAL16GRIT	125mm Ø #16 Grit x M14	106
105TCUPAL30GRIT	105mm Ø #30 Grit x M14	86
125TCUPAL30GRIT	125mm Ø #30 Grit x M14	99
105TCUPALCVXGRIT	105mm Ø CONVEX #16 Grit M14	120
105TCUPAL60GRIT	105mm Ø #60 Grit x M14	86
125TCUPAL60GRIT	125mm Ø #60 Grit x M14	99
105TCUPAL120GRIT	105mm Ø #120 Grit x M14	86
125TCUPAL120GRIT	125mm Ø #120 Grit x M14	99



Fan Style Diamond Cup Wheels

Fan type cup wheels for maximum grinding and cutting efficiency. They provide aggressive surface preparation, and are also long lasting due to more diamond surface area. Features removable M14 flange, so the wheel can be used on many different machines

Code	Spec	Price
125FANCUP16M	#16 Grit x Medium Bond	99
180FANCUP16M	#16 Grit x Medium Bond	156
125FANCUP30M	#30 Grit x Medium Bond	80
180FANCUP30M	#30 Grit x Medium Bond	136
125FANCUP60M	#60 Grit x Medium Bond	80
180FANCUP60M	#60 Grit x Medium Bond	136
125FANCUP120M	#120 Grit x Medium Bond	80
180FANCUP120M	#120 Grit x Medium Bond	136



Sandstone Double Row Diamond Cup Wheels

Premium hard bond Korean made cup wheel for abrasive sandstone. Long life and #16 grit diamond. M14 thread.

Code	Spec	Price
DRC125	125mm Ø Hard Bond Premium Sandstone M14	110
DRC180	180mm Ø Hard Bond Premium Sandstone M14	149



Montolit 115mm Universal Diamond Flap Disc

Created to smoothing, grinding, make jolly and shaping porcelain stoneware, ceramic, granite, marble, natural stone and glass. Use on angle grinders. Wet or dry use. Smooth finish no chipping

Code	Spec	Price
FLEXIMONTGG	ROUGHING (60)	66
FLEXIMONTGM	GRINDING (120)	66
FLEXIMONTGF	SMOOTH FINISHING (200)	66

WHILE STOCKS LAST!



SANWA KENMA TWINCUR 100mm Resin AP Edge Polishing Wheels

These revolutionary wheels convert your automatic edge-polishing machine into state of the art high production equipment. A wide range of grits and variable bond types let you master any demanding application where a good quality finish is required in a short amount of time.

Code	Spec	Price
100TWINCURAP50	#50 Grit	119
100TWINCURAP100	#100 Grit	119
100TWINCURAP200	#200 Grit	119
100TWINCUREG500	#500 Grit	119
100TWINCUREG1000	#1000 Grit	119
100TWINCUREG2000	#2000 Grit	119
100TWINCUREG3000	#3000 Grit	119
100TWINCUREGBLK	#Black Final Grit	119
100TWINCUREG#WHTR	#White Final Grit	119



SANWA KENMA TWINCUR 125mm ES Edge Polishing Wheels

Made for straight and bevel edge polishing with automatic edge polishing machines, single or multi-head. These wheels are unique in that they only require up to the 3000 grit to successfully polish the edge. 5" diameter with Snail-lock backing. Used on: Bremor, Commandulli, Park Industries, Marmo Meccanica, Loffler and others.

Code	Spec	Price
125TWINCURES100	#100 Grit	143
125TWINCURES200	#200 Grit	143
125TWINCURES500	#500 Grit	143
125TWINCURES1000	#1000 Grit	143
125TWINCUREG2000	#2000 Grit	143
125TWINCUREG3000	#3000 Grit	143

Profiling Blades

heavy duty blades mounted on 6mm shaft for grinding and sculpting. Laser welded for granite.

Code	Spec	Price
PMBB20	20mm x 2mm	46
PMBB30	30mm x 2mm	47
PMBB40	40mm x 3mm	60
PMBB50	50mm x 5mm	68



Mini Cup Wheel

With M14 thread. Ideal for tight spots, corners and detail grinding. Premium quality for Granite.

Code	Spec	Price
MCW50	50mm x M14	81
MCW60	60mm x M14	84
MCW80	80mm x M14	92



Mini Turbo Diamond Saw Blades

With 6mm shaft. Turbo style for dry cutting. Ideal for joint or grout cutting.

Code	Spec	Price
50MINIT	50mm Mini Turbo	40
65MINIT	65mm Mini Turbo	42
85MINIT	85mm Mini Turbo	46



Diamond Cleaning Pads

High performance floor care product to meet the new trend to maintain shiny floors. Diamond coated floor pad for cleaning and maintenance marble, granite polished concrete and terrazzo. Can be used without water. 10 times longer lasting than ordinary floor pad. No need for chemicals or waxes. Use with rotary or auto scrubber or high speed burnisher. 7" (180mm) to 28" (710mm) available

Code	Description	180mm 7"	230mm 9"	400mm 16"	430mm 17"	500mm 20"
DCP##1	#400 Grit #1	41	60	76	80	85
DCP##2	#800 Grit #2	41	60	76	80	85
DCP##3	#1500 Grit #3	41	60	76	80	85
DCP##4	#3000 Grit #4	41	60	76	80	85
DCP##5	#10000 Grit #5	41	60	76	80	85


DCP No.1 For restoration of heavily worn stone and concrete floors. Effectively remove scratches and stains on the floors and clean dirty surface.

DCP No.2 To remove fine scratches on the floors and leave a clean surface for next step.

DCP No.3 This step makes the floor to be prepared shining of stone floor. The concrete floor start to shine

DCP No.4 This step makes shining surface of concrete floor. Well prepared for shining of granite and marble.

DCP No.5 Final step which will bring the surface to a mirror look. You can maintain the high gloss floor regularly without any wax or chemical. Suitable for high speed polishing of polished concrete, granite, marble and terrazzo



Redi-Lock Style Shoes

36 X 12 X 10mm. Premium quality made in Korea. Long life and fast grinding.

Code	Spec	Price
------	------	-------

Extra Hard Concrete - Yellow - Turbo

HQUC18	#18/20 Grit	33
HQUC20	#20/30 Grit	33
HQUC30	#30/40 Grit	28
HQUC60	#60/80 Grit	28
HQUC120	#120/150 Grit	28

Hard Concrete - Gold - Turbo

HQVC20	#20/30 Grit	33
HQVC30	#30/40 Grit	28
HQVC60	#60/80 Grit	28
HQVC120	#120/150 Grit	28

Medium Hard Concrete - Blue - Turbo

HQHC20	#20/30 Grit	33
HQHC30	#30/40 Grit	28
HQHC60	#60/80 Grit	28
HQHC120	#120/150 Grit	28

Medium Concrete - Red

HQMC20	#20/30 Grit	33
HQMC30	#30/40 Grit	28
HQMC60	#60/80 Grit	28
HQMC120	#120/150 Grit	28

Soft Concrete - Black

HQSC20	#20/30 Grit	36
HQSC30	#30/40 Grit	30
HQSC60	#60/80 Grit	30

Extremely Abrasive Concrete - Orange

HQAC20	#20/30 Grit	36
HQAC30	#30/40 Grit	30

PCD Shoe

HQPCR	Φ13 x 1/4 x 2 Clockwise	70
HQPCL	Φ13 x 1/4 x 2 Anti- Clockwise	70



QC Lavina Style Shoes

40 x 10 X 10mm. Premium quality made in Korea. Long life and fast grinding.

Code	Spec	Price
------	------	-------

Extra Hard Concrete - Yellow - Double Segment

QCUC30	#30/40 Grit	28
QCUC60	#60/80 Grit	28
QCUC120	#120/150 Grit	28

Hard Concrete - Blue - Double Segment

QCHC30	#30/40 Grit	28
QCHC60	#60/80 Grit	28
QCH120	#120/150 Grit	28

Medium Concrete - Red - Double Segment

QCMCR18	#18/20 Grit	33
QCMCR30	#30/40 Grit	28
QCMCR60	#60/80 Grit	28
QCMCR120	#120/150 Grit	28

Soft Concrete - Orange - Double Segment

QCAC18	#18/20 Grit	33
QCAC30	#30/40 Grit	28
QCAC60	#60/80 Grit	28
QCAC120	#120/150 Grit	28

Single 1/4 PCD with Circle Segment

PSCR	Φ13 x 1/4 Right	44
PSCl	Φ13 x 1/4 Left	44

Double 1/2 PCD with 2 Split PCD

DPDPR	Φ13 x 1/2 Right	44
DPDPL	Φ13 x 1/2 Left	44

Diamond Latloc Plugs

For floor grinding machines. 50mm diameter with taper. Long life and fast grinding.

Code	Spec	Price
------	------	-------

SOLID

PLUGM16GRIT	#16 Grit	99
PLUGM30GRIT	#30 Grit	92
PLUGM60GRIT	#60 Grit	92
PLUGM120GRIT	#120 Grit	92

SEGMENTED

PLUGSEG16GRIT	#16 Grit	99
PLUGSEG30GRIT	#30 Grit	92
PLUGSEG60GRIT	#60 Grit	92
PLUGSEG120	#120 Grit	92

PCD

PLUGPCD2	2 PCD, 1 Button	139
----------	-----------------	-----

Cretemower Plate

For concrete grinding. 20 segments 40 x 10 x 10mm for maximum life. 30 grit for aggressive grinding

Code	Spec	Price
CRETE2030	250mm 20 Seg # 30	284



Diamond Cassani Stones

For traditional machines. Long life and fast grinding. Many bonds and segment configurations available. Also retipping of existing plates.

Code	Spec	Price
CASSANIM16	#16 Grit	100



Diamond Frankfurt Blocks

For floor grinding machines. Long life and fast grinding.

Code	Spec	Price
FRANKG16GRIT	#16 Grit	90
FRANKG30GRIT	#30 Grit	80
FRANKG60GRIT	#60 Grit	80
FRANKG120GRIT	#120 Grit	80



M14 Vacuum Brazed Milling Bits

The vacuum brazed diamond router bits with M14 thread. 50mm working length with internal water holes for wet or dry use. Fits FLEX wet polishers and similar for routing stone and masonry

Code	Spec	Price
MB10M14	10mm Diameter	40
MB15M14	15mm Diameter	42
MB20M14	20mm Diameter	48
MB25M14	25mm Diameter	52
MB50M14	50mm Diameter	80
MB75M14	75mm Diameter	104



M14 Vacuum Brazed Milling Drums

The vacuum brazed diamond router bits with M14 thread. 50mm working length with internal water holes for wet or dry use. Fits FLEX wet polishers and similar for routing stone and masonry. Cutout design for faster grinding in the larger diameters

Code	Spec	Price
MDB50M14	50mm Diameter	80
MDB75M14	75mm Diameter	106



1/2" Shank Vacuum Brazed Diamond Profile Routers

The vacuum brazed diamond router bits with 1/2" shank are to be used with wood routers and CNC machines for profiling granite, marble and other types of stones. The router bits have 30/40 grit diamond for fast edge profiling and feature a tracer bearing for easy use.

Code	Spec	Price
12ROUTST12NB	12mm Straight no bearing	52
12ROUTST12	12mm Straight	52
5ROUTHB12	5mm 1/2 Bullnose	50
10ROUTHB12	10mm 1/2 Bullnose	65
20ROUTHB12	20mm 1/2 Bullnose	75
45ROUT12NB	45 Degree no bearing	52
45ROUT12	45 Degree	52

1/4" Shank Sintered Diamond Profile Routers

With 1/4" shank to suit trimmers or die grinders. Cylindrical drum shaped diamond head in various diameters. For all stone and masonry with longer life than brazed burrs

Code	Spec	Price
SB6X6	6mm Diameter	18
SB8X6	8mm Diameter	19
SBX10X6	10mm Diameter	20
SBX12X6	12mm Diameter	20
SBX14X6	14mm Diameter	21
SBX18X6	18mm Diameter	22
SBX20X6	20mm Diameter	25

Sintered Diamond Profile Routers

Economical profile shaping wheel for use on most popular stone routing machines with 22.2mm boss. Comes complete with rotating central bearing & machined fixing bolt. FULL RANGE ONLINE

Code	Spec	Price
20ROUTV22	20mm Bullnose	380
30ROUTV22	30mm Bullnose	420
35ROUTV22	35mm Bullnose	480
40ROUTV22	40mm Bullnose	480
50ROUTV22	50mm Bullnose	580
20ROUTF22	20mm Ogee	280



Diamond Finger Bits

For CNC Machinery. 1/2" Gas fitting

Code	Spec	Price
DFB2335	23mm Ø x 35mm Medium Bond	121
DFB2340	23mm Ø x 40mm Medium Bond	128
DFB2350	23mm Ø x 50mm Medium Bond	158
DFB2540	25mm Ø x 40mm Medium Bond	138
DFB2550	25mm Ø x 50mm Medium Bond	177
LFB2335	23mm Ø x 35mm Hard Bond	165
LFB2340	23mm Ø x 40mm Hard Bond	167
LFB2350	23mm Ø x 50mm Hard Bond	193
RFB2350	23mm Ø x 50mm Soft Bond	142
RFB2550	25mm Ø x 50mm Soft Bond	149
DKF2040	20mm Ø x 40mm Dekton	164
DKF2340	23mm Ø x 40mm Dekton	174
VFB1540	15mm Ø x 40mm Marble Vac Brazed	140
VFB1545	15mm Ø x 45mm Marble Vac Brazed	146
VFB2040	20mm Ø x 40mm Marble Vac Brazed	152
VFB2045	20mm Ø x 45mm Marble Vac Brazed	156



Diamond Incremental Finger Tips

For CNC Machinery. M12 fitting

Code	Spec	Price
ICFD1520	15mm Ø x 20mm Dekton	76
ICFD2020	20mm Ø x 20mm Dekton	80
CFB1520F	15mm Ø x 20mm Soft Bond	50
CFB2020F	20mm Ø x 20mm Soft Bond	60
CFB2020L	20mm Ø x 20mm Hard Bond	60
CRD1520	15mm Ø x 20mm Dekton	50
CRD2020	20mm Ø x 20mm Dekton	62
M12CNC	M12 to 1/2" G Adapter	60



Diamond CNC Stubbing Wheels

For CNC Machinery. M12 fitting

Code	Spec	Price
RW05020	50mm Ø x 20mm Granite	230
RW05030	50mm Ø x 30mm Granite	240
RW09020	90mm Ø x 20mm Granite	280
RW09030	90mm Ø x 30mm Granite	305
RWD09020	90mm Ø x 20mm Dekton	319
RWD09030	90mm Ø x 30mm Dekton	346
50ADT	Adapter to suit 50mm	79
90ADT	Adapter to suit 90mm	79





1/2" Shank Vacuum Brazed Diamond Profile Routers

The vacuum brazed diamond router bits with 1/2" shank are to be used with wood routers and CNC machines for profiling granite, marble and other types of stones. The router bits have 30/40 grit diamond for fast edge profiling.

Code	Spec	Price
12ROUTER6	6mm Straight	38
12ROUTERV20	20mm Bullnose	50
12ROUTERV30	30mm Bullnose	64
12ROUTERV36	36mm Bullnose	76
12ROUTERV40	40mm Bullnose	81

Sintered Sculpting Routers


These segmented routers feature an M14 thread or 22.23mm hole for attachment to an angle grinder or polisher. They also have internal water holes for use with a wet polisher or CNC. Long life in hard stone

Code	Spec	Price
20MUSH	20mm Mushroom	89
25MUSH	25mm Mushroom	97
50MUSH	50mm Mushroom	165
125X50RBPW	125mm x 50mm Reverse Bullnose	323
180X25RBPW	180mm x 25mm Reverse Bullnose	320

Sintered Sculpting Tools

6.35mm shaft. Ideal for shaping all types of stone. Sintered for longer life in soft stone. Various shapes for intricate carving. Shapes may vary due to hand grinding and moulding process during manufacture.

Code	Spec	Price
DYA01	35mmD 2.6mmH	21
DYB01	25mmD 6mmH	21
DYC01	25mmD 6mmH	21
DYD01	12mmD 20mmH	21
DYE01	15mmD	21
DYF01	12mmD 15mmH	21
DYG01	12mmD 25mmH	21
DYH01	22mmD 5mmH	21
DYI01	22mmD 8mmH	21
DYJ01	12mmD 13mmH	21
DYK01	12mmD 20mmH	21
DYL01	11mmD 20mmH	21
DYM01	12mmD 15mmH	21
DYN01	10/15mmD 16mmH	21
DYP01	15/10mmD 14mmH	21
DYQ01	14mmD 13mmH	21



M14 Threaded Vacuum Brazed Diamond Profile Routers

For forming edges on natural or engineered stone, porcelain tiles and concrete countertops. With a M14 thread they can be used on any variable speed grinders or polishers, plus they feature an internal water feed for optimum cooling of the bit. A guide on the top of the bit rides on the surface of the stone and a rotary toucher controls the depth of cut for consistent shaping. Optimal speed for operation of the profilers is 3000 RPM.



Code	Spec	Price
5ROUTBM14	5mm Half Bullnose	115
10ROUTBM14	10mm Half Bullnose	121
20ROUTBM14	20mm Half Bullnose	163
20ROUTVM14	20mm Bullnose	203
30ROUTVM14	30mm Bullnose	235
35ROUTVM14	35mm Bullnose	266
40ROUTVM14	40mm Bullnose	303
50ROUTVM14	50mm Bullnose	324
20ROUTFM14	20mm Ogee	148

Vacuum Brazed Sculpting Tools


With 6mm shaft. Ideal for shaping all types of stone. Brazed diamond for faster working in all stone. Various shapes for intricate carving.

Code	Spec	Price	1	2	3	4	5	6	7	8	9	10
EPP1	#1	10										
EPP2	#2	10										
EPP3	#3	10										
EPP4	#4	10										
EPP5	#5	10										
EPP6	#6	10										
EPP7	#7	10										
EPP8	#8	10										
EPP9	#9	10										
EPP10	#10	10										

20mm Bullnose Diamond Sanding Blocks

For faster bullnosing 20mm stone and concrete. Colour coded for easy identification. Ergonomic 90 x 55mm size.

Code	Spec	Price
20DIABLOCKV50GRIT	#50 Grit	38
20DIABLOCKV100GRIT	#100 Grit	38
20DIABLOCKV200GRIT	#200 Grit	38
20DIABLOCKV400GRIT	#400 Grit	38
20DIABLOCKV800GRIT	#800 Grit	38
20DIABLOCKV1500GRIT	#1500 Grit	38
20DIABLOCKV3000GRIT	#3000 Grit	38



Diamond Sanding Blocks

For faster sanding and polishing of all types of stone and concrete. Colour coded for easy identification. Ergonomic 90 x 55mm size. Metal bond in coarser grits.

Code	Spec	Price
DIABLOCK60GRIT	#60 Grit	24
DIABLOCK120GRIT	#120 Grit	24
DIABLOCK200GRIT	#200 Grit	24
DIABLOCK400GRIT	#400 Grit	24
DIABLOCK800GRIT	#800 Grit	24
DIABLOCK1500GRIT	#1500 Grit	24
DIABLOCK3000GRIT	#3000 Grit	24



Diamond Sanding Sheet

For faster sanding and polishing of all types of stone and concrete. Colour coded for easy identification. Can be cut to fit sanders. Velcro backed. Larger 100 x 100mm size. Metal bond in coarser grits.

Code	Spec	Price
DIASHEET60GRIT	#60 Grit	35
DIASHEET100GRIT	#100 Grit	35
DIASHEET200GRIT	#200 Grit	35
DIASHEET400GRIT	#400 Grit	35
DIASHEET800GRIT	#800 Grit	35
DIASHEET1500GRIT	#1500 Grit	35
DIASHEET3000GRIT	#3000 Grit	35



Premium Metal Bond Sanding Blocks

Hand grinding and polishing with water on granite, marble, glass, composites, softstone, terrazzo, gemstone, ceramics and porcelain. Ergonomic 90 x 55mm size. Metal bond and comfortable foam base. Premium Korean quality

Code	Spec	Price
HPE060	#60 Grit	33
HPE120	#120 Grit	33
HPE200	#200 Grit	33
HPE400	#400 Grit	33
HPE800	#800 Grit	33
HPE1500	#1500 Grit	33
HPE3000	#3000 Grit	33



30mm Bullnose Diamond Sanding Blocks

For faster bullnosing 30mm stone and concrete. Colour coded for easy identification. Ergonomic 90 x 55mm size.

Code	Spec	Price
30DIABLOCKV50GRIT	#50 Grit	42
30BDIABLOCKV100GRIT	#100 Grit	42
30DIABLOCKV200GRIT	#200 Grit	42
30DIABLOCKV400GRIT	#400 Grit	42
30DIABLOCKV800GRIT	#800 Grit	42
30DIABLOCKV1500GRIT	#1500 Grit	42
30DIABLOCKV3000GRIT	#3000 Grit	42



Drainage Groove Sink Drainboard Wheels

With 22.23mm bore to suit a standard angle grinder or "handlebar" machine. Cuts a 1/2" wide (6.35mmR) groove in granite and other stone benches. In segmented for initial grooving, vacuum brazed for smoothing and resin for polishing.

Code	Spec	Price
100GROOVESEG	Segmented	99
100GROOVEVB	Vacuum Brazed	77
100GROOVE50GRIT	#50 Grit	50
100GROOVE100GRIT	#100 Grit	50
100GROOVE200GRIT	#200 Grit	50
100GROOVE400GRIT	#400 Grit	50
100GROOVE800GRIT	#800 Grit	50
100GROOVE1500GRIT	#1500 Grit	50
100GROOVE3000GRIT	#3000 Grit	50



40mm Bullnose Diamond Sanding Blocks

For faster bullnosing 40mm stone and concrete. Colour coded for easy identification. Ergonomic 90 x 55mm size.

Code	Spec	Price
40DIABLOCKV50GRIT	#50 Grit	56
40DIABLOCKV100GRIT	#100 Grit	56
40DIABLOCKV200GRIT	#200 Grit	56
40DIABLOCKV400GRIT	#400 Grit	56
40DIABLOCKV800GRIT	#800 Grit	56
40DIABLOCKV1500GRIT	#1500 Grit	56
40DIABLOCKV3000GRIT	#3000 Grit	56



White Resin Diamond Polishing Pads

For light coloured stone. Ideal for use on Engineered Stone, Marble & Concrete. Can be used on handheld wet polishers or adapted to floor polisher use. 3mm thick resin for long life.

75mm (3") Diameter

Code	Spec	Price
75POLPADWHT50GRIT	#50 Grit	15
75POLPADWHT100GRIT	#100 Grit	15
75POLPADWHT200GRIT	#200 Grit	15
75POLPADWHT400GRIT	#400 Grit	15
75POLPADWHT800GRIT	#800 Grit	15
75POLPADWHT1500GRIT	#1500 Grit	15
75POLPADWHT3000GRIT	#3000 Grit	15
75POLPADWHTWB	Buff	15

100mm (4") Diameter

Code	Spec	Price
100POLPADWHT50GRIT	#50 Grit	17
100POLPADWHT100GRIT	#100 Grit	17
100POLPADWHT200GRIT	#200 Grit	17
100POLPADWHT400GRIT	#400 Grit	17
100POLPADWHT800GRIT	#800 Grit	17
100POLPADWHT1500GRIT	#1500 Grit	17
100POLPADWHT3000GRIT	#3000 Grit	17
100POLADWHTWB	Buff	17

125mm (5") Diameter

Code	Spec	Price
125POLPADWHT50GRIT	#50 Grit	22
125POLPADWHT100GRIT	#100 Grit	22
125POLPADWHT200GRIT	#200 Grit	22
125POLPADWHT400GRIT	#400 Grit	22
125POLPADWHT800GRIT	#800 Grit	22
125POLPADWHT1500GRIT	#1500 Grit	22
125POLPADWHT3000GRIT	#3000 Grit	22
125POLPADWHTWB	Buff	22

180mm (7") Diameter

Code	Spec	Price
180POLPADWHT50GRIT	#50 Grit	45
180POLPADWHT100GRIT	#100 Grit	45
180POLPADWHT200GRIT	#200 Grit	45
180POLPADWHT400GRIT	#400 Grit	45
180POLPADWHT800GRIT	#800 Grit	45
180POLPADWHT1500GRIT	#1500 Grit	45
180POLPADWHT3000GRIT	#3000 Grit	45
180POLPADWHTWB	Buff	45



Electroplated Diamond Flap Discs

115mm (4-1/2"). Use on angle grinders to smooth and shape stone and masonry. Ensure correct PPE when using dry.

Code	Spec	Price
100mm (4") Diameter		
105DIAFLAP30GRIT	105mm #30 Grit	50
105DIAFLAP60GRIT	105mm #60 Grit	40
105DIAFLAP120GRIT	105mm #120 Grit	40
115mm (4.5") Diameter		
115DIAFLAP30GRIT	115mm #30 Grit	55
115DIAFLAP60GRIT	115mm #60 Grit	45
115DIAFLAP120GRIT	115mm #120 Grit	45
125mm (5") Diameter		
125DIAFLAP30GRIT	125mm #30 Grit	60
125DIAFLAP60GRIT	125mm #60 Grit	50
125DIAFLAP120GRIT	125mm #120 Grit	50



Multitool Diamond Sanding Pads

Fits popular multitool with triangle velcro pad holder. Ideal for hard to reach corners and for polishing and smoothing stone and concrete surfaces. Wet or dry use, ensure PPE when used dry

Code	Spec	Price
TRIPAD30GRIT	#30 Grit	32
TRIPAD60GRIT	#60 Grit	24
TRIPAD100GRIT	#100 Grit	24
TRIPAD200GRIT	#200 Grit	24
TRIPAD400GRIT	#400 Grit	24
TRIPAD800GRIT	#800 Grit	24
TRIPAD1500GRIT	#1500 Grit	24
TRIPAD3000GRIT	#3000 Grit	24



Marble Sponge Polishing Pads

Used for polishing Marble & Porcelain Tile. High gloss polishing performance. 100/125mm diameter x 10mm thick for long life & the ultimate shine! Velcro backed, wet use. 4,000RPM recommended.

100mm (4") Diameter			125mm (5") Diameter		
Code	Spec	Price	Code	Spec	Price
100SPONGEPAD150GRIT	#150 Grit	13	125SPONGEPAD150GRIT	#150 Grit	18
100SPONGEPAD300GRIT	#300 Grit	13	125SPONGEPAD300GRIT	#300 Grit	18
100SPONGEPAD500GRIT	#500 Grit	13	125SPONGEPAD500GRIT	#500 Grit	18
100SPONGEPAD1000GRIT	#1000 Grit	13	125SPONGEPAD1000GRIT	#1000 Grit	18
100SPONGEPAD2000GRIT	#2000 Grit	13	125SPONGEPAD2000GRIT	#2000 Grit	18
100SPONGEPAD3000GRIT	#3000 Grit	13	125SPONGEPAD3000GRIT	#3000 Grit	18
100SPONGEPAD6000GRIT	#6000 Grit	13	125SPONGEPAD6000GRIT	#6000 Grit	18
100SPONGEPAD10000GRIT	#10000 Grit	13	125SPONGEPAD10000GRIT	#10000 Grit	18
100WOOLFELT	Wool Felt	13	125WOOLFELT	Wool Felt	18



100mm Supero Granite Polishing Pads

100mm (4") Diameter. Wet use only. For quartz/engineered stone and marble. Fast polish with excellent gloss

Code	Spec	Price
WPX450GRIT	#50 Grit	24
WPX4100GRIT	#100 Grit	24
WPX4200GRIT	#200 Grit	24
WPX4400GRIT	#400 Grit	24
WPX4800GRIT	#800 Grit	24
WPX41500GRIT	#1500 Grit	24
WPX43000GRIT	#3000 Grit	24
WPX4BUFFGRIT	Buff	24



125mm Supero Granite Polishing Pads

125mm (5") Diameter. Wet use only. For quartz/engineered stone and marble. Fast polish with excellent gloss

Code	Spec	Price
WPX550GRIT	#50 Grit	39
WPX5100GRIT	#100 Grit	39
WPX5200GRIT	#200 Grit	39
WPX5400GRIT	#400 Grit	39
WPX5800GRIT	#800 Grit	39
WPX51500GRIT	#1500 Grit	39
WPX53000GRIT	#3000 Grit	39
WPX5BUFFGRIT	Buff	39



100mm Marble Polishing Pads

100mm (4") Diameter. Wet use only. For quartz/engineered stone and marble. Fast polish with excellent gloss

Code	Spec	Price
WPM450GRIT	#50 Grit	29
WPM4100GRIT	#100 Grit	29
WPM4200GRIT	#200 Grit	29
WPM4400GRIT	#400 Grit	29
WPM4800GRIT	#800 Grit	29
WPM41500GRIT	#1500 Grit	29
WPM43000GRIT	#3000 Grit	29



100mm Copper Polishing Pads

For faster polishing. Special bond for the best performance and shine. Colour coded for easy identification.

Code	Spec	Price
100POLPAD COP30GRIT	#30 Grit	24
100POLPAD COP50GRIT	#50 Grit	24
100POLPAD COP100GRIT	#100 Grit	24
100POLPAD COP200GRIT	#200 Grit	24
100POLPAD COP400GRIT	#400 Grit	24



Monster Hybrid Concrete Polishing Pads


For polishing concrete. New generation resin bond. Huge 5mm thick pad with tapered edges for maximum lifespan. Best value concrete pad on the market. Colour coded and velcro backed for easy use. And with white colour they won't stain, perfect for dry use. Now 7mm thick on the 180mm pads! Use appropriate dust protection equipment when using dry.

Code	Spec	Price
100MONSTER50GRIT	#50 Grit	25
100MONSTER100GRIT	#100 Grit	25
100MONSTER200GRIT	#200 Grit	25
100MONSTER400GRIT	#400 Grit	25
100MONSTER800GRIT	#800 Grit	25
100MONSTER1500GRIT	#1500 Grit	25
100MONSTER3000GRIT	#3000 Grit	25



125mm Diameter

125MONSTER50GRIT	#50 Grit	30
125MONSTER100GRIT	#100 Grit	30
125MONSTER200GRIT	#200 Grit	30
125MONSTER400GRIT	#400 Grit	30
125MONSTER800GRIT	#800 Grit	30
125MONSTER1500GRIT	#1500 Grit	30
125MONSTER3000GRIT	#3000 Grit	30



180mm Diameter

180MONSTER50GRIT	#50 Grit	50
180MONSTER100GRIT	#100 Grit	50
180MONSTER200GRIT	#200 Grit	50
180MONSTER400GRIT	#400 Grit	50
180MONSTER800GRIT	#800 Grit	50
180MONSTER1500GRIT	#1500 Grit	50
180MONSTER3000GRIT	#3000 Grit	50



Granite Diamond Polishing Pads

For polishing hard granites. Darker resin to avoid haze during polishing process. 3mm thick resin for long life. Colour coded for easy identification.

Code	Spec	Price
100mm Diameter		
100POLPADGR50GRIT	#50 Grit	19
100POLPADGR100GRIT	#100 Grit	19
100POLPADGR200GRIT	#200 Grit	19
100POLPADGR400GRIT	#400 Grit	19
100POLPADGR800GRIT	#800 Grit	19
100POLPADGR1500GRIT	#1500 Grit	19
100POLPADGR3000GRIT	#3000 Grit	19
100POLPADGRBUFF	#Black Buff	19

125mm Diameter		
125POLPADGR50GRIT	#50 Grit	29
125POLPADGR100GRIT	#100 Grit	29
125POLPADGR200GRIT	#200 Grit	29
125POLPADGR400GRIT	#400 Grit	29
125POLPADGR800GRIT	#800 Grit	29
125POLPADGR1500GRIT	#1500 Grit	29
125POLPADGR3000GRIT	#3000 Grit	29
125POLPADGRBUFF	#Black Buff	29



100mm 3-Step Polishing Pads

For polishing stone and concrete with minimum fuss and less pad changes. Colour coded for easy identification. 100mm x 2mm. Wet and Dry use. Use appropriate dust protection equipment when using.

Code	Spec	Price
100POLPAD3S1	#1 Coarse	22
100POLPAD3S2	#2 Medium	22
100POLPAD3S3	#3 Fine	22



Dry Diamond Polishing Pads

For polishing stone and concrete. Economical, fast polishing, ideal for on-site use, edges etc. Colour coded for easy identification. **Use appropriate dust protection equipment when using.**

100mm Diameter

Code	Spec	Price
100POLPADDRY50GRIT	#50 Grit	17
100POLPADDRY100GRIT	#100 Grit	17
100POLPADDRY200GRIT	#200 Grit	17
100POLPADDRY400GRIT	#400 Grit	17
100POLPADDRY800GRIT	#800 Grit	17
100POLPADDRY1500GRIT	#1500 Grit	17
100POLPADDRY3000GRIT	#3000 Grit	17
100POLPADDRYWB	White Buff	17
100POLPADDRYBB	Black Buff	17

125mm Diameter

Code	Spec	Price
125POLPADDRY50GRIT	#50 Grit	24
125POLPADDRY100GRIT	#100 Grit	24
125POLPADDRY200GRIT	#200 Grit	24
125POLPADDRY400GRIT	#400 Grit	24
125POLPADDRY800GRIT	#800 Grit	24
125POLPADDRY1500GRIT	#1500 Grit	24
125POLPADDRY3000GRIT	#3000 Grit	24
125POLPADDRYWB	Buff	24
125POLPADDRYBB	Buff	24

150mm Diameter

150POLPADDRY50GRIT	#50 Grit	34
150POLPADDRY100GRIT	#100 Grit	34
150POLPADDRY200GRIT	#200 Grit	34
150POLPADDRY400GRIT	#400 Grit	34
150POLPADDRY800GRIT	#800 Grit	34
150POLPADDRY1500GRIT	#1500 Grit	34
150POLPADDRY3000GRIT	#3000 Grit	34
150POLPADDRYWB	White Buff	34
150POLPADDRYBB	Black Buff	34

180mm Diameter

180POLPADDRY50GRIT	#50 Grit	39
180POLPADDRY100GRIT	#100 Grit	39
180POLPADDRY200GRIT	#200 Grit	39
180POLPADDRY400GRIT	#400 Grit	39
180POLPADDRY800GRIT	#800 Grit	39
180POLPADDRY1500GRIT	#1500 Grit	39
180POLPADDRY3000GRIT	#3000 Grit	39
180POLPADDRYWB	White Buff	39
180POLPADDRYBB	Black Buff	39



Dry Diamond Polishing Pads

For polishing stone and concrete. Economical, fast polishing, ideal for on-site use, edges etc. Colour coded for easy identification. **Use appropriate dust protection equipment when using.**

75mm Diameter

Code	Spec	Price
75POLPADEP30GRIT	#30 Grit	17
75POLPADEP60GRIT	#60 Grit	17
75POLPADEP120GRIT	#120 Grit	17
75POLPADEP200GRIT	#200 Grit	17
75POLPADEP400GRIT	#400 Grit	17

100mm Diameter

Code	Spec	Price
100POLPADEP30GRIT	#30 Grit	24
100POLPADEP60GRIT	#60 Grit	42
100POLPADEP120GRIT	#120 Grit	42
100POLPADEP200GRIT	#200 Grit	42
100POLPADEP400GRIT	#400 Grit	42

125mm Diameter

125POLPADEP30GRIT	#30 Grit	48
125POLPADEP60GRIT	#60 Grit	42
125POLPADEP120GRIT	#120 Grit	42
125POLPADEP200GRIT	#200 Grit	42
125POLPADEP400GRIT	#400 Grit	42

150mm Diameter

150POLPADEP30GRIT	#30 Grit	84
150POLPADEP60GRIT	#60 Grit	65
150POLPADEP120GRIT	#120 Grit	65
150POLPADEP200GRIT	#200 Grit	65
150POLPADEP400GRIT	#400 Grit	65

180mm Diameter

180POLPADEP30GRIT	#30 Grit	110
180POLPADEP60GRIT	#60 Grit	88
180POLPADEP120GRIT	#120 Grit	88
180POLPADEP200GRIT	#200 Grit	88
180POLPADEP400GRIT	#400 Grit	88



100mm Copper Floor Polishing Pads Tapered

100mm (4") Diameter. Copper Bond. 10mm High Tapered Edge Diamond.

Code	Spec	Price
100FLOORPADCOP1050GRIT	#50 Grit	44
100FLOORPADCOP10100GRIT	#100 Grit	44
100FLOORPADCOP10200GRIT	#200 Grit	44
100FLOORPADCOP10400GRIT	#400 Grit	44



100mm Copper Floor Polishing Pads Square

100mm (4") Diameter. Copper Bond 7mm High Square Edge Diamond.

Code	Spec	Price
100FLOORPADCOP750GRIT	#50 Grit	34
100FLOORPADCOP710GRIT	#100 Grit	34
100FLOORPADCOP7200GRIT	#200 Grit	34
100FLOORPADCOP7400GRIT	#400 Grit	34



150mm Copper Floor Polishing Pads Square

150mm (6") Diameter. Copper Bond 7mm High Square Edge Diamond.

Code	Spec	Price
150FLOORPADCOP50GRIT	#50 Grit	55
150FLOORPADCOP10GRIT	#100 Grit	55
150FLOORPADCOP200GRIT	#200 Grit	55
150FLOORPADCOP400GRIT	#400 Grit	55



75mm Ceramic Floor Polishing Pads Tapered

75mm (3") Diameter. Ceramic Bond 10mm High Tapered Edge Diamond.

Code	Spec	Price
75FLOORPADCER50GRIT	#50 Grit	41
75FLOORPADCER100GRIT	#100 Grit	41
75FLOORPADCER200GRIT	#200 Grit	41
75FLOORPADCER400GRIT	#400 Grit	41
75FLOORPADCER800GRIT	#800 Grit	41
75FLOORPADCER1500GRIT	#1500 Grit	41
75FLOORPADCER3000GRIT	#3000 Grit	41



100mm Ceramic Floor Polishing Pads Tapered

100mm (4") Diameter. Ceramic Bond 10mm High Tapered Edge Diamond.

Code	Spec	Price
75FLOORPADCER50GRIT	#50 Grit	74
75FLOORPADCER100GRIT	#100 Grit	74
75FLOORPADCER200GRIT	#200 Grit	74
75FLOORPADCER400GRIT	#400 Grit	74
75FLOORPADCER800GRIT	#800 Grit	74
75FLOORPADCER1500GRIT	#1500 Grit	74
75FLOORPADCER3000GRIT	#3000 Grit	74

250mm Floor Grinding Cup Wheels

25.4mm Bore. Suits 250mm machines, 10mm high segment

Code	Spec	Price
250WHITE	White 9 Segs Grit 30/40#, Hard Bond	322
250BROWN	Brown 6 Segs Grit 30/40#, Soft Bond	208
250BLACK	Black 8 Segs Grit 16#, Soft Bond	343



Diamond Polishing Drums M14

Used to polish inside radius such as undermount sink holes. 50mm diameter x 38mm high. Wet polishing will generally result in better shine and the tools will last longer. With M14 threads, the wet diamond polishing drums can fit on most polishers and variable speed grinders.

Code	Spec	Price
50POLDRUM50GRIT	#50 Grit	64
50POLDRUM100GRIT	#100 Grit	64
50POLDRUM200GRIT	#200 Grit	64
50POLDRUM400GRIT	#400 Grit	64
50POLDRUM800GRIT	#800 Grit	64
50POLDRUM1500GRIT	#1500 Grit	64
50POLDRUM3000GRIT	#3000 Grit	64
50DRUM5EG	Segmented	141



SAIT Stone Sandpaper

For wet or dry polishing marble and similar stones. Premium Italian quality. 125mm velcro backed. Use dry only on appropriate materials and with PPE


Code	Spec	Price
125SAIT40GRIT	#40 Grit	0.95
125SAIT60GRIT	#60 Grit	0.9
125SAIT120GRIT	#120 Grit	0.9
125SAIT220GRIT	#220 Grit	0.9
125SAIT320GRIT	#320 Grit	0.9
125SAIT400GRIT	#400 Grit	0.9
125SAIT600GRIT	#600 Grit	0.9
125SAIT800GRIT	#800 Grit	0.9
125SAIT1200GRIT	#1200 Grit	0.9



ZEC Semiflex Grinding Wheels

For dry grinding. Premium Italian quality. Use dry only on appropriate materials and with PPE

Code	Spec	Price
100ZECSEF16GRIT	100mm #16 Grit	8
100ZECSEF24GRIT	100mm #24 Grit	8
100ZECSEF36GRIT	100mm #36 Grit	8
125ZECSEF16GRIT	125mm #16 Grit	12
125ZECSEF24GRIT	125mm #24 Grit	12
125ZECSEF36GRIT	125mm #36 Grit	12



ZEC Rigid Plastic Grinding Wheels

For dry grinding. Premium Italian quality. Use dry only on appropriate materials and with PPE

Code	Spec	Price
100ZECRP16GRIT	100mm #16 Grit	9
100ZECRP24GRIT	100mm #24 Grit	9
100ZECRP36GRIT	100mm #36 Grit	9
125ZECRP16GRIT	125mm #16 Grit	11
125ZECRP24GRIT	125mm #24 Grit	11
125ZECRP36GRIT	125mm #36 Grit	11



PVA Polishing Wheels

For dry polishing marble & tile. 100mm diameter. 16mm bore. 8500 RPM Max. Use dry only on appropriate materials and with PPE

Code	Spec	Price
100PVA36GRIT	100mm #36 Grit	9
100PVA60GRIT	100mm #60 Grit	9
100PVA80GRIT	100mm #80 Grit	9
100PVA120GRIT	100mm #120 Grit	9



75mm Convex Polishing Pads

75mm (5") Diameter. Wet use only. For Granite/quartz/engineered stone and marble. Fast polish with excellent gloss.

Code	Spec	Price
75POLPADCVX50GRIT	#50 Grit	22
75POLPADCVX100GRIT	#100 Grit	22
75POLPADCVX200GRIT	#200 Grit	22
75POLPADCVX400GRIT	#400 Grit	22
75POLPADCVX800GRIT	#800 Grit	22
75POLPADCVX1500GRIT	#1500 Grit	22
75POLPADCVX3000GRIT	#3000 Grit	22

100mm Convex Polishing Pads

75mm (5") Diameter. Wet use only. For Granite/quartz/engineered stone and marble. Fast polish with excellent gloss.

Code	Spec	Price
100POLPADCVX50GRIT	#50 Grit	22
100POLPADCVX100GRIT	#100 Grit	22
100POLPADCVX200GRIT	#200 Grit	22
100POLPADCVX400GRIT	#400 Grit	22
100POLPADCVX800GRIT	#800 Grit	22
100POLPADCVX1500GRIT	#1500 Grit	22
100POLPADCVX3000GRIT	#3000 Grit	22

Diamond Polishing Drums M14 25mm Diam.


Used to polish inside radius such as undermount sink holes. 25mm diameter x 38mm high. With M14 threads, the wet diamond polishing drums can fit on most polishers and variable speed grinders.

Code	Spec	Price
25DRUM50GRIT	#50 Grit	44
25DRUM100GRIT	#100 Grit	44
25DRUM200GRIT	#200 Grit	44
25DRUM400GRIT	#400 Grit	44
25DRUM800GRIT	#800 Grit	44
25DRUM1500GRIT	#1500 Grit	44
25DRUM3000GRIT	#3000 Grit	44

100mm 4-Step Dry Polishing Pads

100mm (4") Diameter. Dry use on appropriate materials with appropriate PPE only. Used on natural stone and masonry. 4 step to reduce polishing times


Code	Spec	Price
100POLPADK1	Pos 1	22
100POLPADK2	Pos 2	22
100POLPADK3	Pos 3	22
100POLPADK4	Pos 4	22



Montolit Nibblers

Professional tile nibbler specifically designed for glass and ceramic mosaics. This tool is extremely useful for making classic and artistic mosaics, small finishing touches for angles, special shapes. Made of carbon-alloy steel and forged with the latest technology, it combines excellent finishing and precision with a slim line that makes it ergonomic and well-balanced. The tool has two tungsten carbide cutting wheels with titanium nitride coating. The highly effective lever combined with the concentrated points of contact between the material and the cutting edges guarantees extremely high cutting forces and accurate results. This means that the tool can also be used on vitreous mosaics and high finishing of cuts.

Code	Spec	Price
55W2	For glazed tile and mosaic	112
33W	For Porcelain	122



Montolit Tutorcut

Straight and perfect cuts, nothing more simple using TUTORCUT, an easy but effective and revolutionary tool. It can be put on every single grinder, you only need to put it on its axle and is blocked, safe and ready to go. This tool is able to maintain accurate linearity and keep the blade on the same line of the tile, the result is an assisted cut straight and free from chipping.

Code	Spec	Price
TUOTCUT125	For 125mm Blades	44



Montolit Levelling Lifters

The LEVELLING LIFTERS tool have a large lifting capacity that greatly facilitates the laying of Large Tiles on the wall. It allows micro metrical lifting of the Tile Slab by using a ratchet lever which then positions with precision/perfect levelling. Made of steel and aluminium, they are sold in pairs.

Code	Spec	Price
LIFTERS	Pair of levelling lifters	100

Montolit Blades, Tables, Drills, Saws, Grinding Wheels, TOPPROFILE and many more online at:

www.diamach.com.au/product-category/montolit/

Prices Include GST. Subject to change & availability -- E. & O.E. - Buy Online www.diamach.com.au - Page 24

100mm Diamond Burnishing Pads

100mm (4") Diameter.

Code	Spec	Price
100BP30GRIT	#30 Grit POS 1	29
100BP150GRIT	#150 Grit POS 2	29
100BP500GRIT	#500 Grit POS 3	29
100BP1500GRIT	#1500 Grit POS 4	29
100BP3000GRIT	#3000 Grit POS 5	29



Aluminium Backing Discs

Code	Spec	Price
75BACKERAM14	75mm	17
100BACKERAM14	100mm	23
125BACKERAM14	125mm	37
180BACKERAM14	180mm	66

Flexible Rubber Backing Discs

Code	Spec	Price
75BACKERFM14	75mm	12
100BACKERFM14	100mm	16
100BACKERSFM14	100mm Super Flexible	17
125BACKERFM14	125mm	27
180BACKERFM14	180mm	54



Semi-flexible Foam/Plastic Backing Discs

Code	Spec	Price
100BACKERFMM14	100mm	19
125BACKERFMM14	125mm	29
150BACKERFMM14	150mm	27
180BACKERFMM14	180mm	32



Snail Lock Backing Discs

Code	Spec	Price
100SLCOUPM14	100mm	67
125SLCOUPM14	125mm	77



SEBALD Silicon Carbide Grinding & Polishing Wheels

Code	Spec	Price
100SEBALD24GRIT	100mm 24/36 Grit	27
100SEBALD60GRIT	100mm 60 Grit	27
100SEBALD120GRIT	100mm 120 Grit	27
100SEBALD220GRIT	100mm 220 Grit	30
100SEBALD360GRIT	100mm 360 Grit	42
100SEBALD500GRIT	100mm 500 Grit	35
100SEBALDWB	100mm White Felt	68
100SEBALDBB	100mm Brown Felt	97
130SEBALD24GRIT	130mm 24/36 Grit	40
130SEBALD60GRIT	130mm 60 Grit	38
130SEBALD120GRIT	130mm 120 Grit	40
130SEBALD220GRIT	130mm 220 Grit	43
130SEBALD360GRIT	130mm 360 Grit	51
130SEBALD500GRIT	130mm 500 Grit	46
130SEBALDWB	130mm White Felt	135
130SEBALDBB	130mm Brown Felt	142



Carborundum Wedge Blocks

For wet or dry grinding concrete & stone. Economical and fast. Suits MasterFinish and similar machines.

Code	Spec	Price
WEDGE CARBO16GRIT	#16 Grit	12
WEDGE CARBO24GRIT	#24 Grit	12
WEDGE CARBO36GRIT	#36 Grit	12
WEDGE CARBO60GRIT	#60 Grit	12
WEDGE CARBO80GRIT	#80 Grit	12
WEDGE CARBO120GRIT	#120 Grit	12



Carborundum Hand Rubbing Blocks

150mm x 75mm x 50mm size.

Code	Spec	Price
CARBOLBLOCKC	Coarse Grit	35
CARBOLBLOCKM	Medium Grit	35
CARBOLBLOCKF	Fine Grit	35



T-Shape Oscillating Blades

Suits Fein Multimaster & similar machines. Ideal for mortar removal on brickwork & stone walls. Electroplated for fine finish, or Vacuum Brazed for aggressive cutting or electroplated for finer work.

Code	Spec	Price
FEINTVB	Fein Standard	20
FEINTVBXL	Fein Extra Long	22
FEINEP	Fein Electroplated	20
MULTIVB	Multitool Standard	20
MULTIVBXL	Multitool Extra Long	22
MULTINVB	Multitool with Cutout	20



Frankfurt Antiquing Brushes

For antiquing stone slab. Filament brush.

Code	Spec	Price
FRANKANT24GRIT	#24 Grit	25
FRANKANT36GRIT	#36 Grit	25
FRANKANT46GRIT	#46 Grit	25
FRANKANT60GRIT	#60 Grit	25
FRANKANT120GRIT	#120 Grit	25
FRANKANT220GRIT	#220 Grit	25



Snail Lock Antiquing Brushes

For antiquing stone slab. Filament brush.

Code	Spec	Price
100ANTSL24GRIT	100mm #24 Grit	25
100ANTSL36GRIT	100mm #36 Grit	25
100ANTSL46GRIT	100mm #46 Grit	25
100ANTSL60GRIT	100mm #60 Grit	25
100ANTSL120GRIT	100mm #120 Grit	25
100ANTSL220GRIT	100mm #220 Grit	25
100ANTSL360GRIT	100mm #360 Grit	25
100ANTSL500GRIT	100mm #500 Grit	25
130ANTSL24GRIT	130mm #24 Grit	25
130ANTSL36GRIT	130mm #36 Grit	30
130ANTSL46GRIT	130mm #46 Grit	30
130ANTSL60GRIT	130mm #60 Grit	30
130ANTSL120GRIT	130mm #120 Grit	30
130ANTSL220GRIT	130mm #220 Grit	30
130ANTSL360GRIT	130mm #360 Grit	30



REMMERS Restoration Mortar

15Kg Kit. Indoor and outdoor use. For restoring, supplementing and re-profiling natural stone, brick, concrete and synthetic stone. Used to reproduce ornamental building elements. Low free alkali content. Good flake adhesion. Low inherent stress. UV-resistant pigments. Can be made hydrophobic

Code	Spec	Price
MF100003	Antique White	264
MF100030	Beige	264
MF100235	Brick Orange	264
MF100011	Yellow Ochre	264
MF100124	Marl	264
MF100002	Light Grey	264
MF100194	Off White	264



REMMERS Peel Off Stone Cleaner

Arte Mundit Solvent-free, skin-forming peel-off paste for water-free removal of stains from delicate stone surfaces.

Code	Spec	Price
22202016	lightly adhering dirt 15kg	1109
22202316	Marble 16.01kg	1417
22202518	Physical and chemical cleaning for general impurities type 3	1109



REMMERS Funcosil Sealers

Outdoor solvent based sealer UV & Alkali resistant. Repels water. Long term effect. Salt resistant

Code	Spec	Price
60210	SNL 10 Litre UV & Alkali resistant	880
22202316	SNL 30 Litre UV & Alkali resistant	2640
22202518	BI 5 Litre UV & Alkali resistant facade protection	468

TENAX Stone Adhesives & Treatments

Italian quality stone adhesives. 1 Litre tins with hardener included.

Code	Spec	Price
TNXBIANS10	Tenax Solido Bianco White	31
TNXTRS10	Tenax Solido Transparente Clear	37
TNXMSTS10	Tenax Marble Super Transparent	52
TNXST01	Tenax Titanium Vinylester	71
TNX1141	Tenax 1141	33
TNX2141S10	Tenax Solido Snow 2141	24
TNX2200	Tenax 2200	24
TNX2220	Tenax Desert Limestone 2220	24
TNX2350S10	Tenax Solido Latte 2350	24
TNX2370S10	Tenax Solido Cashmere 2370	24
TNX2400	Tenax Solido 2400	24
TNX3141S10	Tenax 3141 Solid	24
TNX4350S10	Tenax Solido Mink 4350	24
TNX9141S10	Tenax Solido Ice Snow 9141	24
TNX9241	Tenax 9241	24
TNXBLS10	Tenax Nero Solido Black	31
TNXSOLS10	Tenax Solido Paglierino Beige	31
TNXLIQWX10	Tenax Cera Fluida Liquid Wax	44
TNXSOLWX	Tenax Cera Pasta Solid Wax	38
1TENAXHYDREX	Tenax Hydrex Natural Sealer	
1TENAXAGER	Tenax Ager Stone Enhancer Sealer	153
1TENAXGEAR	Tenax Gear Wet Look Colour Enhancing Sealer	
1TENAXNEROPLUS	Tenax Nero Plus Granite Darkener Liquid Wax	
1TENAXUNIBLACK	Tenax UniBlack2 Black Granite Wax No Gloss	
T5MPP1	Tenax 5 Extra Marble Polishing Powder 1kg	35
6TENAXCOLOURSET	Tenax Universal Colour Set 6 x 75ml (available individually)	107
45TENAXSOLIDHARDENER	Tenax Polyester Hardener 45g	5



SUPERIOR Stone Adhesives

Code	Spec	Price
GV11	GV1 Thin Stone Adhesive 1L Kit UV resistant	
GV14	GV1 Thin Stone Adhesive 4L Kit UV resistant	
GV51	GV5 Stone Adhesive 1L Kit UV resistant	
GV54	GV5 Stone Adhesive 4L Kit UV resistant	
GV91	GV9 Thick Stone Adhesive 1L Kit UV resistant	
GV94	GV9 Thick Stone Adhesive 4L Kit UV resistant	
GV920	GV9 Thick Stone Adhesive 20L Kit UV resistant	
PV51	Pv5 Pearl 1L Kit translucent	
PV54	Pv5 Pearl 4L Kit translucent	
FV51	FV5 Fusion Vinyl Ester Modified Acrylic 1L	
FV54	FV5 Fusion Vinyl Ester Modified Acrylic 4L	
SUPCOLAST60	Colour Paste Set 10 x 60ml (available individually)	



Stone Polishing Powders and Bars

Code	Spec	Price
2REULINM	2kg Marble Powder	
5REULINM	5kg Marble Powder	102
2REULINH	2kg Granite Powder	
5REULINH	5kg Granite Powder	140
5REULINHB	5kg Black Granite Powder	165
25REULINHB	25kg Black Granite Powder	821
HYFIN	White Paste Bar Compound	18
BCWXBLACK	Black Hard Polishing Wax Bar	
BCWXNEUT	Neutral Hard Wax Polishing Bar	



MEGAPOXY Epoxy Stone & Construction Adhesives

Australian made. The most widely used epoxy in the stone industry.

Code	Spec	Price
MEGAPOXY PM is specially formulated structural non-sag epoxy filling paste and adhesive. This easy to use two-part epoxy sets after mixing to an extremely durable adhesive ideal for bonding natural stone, concrete, steel, timber, glass and masonry.		
1MEGAPM	1 Litre Kit PM	59
4MEGAPM	4 Litre Kit PM	134
20MEGAPM	20 Litre Kit PM	355
MEGAPOXY PF is a rapid set epoxy adhesive which sets in three to five minutes and attains more than half its ultimate strength within 15 minutes of mixing. Megapoxy PF "hardens-as-you-hold-it" for immediate on the spot emergency repairs to tanks, pipes, machinery, concrete structures etc.		
1MEGAPF	1 Litre Kit PF	75
4MEGAPF	4 Litre Kit PF	145
20MEGAPF	20 Litre Kit PF	460
MEGAPOXY 69 is a translucent clear non-sag gel type epoxy. Ideal for structural bonding of metals to metals, metals to concrete and masonry, assembly of granite and marble fabrications, and many other civil engineering applications requiring superior bond strengths. MEGAPOXY 69 is also ideal for structural timber joinery and applications in the marine environment. It retains its high strength after repeated high impact forces.		
1MEGA69	1 Litre Kit 69	60
4MEGA69	4 Litre Kit 69	130
20MEGA69	20 Litre Kit 69	425
MEGAPOXY H is recommended as a suitable high strength material for bonding and anchoring steel reinforcement, starter bars and tie bars into concrete, brick work and stone. MEGAPOXY H is also ideal for sealing / waterproofing concrete structures and can be mixed with sand to make mortar systems. The addition of pigments can also be added for industrial floor coatings.		
4MEGAH	4 Litre Kit H	134
20MEGAH	20 Litre Kit H	425
MEGABOND is a high strength two component epoxy adhesive. Megabond is easy to use and spreads readily with a notched trowel. Excellent for bonding natural stone & tiles to all masonry surfaces including cement sheet, cement render, plasterboard, timber and is suitable for both interior & exterior applications.		
20MEGABOND	20 Litre Kit Megabond	365
MEGAPOXY HX is recommended as a suitable high strength material for bonding and anchoring steel reinforcement, starter bars and tie bars into concrete, brick work and stone. MEGAPOXY HX is also ideal for sealing / waterproofing concrete structures and can be mixed with sand to make mortar systems. The addition of pigments can also be added for industrial floor coatings. HX is a thinner variation of H.		
4MEGAHX	4 Litre Kit HX	145
20MEGAHX	20 Litre Kit HX	520
MEGAPOXY HT is recommended as a suitable high strength material for bonding and anchoring steel reinforcement, starter bars and tie bars into concrete, brick work and stone. MEGAPOXY HT is also ideal for sealing / waterproofing concrete structures and can be mixed with sand to make mortar systems. The addition of pigments can also be added for industrial floor coatings. HT is a thicker variation of H		
225MEGAHT	225g Kit x 9	150
4MEGAHT	4 Litre Kit HT	145
20MEGAHT	20 Litre Kit HT	520
MEGAPOXY P1 is a two component high strength epoxy paste based on DGEBA epoxy resin and carbonate free filler. Easy to use, this product sets after mixing with excellent properties for a wide range of applications. Ideal for structural bonding and repairs of precast concrete.		
4MEGAP1	4 Litre Kit P1	135
20MEGAP1	20 Litre Kit P1	355
MEGAPOXY TINTS for tinting clear Megapoxy products including 69, H, HX, HT. 500ml container. Epoxy based so they don't change the characteristics and strength of the epoxy.		
500MEGAWHT	500ml White Tint	37
500MEGAGRY	500ml Grey Tint	37
500MEGABLK	500ml Black Tint	37
500MEGAYEL	500ml Yellow Tint	37
500MEGABGE	500ml Beige Tint	37
500MEGARED	500ml Red Tint	37
500MEGAGRN	500ml Green Tint	37



LITHOFIN Stone Care

Code	Description	RRP	Price
LFKSTNST01	KF Stain-stop 1 Litre tile sealer		71
LFNANOTOP01	PRO Nanotop 1 Litre high performance natural stone protector		178
LFSTNST0.5	MN Stain-stop 500ml natural stone sealer		50
LFSTNST01	MN Stain-stop 1 Litre natural stone sealer		85
LFSTNST05	MN Stain-stop 5 Litre natural stone sealer		427
LFSTNST10	MN Stain-stop 10 Litre natural stone sealer		849
LFSTNSTPLUS01	MN Stain-stop Plus 1 Litre colour enhancing natural stone sealer		98
LFSTNSTPLUS05	MN Stain-stop Plus 5 Litre colour enhancing natural stone sealer		463
LFSTNSTPLUS10	MN Stain-stop Plus 10 Litre colour enhancing natural stone sealer		913
LFVVE01	PRO FVE 1 litre natural stone maximum enhancing sealer		175
LFSTNSTW01	MN Stain-stop W 1 Litre water based natural stone sealer		82
LFSTNSTW05	MN Stain-stop W 5 Litre water based natural stone sealer		372
LFSTNSTW10	MN Stain-stop W 10 Litre water based natural stone sealer		703
LFMNSTE01	MN Stain-stop ECO 1 Litre limestone sealer		79
LFMNSTE05	MN Stain-stop ECO 5 Litre limestone sealer		394
LFMCLRINT01	MN Colour Intensifier 1 Litre		50
LFMCLRINT05	MN Colour Intensifier 5 Litre		236
LFMCLRINT10	MN Colour Intensifier 10 Litre		435
LFMPOLLIQ01	MN Polish Liquid-Wax 1 Litre		50
LFPRO05	PRO Impregnator 5 Litre pre-sealer		329
LFPRO10	PRO Impregnator 10 Litre pre-sealer		464
LFKACTLN01	KF Active Clean 1 Litre Tile Concentrate Cleaner		30
LFKVITCLN01	KF Vitra-Clean 1 Litre		30
LFKVITCLN05	KF Vitra-Clean 5 Litre		125
LFKINTCLN01	KF Intensive Cleaner 1 Litre		35
LFKINTCLN05	KF Intensive Cleaner 5 Litre		154
LFKCR01	KF Cement Residue Remover 1 Litre		31
LFKCR05	KF Cement Residue Remover 5 Litre		132
LFKGP005	KF Grout Protector Spray 500ml		50
LFMBLDCLN01	MN Builders Clean 1 Litre		30
LFMBLDCLN05	MN Builders Clean 5 Litre		143
LFMBLDCLN10	MN Builders Clean 10 Litre		271
LFMOUTCLN01	MN Outdoor Cleaner 1 Litre		28
LFMPWRCLN01	MN Power-Clean 1 Litre		29
LFMPWRCLN05	MN Power-Clean 5 Litre		142
LFMPWRCLN10	MN Power-Clean 10 Litre		251
LFWAXOFF01	Wax-off 1 Litre		43
LFASR01	ASR Special Cleaner 1 Litre		44
LFASR05	ASR Special Cleaner 5 Litre		204
LFMECLNS0.5	MN Easy-Clean Spray 500ml		17
LFMECLNS01	MN Easy-Clean 1 Litre refill		23
LFMPOLCRM150	MN Polish Cream 150 MI		19
LFMPOLCRM500	MN Polish Cream 500 MI		32
LFGDCLN01	Daily Care Cleaner 1 Litre Green		36
LFGMSCLN05	Multi Surface Cleaner 500ml Spray		21
LFGSANICLN05	Sanitary Cleaner 500ml Spray		21
LFGDEEPCLN01	Deep Cleaner 1 Litre Green		36
LFMNECARE01	MN Easy-Care 1 Litre		29
LFMNECARE05	MN Easy-Care 5 Litre		164
LFMBATHCLN05	MN Bathroom Cleaner 500 MI		23
LFMBATHCLN01	MN Bathroom Cleaner Refill 1 Litre		24
LFKMILDAW05	KF Mildew-away Spray 500 MI		29
LFGKITEC	Kit Compact MN Easy Clean Spray & Refill Microfibre Cloth		62
LFGKITBE1	Care-Kit BE For Polished Natural Stone Tops		66



GUARDIT Stone & Construction Sealers and Cleaners

Australian made. Green friendly products..

Code	Spec	Price
------	------	-------

GuardIT® Green Acid Replacement (G.A.R) is an environmentally responsible acid alternative. Green Acid is a safe alternative to harsh acids, replacing hydrochloric acid in the removal of cement residue, mortar residue and efflorescence. Suitable for removing cement residue from concrete, sandstone, ceramic, terracotta, bricks, blue stone, painted metal surfaces and other similar surfaces.

GAR1	1 Litre Green Acid Replacement	17
GAR5	5 Litre Green Acid Replacement	66
GAR15	15 Litre Green Acid Replacement	137.5

GuardIT Soy Safe Eco Degreaser is an environmentally responsible, soy-based degreaser which contains no toxic chemicals and is highly effective in the removal of soot, grease and oil from all surfaces. Ideal for use on concrete, metals, brick, terracotta, blue stone, masonry and all other porous and dense surfaces.

DEG1	1 Litre Soy Safe Eco Degreaser	16.5
DEG5	5 Litre Soy Safe Eco Degreaser	59.4
DEG15	15 Litre Soy Safe Eco Degreaser	146.3

GuardIT® Porous All Stone Sealer is an environmentally responsible, penetrating, water-based, high-performance protective sealer. Porous All Stone provides an invisible coating designed to protect porous surfaces from oil, mould, water stains and salt attack. Ideally used for the protection of concrete, sandstone, terracotta, brick pavers, masonry and all other porous substrates

ASSP1	1 Litre Porous All Stone Sealer	40
ASSP5	5 Litre Porous All Stone Sealer	161.7
ASSP15	15 Litre Porous All Stone Sealer	445

GuardIT®Dense All Stone Sealer is an environmentally responsible, penetrating, water-based, high-performance protective sealer. Dense All Stone provides an invisible coating designed to protect dense surfaces from oil, mould and water stains. Ideally used for the protection of marble, granite, terrazzo and all other dense substrates.

ASSD1	1 Litre Dense All Stone Sealer	42
ASSD5	5 Litre Dense All Stone Sealer	174
ASSD15	15 Litre Dense All Stone Sealer	477

GuardIT® Soy All Stone Graffiti Remover Gel is an environmentally responsible, soy-based graffiti remover. Soy All Stone Graffiti Remover Gel is safe to use, contains no toxic chemicals and is highly effective in removing graffiti from porous surfaces. Ideally used for the removal of graffiti on concrete, sandstone, terracotta, bricks, masonry and all other porous substrates.

GRAFREM5	5 Litre Graffiti Remover All Stone	132
----------	------------------------------------	-----

.GuardIT® Soy Safe Sensitive Graffiti Remover is an environmentally responsible, soy-based graffiti remover. Soy Safe Sensitive Graffiti Remover is safe to use, contains no toxic chemicals and is highly effective in removing graffiti from sensitive surfaces. Ideally used for the removal of graffiti on perspex, signage, metals, colour bond, painted and all other sensitive surfaces.

1GRAFSEN	1 Litre Soy Safe Sensitive Graffiti Remover	39
5GRAFSEN	5 Litre Soy Safe Sensitive Graffiti Remover	132
15GRAFSEN	15 Litre Soy Safe Sensitive Graffiti Remover	323.4

GuardIT®Graffiti Shield is an environmentally responsible, penetrating, water-based, high-performance anti-graffiti coating. Graffiti Shield is an invisible protective coating specifically designed for porous surfaces from being defaced by graffiti. Ideally used for the protection of concrete infrastructure, sandstone, terracotta, bricks, natural stone and masonry surfaces.

GRAFSHLD5	5 Litre Graffiti Shield Invisishield	356
GRAFSHLD15	15 Litre Graffiti Shield Invisishield	826.54
20MEGAHT	0 Litre Kit HT	

GuardIT® Paving & Concrete Cleaner is a heavy duty, water based degreaser which contains revolutionary, high performance Soy solvent for the safe removal of industrial grease, oil, dirt and grime from hard surfaces including tiles, concrete, brick and other surfaces. It is also safe to use on painted and metal surfaces

PCC5	5 Litre Paving & Concrete Cleaner	83.6
PCC15	15 Litre Paving & Concrete Cleaner	206.8

GuardIT® M.V.R is a safe and simple to use Product. MVR is a safe alternative to harsh acids used in the removal of, Manganese, Vanadium and Rust stains. No need for three different products to remove stains from bricks as, MVR removes all three most common stains, Manganese, Vanadium & Rust from bricks, concrete, sandstone, ceramic, terracotta, blue stone and other similar surfaces.

MVR1	1 Litre Brick Rust Stain Remover	44.66
MVR5	5 Litre Brick Rust Stain Remover	146.3
MVR15	15 Litre Brick Rust Stain Remover	346.5



CHEMFORCE Stone & Construction Sealers and Cleaners

Code	Spec	Price
------	------	-------

S-Complex™ Cutting and grinding performance additive for natural stone. Exploits a physical property called the Rebinder Effect, softening the substrate ahead of the tool. Maximizes effective torque at the tool-surface interface while reducing machine torque and tool vibration. Enables greater depth per cut with increased cutting speeds. With pressure and heat, the additive forms a protective coating around each exposed diamond which minimizes diamond wear and retains sharpness. Preferentially fills micro-fractures in diamonds as they occur during use, reducing hydraulic pressure inside the cracks and slowing disintegration of the diamonds.



RSC5	CHEMFORCE S-Complex 5L 1.4G	101
RSC20	CHEMFORCE S-Complex 20L 53G	339

C-Complex™ is a next-generation, concentrated performance additive designed to substantially increase concrete grinding, polishing and cutting speed and lengthen diamond tool life. Low-cost concentrate, dilution of approximately 1% with water. Easy to use for both wet and low water grinding and with simple or sophisticated equipment. Increased tool life up to 40%. Increased grinding rate up to 3x. Faster removal of floor coatings, increases grinding speed, reduces diamond tool fouling. Biodegradable. Anti-fouling, bacterial growth resistant. Built in anti-rust and corrosion inhibitors

RCC5	CHEMFORCE C-Complex 5L 1.4G	101
RCC20	CHEMFORCE C-Complex 20L 5.3G	339
RCC200	CHEMFORCE C-Complex 200L 53G	3096

TED™ The efflorescence destroyer. Removes efflorescence and rust marks from porous materials, including stone, concrete, brick and grout. Highly concentrated formulation. Contains 50 to 60% Urea Hydrochloride. Powerful but much lower fuming than hydrochloric acid. Effectively removes mineral residues, including efflorescence, grout haze, rust marks, soap scum, limescale, mortar mess. Acidic Cleaner can also be used for removing fireplace soot. Almost no corrosion of metals, except aluminium.

TED1	CHEMFORCE TED 1L	22
TED5	CHEMFORCE TED 5L	69
TED20	CHEMFORCE TED 20L	217

Forti-Col™ Colloidal silica densifier for concrete. New Colloidal Silica technology. Smaller nano-particles = better penetration. More reactive, superior densification, faster curing. Lower, non-caustic pH, safer for people and surfaces. UV and chemically resistant. Lasts for decades, even outdoors. Water-based, zero VOC. Colloidal silicate with the smallest particle size, smaller than other silicates so it can be used to impregnate concrete in the earlier stages of grinding (after 80 to 100 grit grind) and later stages (after using a 400 grit polishing pad). Impregnating twice, once in the early grinding stages and again after the 400 grit pad, is recommended for optimal results.

FC5	CHEMFORCE FORTI-COL 5L	71
FC20	CHEMFORCE FORTI-COL 20L	239

Forti-Kal™ Potassium silicate densifier for concrete. Pure, premium quality potassium silicate. UV and chemically resistant. Lasts for decades, even outdoors. Water-based, zero VOC. Made in Australia. Smaller molecular size so can be used to impregnate concrete in the earlier stages of grinding and later stages, after using a 400 grit polishing pad (impregnating twice is recommended for optimal results).

FK5	CHEMFORCE Forti-Kal 5L 1.3G	51
FK20	CHEMFORCE Forti-Kal 20L 5.3G	146

Stain Protector™ Premium impregnating sealer world-leading protection for stone and other porous surfaces. Maximum water and oil repellence for optimal stain protection. Super-penetrating, permanent bonding technology for super protection against, efflorescence, picture framing, salt spalling, freeze-thaw spalling. Optimised for most types of porous building material/surface, from natural stone to brick, terracotta, concrete. Retains surface colour and finish. Highly breathable, allows water vapour to escape freely, and limits harmful moisture buildup inside the treated material. Stands up to commercial cleaning methods. Treated surfaces remain to look good for longer and are easier to clean.

CHSP1	CHEMFORCE Stain Protector 1L	89
CHSP5	CHEMFORCE Stain Protector 5L	369
CHSP20	CHEMFORCE Stain Protector 20L	1413

Fortifier Plus™ Impregnating, permanent consolidator and water repellent. Premium protection from salt spalling & freeze-thaw spalling. Superior protection for very porous building materials, including natural stone, which are exposed to saltwater or freeze-thaw conditions. Horizontal and vertical surfaces, including saltwater pool surrounds, cladding, paving, blockwork, brickwork. Non film-forming and retains natural colour. Keeps surfaces looking new for longer, makes cleaning easier. Fully breathable, allowing water vapour to escape freely, avoiding harmful moisture build-up inside the material. Designed for indoor and outdoor surfaces. Negligible change to slip resistance when applied according to our written instructions and guidelines. High resistance to alkaline (high pH) environments. Concrete is highly alkaline/base and can severely shorten the life of other technologies. Totally resistant to UV

CHFP5	CHEMFORCE Fortifier Plus 5L	248
CHFP20	CHEMFORCE Fortifier Plus 20L	882

Oxitec-M™ Advanced, ready-to-use, environmentally responsible oxygen cleaner for natural stone, masonry, tile, concrete, and grout. Specially formulated to provide an effective, safer alternative to chlorine-based products for removing organic dirt, grime, pollution, mould and stains from uncoated surfaces. Ready-to-use formulation. Zero odour, advanced oxygen-based technology. Penetrates deeply to kill mould inside the pores. Foaming action lifts and suspends dirt for easy rinse off. Mildly alkaline formula will not harm stone and masonry materials. Buffered technology provides a longer dwell time for breaking down dirt and stains.

CHOM5	CHEMFORCE Oxitec M Masonry Cleaner 5L	48
CHOM20	CHEMFORCE Oxitec N Masonry Cleaner 20L	156

Enhance+® New Formula Premium, colour enhancing, impregnating sealer for natural stone and polished concrete. Enhances/deepens the colour of the surface. Water and oil repellence. Semi-permanent, UV stable technology. Highly breathable, allows water vapour to escape freely and limits harmful moisture build-up inside the treated material. Treated surfaces stay looking good for longer and are easier to clean.

CHSP1	CHEMFORCE Enhance+ 1L	96
CHSP5	CHEMFORCE Enhance+ 5L	442

GALKESKI VARIO WET GRINDER/POLISHERS

The Galeski Ecomax Vario is a light and compact wet grinder. This one handed (125mm) cut-off saw is perfect for wet processing natural stone, engineered stone, tiles, pavers, porcelain or ceramics, depending on the blade. Featuring a continuous water feed and splash guard, the Galeski Ecomax Vario is a variable speed grinder with adjustable speed dial. The Galeski Ecomax Vario is made from high quality materials and features a ergonomic design. The grinder's blade guard can be easily removed for quick access to the spindle. The 125mm version of the Galeski Ecomax Vario now features a brushless motor for increased productivity. The Galeski Ecomax Vario is the ultimate on-site grinder for wet processing


Code	Spec	Price
ECOMAX125VARIOBL	125mm Blade 1900 to 9500RPM 25mm Cut Depth	1420
ECOMAX180VARIO	180mm Blade 1700 to 6800RPM 58mm Cut Depth	1667
ECOMAX230VARIO	230mm Blade 6600RPM 63mm Cut Depth	1997



FLEX CS60 Wet Saw & Track System

Diamond masonry wet saw with GFCI. High-performance motor: extra powerful for stone cutting and joint milling. Continuous cut depth setting from 0-60 mm, with rail guide up to 54 mm. In the mitre cut from 0-44 mm, with guide rail up to 38 mm. Continuous angle adjustment for mitre cuts from 0-45°. Cut marking at the base plate from 0°/30°/45° for rapid orientation. High-quality magnesium die-castings for protective cover and base plates. Motor protection made of rubber prevents the direct intake of spray water. Water supply: for an effective cooling of the diamond blade. Quick-fit brass coupling: for 1/2" water hose. GFCI operator protector circuit breaker: integrated in cord

Code	Spec	Price
CS60	FLEX CS60 Wet Saw	1984
CS60RAIL800	800mm Guiderail	258
CS60RAIL1600	1600mm Guiderail	370
CS60JOINER	Coupling for Guiderails	238



3-Head Planetary Polisher

Suits 100mm Polishing Pads. Use with any powerful M14 polisher. Base features water feed, slurry skirt and vacuum takeoff. Ideal for polishing stair treads, benchtops and floors. Rapid levelling and professional finishing on concrete and stone. Drive unit not included

Code	Spec	Price
PLANETARY	3 x 100mm Pads, 12kg	1386



Profiling Router Base

For bullnosing & profiling up to 40mm stone. Suits all popular portable profile wheels. Water feeds though base so it floats over the stone surface. Secondary external water feed keeps profile wheel wet and prolongs life and cutting speed. Drive unit shown not included, use with isolated wet feed polisher (M14) available separately

Code	Spec	Price
PROFILEBASE	Profiling Base unit	520



FLEX Polishers

Premium quality tools from FLEX, Germany. A long time favourite in the natural stone industry. Full range of spare parts also available.

Code	Spec	Price
LE123100W	FLEX 1150w 115mm Wet Polisher 1200-3700RPM	1055
LW802VRS	FLEX 1800w 130mm Wet Polisher 800-2400RPM	1261
LW1202SN	FLEX 1600w 130mm Wet Polisher 1750RPM	1372
L3406VRG	FLEX 1300w 125mm Angle Grinder 2100-7500RPM	580



EIBENSTOCK Wet Polisher

Made in Germany. Unique 60 degree head. Huge 180mm capacity. Full range of spare parts also available.

Code	Spec	Price
WPN180	1200w 180mm Wet Polisher 1500-2800RPM	699



DIAMACH Wet Polishers

Code	Spec	Price
MY3017	800w 125mm Wet Polisher 700-3000RPM	299
MY3021	1200w 180mm Wet Polisher 500-2800RPM	399



FLEX Blind Hole Drill for Tactile

Made in Germany. Blind hole drill with integral water feed. Suits 5 – 14mm Diamond drills. Ideal for tactile drilling. 700w. Both adapters shown are required for use with the 10mm shank drills

Code	Spec	Price
BHW1549VR	5-14mm 3500-10000RPM, 1200w, 3.3kg	1372
DPDADR	ADI Pin Drill Adapter 10mm	72
KE1010001	M14F to 1/2" G Adapter	47



Hand Vacuum Lifters

Code	Spec	Price
HEHG01L	Single-Cup Vacuum Lifter with Lever Action. 125mm pad. 25kg capacity. Easy to use – suction is created by single handedly pulling the handles together. When released, suction is lost.	42
HEHG02	Twin-Cup Vacuum Lifter. Universal suction lifter for handling all kinds of loads. 2 x 75mm pad. Load Capacity 60kg vertically, 80kg horizontally.	67
HEHG03	Triple-Cup Vacuum Lifter 3 x 75mm pad 80kg capacity. Triangular formation allows even distribution of pressure to reduce strain on material	86
HEHG01HPB	200mm Gripper With Hand Pump 65-100kg capacity. Vacuum leakage indicator. Includes case and cover.	130



Seam Setters & Levellers

Code	Spec	Price
HEHG01L	SeamSet A features two 117mm vacuum cups with screw tensioner and two levelling points.	219
HESEAMSET2	With an easy-to-use ratchet system, the SeamSet2 pulls benchtops into position to achieve perfect joins. 200mm vacuum cups. Two levelling points eliminate lippage.	573
HESAEAMLEV1	Seam Leveller. Ideal for levelling small pieces.	116
HEHG01HPB	200mm Gripper With Hand Pump 65-100kg capacity. Vacuum leakage indicator. Includes case and cover.	130



Stone Carry Clamp

Code	Spec	Price
HEHG01L	Stone Carry Clamp Set Twin-Handle (2 Clamps per set) can lift 160kg per clamp. Used in pairs these clamps allow two people to handle stone panels with ease.	379



GRABO Stone Lifters

Code	Spec	Price
OTTOVAC	The Grabo Ottovac is designed for tilers and glaziers and is ideal for easy lifting of glass and small to medium tiles. Featuring an automatic sensor, suction indicator and an ergonomic design, the Ottovac is rated to lift 200kgs and runs off four AA batteries. When the vacuum level drops below -55 kPa, the pump will automatically restart, reaching the optimum pressure.	198
GRABO	The Grabo is a fully portable electric vacuum. Now with a suction gauge, The Grabo can hold up to 170kg. With a 1.5 hour run time, the Grabo makes positioning stone and tiles easy.	341
GRABO PRO	The GRABO Pro-Lifter. 2 hour charge for 1.5 hour work time. Up to 170kg of holding force. The foam rubber vacuum seal is strong and resistant to loss of vacuum pressure. Slimline ergonomic handle for better grip and less fatigue when moving heavy objects. Use for all surface types, with automatic stop function at 11.6Psi, digital display and electronic pressure gauge. Automatic vacuum monitor, if pressure is lost the pump is automatically powered until vacuum pressure is restored..	399



GISON 90 Degree Edge Polishing Base

For accurate polishing of 20 - 40mm thick stone. Accurate (Max 5mm) depth control. Suits most GISON sanders. 18 rolling wheels. Simple operation, perfect finishing, a great timesaver!

Code	Spec	Price
GPW-A02A	90 Edge Base	400



GISON Beveling Edge Polishing Base

Beveling Auxiliary Base will provide a secured polishing angle (between 15 to 45 degrees). Bevels 1-10mm.

Code	Spec	Price
GPW-A01	Bevel Edge Base	400

GISON Fluting Machine

For routing drainage grooves in sinks. Takes 100mm fluting wheels, generally 6.35mm radius with 20mm bore. Essential for polished grooves.

Code	Spec	Price
GPW-222Q	100mm, 2800RPM	500



GISON Air Polishers

High quality Taiwanese machines. GISON has many years of experience and the widest range of stone specific wet feed machines available.

Code	Spec	Price
GPW-7	Side Exhaust, On/Off switch, 100mm Pad, M14 thread, 4500RPM, 321W, 1.2Kg, 16cfm, 1/4" air inlet, 84dBA	325
GPW-211	Front Exhaust, 140mm Pad, 5,000 RPM, M14 thread, 2.2kg, 16cfm, 1/4" air inlet, 97dB	475

GISON Air Saws

Unique machines for cutting stone. Water fed for no dust, and safe to use with no electrics!

Code	Spec	Price
GPW-215C	125mm Guard, M14 thread, 11000RPM, 455W, 2Kg, 16.2cfm, 1/2" air inlet, 92dBA	525
GPW-216C	180mm Guard, M14 thread, 7000RPM, 694W, 3.2Kg, 17.7cfm, 3/8" air inlet, 93dBA	565



GISON Air Grinders

Unique machines for grinding stone and masonry. Water fed for no dust, and safe to use with no electrics!

Code	Spec	Price
GPW-215	125mm, M14 thread, 12000RPM, 455W, 2Kg, 21.2cfm, 1/2" air inlet, 92dBA	525
GPW-216	180mm, M14 thread, 7000RPM, 694W, 3.2Kg, 26.1cfm, 3/8" air inlet, 93dBA	565

EIBENSTOCK 400mm Power Cutter

Special oil bath gearbox with optimal adjusted speed for fast working. Immersion function. Adjustable cutting depth limitation without any tools. Adapter for working near to the edge (accessory). Exact wall cuttings by using a guide rail - easy mounting, easy feed, low vibration. Wide supporting rolls - exact guiding. Spindle lock - easy tool change. Robust metal suction hood. Handle and hood adjustable - ergonomic handling in different working positions. Nozzle diameter Ø 35 mm - direct connection to the DSS industrial vacuum cleaner series. Electronic - soft start, temperature control and over current cut-off. Cut-off carbon brushes - protection of the motor.

Code	Spec	Price
ETR400P	400mm 2700w	2100
3744W000	Eibenstock Edge Cutting Adaptor	260



EIBENSTOCK Core Drill

Powerful 2300 W motor with high power reserves and a long lifetime, able for continuous work under pressure. Electronic - soft start, temperature control and overcurrent cut-off, overload indication. 3-speed oil bath gearbox - for optimal lubrication in all working positions due to the specially developed oil pump and optimal adjusted torque-speed-ratio for all diameters. Mechanical safety clutch. Combination spindle with integrated connection for centering rod - fast, precise spot drilling. Ergonomic handle with large-dimensioned switch button - good control and effortless working. PUR-construction site cable - strong for heavy duty use. Integrated levels on machine.

Code	Spec	Price
PLD182.1NT	Compact Core Drill	1878
PLLE182	Drill & Stand Package	3105



EIBENSTOCK Concrete Grinders

Code	Spec	Price
EBS1254R0	125mm Handheld. 1500w 6000-1000RPM Soft start, constant speed, speed reduction in case of overload, temperature and over current cut-off. Parallel handle position allow exact and balanced guiding for a better surface finish. Floor guiding device available as accessory. 35mm vac takeoff. Foldable brushed edge guard.	1195
EBS180H	180mm Handheld. 2500w 9500RPM Soft start, temperature control and over current cut-off. 35mm vac takeoff. Foldable brushed edge guard.	1843
EBS180F	180mm Walk Behind Soft start, temperature control and over current cut-off. 35mm vac takeoff. Foldable brushed edge guard.	1898



EIBENSTOCK Wet & Dry Saws

Code	Spec	Price
EDS125	Mitre adjustment (stepless up to 45°) and cutting depth adjustment (stepless up to 36 mm) without the need for tools. Immersion function. Roller guided plate - smooth guiding, protects the surface. Integrated water supply with flow regulator - easy adjustment of the water-volume and dust free working while wet cutting. Cutting tables ETT 700 / ETT 1200 - Accessories for precise cutting of tiles and plates - the flexible alternative to unhandy cutting machines. Guide rail - optional accessory for precise cuts	522
EDS181	Electronic -soft start, temperature and over current cut-off, optical overload indication .High-performance gearbox and powerful 2300 W motor fast working even through the hardest stone .ON/OFF switch with lock-no unintentional switching on .Mitre adjustment (stepless up to 45°) and cutting depth adjustment (stepless up to 63 mm) without the need for any tools. Immersion function and depth limiting - precise cuts, you can begin the cut with the machine in the working area. Roller guided plate - smooth guiding, protects the surface. Easy change between dry and wet cutting - by means of a direct diameter 35 mm connection to the D55 vacuum cleaner series or the enclosed Gardena-quick coupling adapter on the 35 mm connection hose. Locking for suction hose - avoids unintentional loosening of the hose during cutting. Spindle lock easy tool change. Guide rails - optional accessory for precise cuts	1342
1500RAIL	1500mm Guiderail with clamps and saw mounting bracket	274
GUIDEJOINER	Guiderail Joiner	95



MONTOLIT Masterpiuma P5 Tile Cutters

Multifunction, Power and Precision are the main features of this innovative Tile Cutter. 100% Made in Italy. Masterpiuma is the lightest among professional tile cutters. This range of super-professional manual tile cutter can cut all types of tile, with thickness of 0-22 mm, quickly and accurately. Thanks to the oversized goniometric square that can rotate both to the right & left 45 degrees, even diagonal cutting is safe and simple. Engineered for easy cutting all types of available ceramics, porcelain and glass tiles, including glass mosaic. Accurate and extremely powerful ergonomic push scribe handle. Recognized as the most effective lever on the tile cutter market. The self adjustable patented scoring system facilitates and consistently speeds up the cutting and splitting process on every different thickness and material, either porcelain, ceramics or glass. Set-up transport and storage are quick and easy, thanks to the patentec foldable design. This professional snap tile cutter doesn't need to be dismantled. Integrated lubricant can be used when required, by giving a slight squeeze on the dispenser. An expanded support surface (63P5) or robust die-cast aluminium wings provide improved support to large tiles with diagonal cuts



Code	Spec	Price
63P5	63P5 Cuts tiles up to 63x63cm	684
73P5	75P5 Cuts tiles up to 75x75cm	811
93P5	93P5 Cuts tiles up to 93x93cm	853
131P5	131P5 Cuts tiles up to 131x131cm	1465
161P5	161P5 Cuts tiles up to 161x161cm	



ICS Petrol Diamond Chainsaws

Packed with innovations and loaded with dependability. The distinctive black powerhead houses redesigned carburetion and ignition systems that work together to ensure easy starting, cooler operation, and dependable performance at just about any elevation. Improved airflow design keeps the engine much cooler, extending its life.

Code	Spec	Price
553464	695GC-12 9.5kg, 5Hp, up to 35cm Bar includes 12" bar & chain	
545236	695GC-14 9.5kg, 5Hp, up to 35cm Bar includes 14" bar & Concrete or Abrasive chain	4224
547335	695F4-16 9.6kg up to 40cm Bar includes 16" bar & Concrete or Abrasive chain	
545235	695PG-14 9.6kg up to 40cm Bar includes 16" bar & PowerGrit chain	4290



ICS Hydraulic Diamond Chainsaws

The new 814PRO 13 cutting system offers the superior strength of FORCE4™ technology in a package that meets industry standards of design and ergonomics. Built for the hardcore cutter, this sleek powerhouse is packed with features designed to make it the hardest working saw ICS® has ever made.

Code	Spec	Price
571675	814F4 814 PRO Package 13" includes 13" bar & concrete chain	
566127	890F4 890F4 PRO Package 15" includes 15" bar & concrete chain	8944
566123	890PG 890PG PRO Package 15" includes 15" bar & powergrit chain	8493
566124	890PG 890PG PRO Package 20" includes 20" bar & powergrit chain	9431
550888	P95 PowerPack	10000



ICS Diamond Chains

Genuine ICS Chains for the best performance.

Code	Spec	Price
531743	ProFORCE 10" Concrete	1151
525342	ProFORCE 15" Concrete	1354
531749	ProFORCE 20" Concrete	1736
531745	ProFORCE 10" Premium-L Concrete	1296
525343	ProFORCE 15" Premium-L Concrete	1367
531751	ProFORCE 20" Premium-L Concrete	2059
607664	PowerGrit 15" (PG)	905
537765	PowerGrit 20" (PG)	965
531747	ProFORCE 10" Abrasive	1228
525344	ProFORCE 15" Abrasive	1379
531753	ProFORCE 20" Abrasive	1808
525346	ProFORCE 20" Concrete	2100
525347	ProFORCE 25" Abrasive	2169



ICS Guidebars & Sprockets

Genuine ICS Chains for the best performance.

Code	Spec	Price
553207	695GC 12" Guidebar	298
73600	695GC 14" Guidebar	364
553208	695F4 12" Force4 Guidebar	298
523080	890F4 15" Guidebar	423
524490	695F4 16" Force4 Guidebar	456
529767	890F4 20" Guidebar	473
525320	890F4 25" Guidebar	695
525496	695F4 Drive Sprocket	55
70949	680/695GC Drive Sprocket	46
565065	890F4 Drive Sprocket	
525495	880F4 Drive Sprocket	



MANTA Portable Stone Saw

The Manta Table Saw is perfect for wet processing natural stone, engineered stone, tiles, pavers, porcelain or ceramics, depending on the blade. Featuring an integrated water tank with recirculating pump system, this saw has a 45-degree bridge tilt that is ideal for mitred edges. The Manta Portable Saw is made from high quality materials and features a robust design. The saw's legs can fold down for easy transport in a truck, ute or van. An optional extension plate and side extension rollers are also available for the Manta Portable Saw. The Manta Portable Saw is the ultimate on-site saw for wet processing.



Code	Spec	Price
MANTA120A	MANTA 120cm Cut length 110mm Cut Depth 3hp	6863
MANTAEXT	MANTA Extension Side Plate	343
MANTAROLL	MANTA Roller Table	791

ABACO Portable Stone Saw

The S1 features a 3HP motor and is guided by dual linear bearing on induction hardened chrome bars. The cast aluminium working table gives accurate cutting of all types of natural and artificial stone. The S1 Saw is suitable for construction sites and workshops. Incorporated in the S1 Saw are wheels and rollers for effortless, single-handed manoeuvring. This Saw has an electric, submersible water pump.



The S2 Site Saw has all the above features, but a much large table area, dual support tables for supporting larger slabs, and a massive 165cm cutting length.

Code	Spec	Price
SITESAWS1	350mm Blade 119cm cut length Single Side Table Support Arms Mitre facility 13amp, 240v 2800RPM 212kg	7165
SITESAWS2	350mm Blade 165cm cut length Double Side Tables Support Arms Mitre facility 13amp, 240v 2800RPM	10046

ABACO One-Stop A-Frames

Sturdy structure, designed to eliminate any risk of slabs tipping over. Slabs are placed on special rubber profiles and secured with four ratchet securing bars. Contains an extra storage section in the centre that is ideal for storing tools. Frame features two eyelets which can be used to pick up the frame with an overhead crane. Built in brackets on all sides for forklift transport. Four 150mm heavy-duty removable casters included. W= White B = Black Rubber



Code	Spec L x W x H	Price
OSA6135W	One Stop A-Frame 900 - 1550 x 975 x 1285mm	1820
OSA7247M2B	One Stop A-Frame 1200 - 1810 x 1100 x 1585mm	1912
OSA7263M2B	One Stop A-Frame 1600 - 1810 x 1110 x 1985mm	1993
OSA7275M2B	One Stop A-Frame 1900 - 1810 x 1110 x 2260mm	2084
OSA8763M2B	One Stop A-Frame 2200 - 2190 x 1110 x 1985mm	2181
OSA9679M2B	One Stop A-Frame	2535

ABACO Stone Buggies

The Slab Buggy contains a large weight for maximum security for materials with a small design. Pneumatic wheels easily move on rough surfaces. Casters with safety brakes ensure good steering directions or motion when needed. Rubber strips on the frame protect and prevent damage to the stone slab. Adjustable height crossbars to suit many sizes of stone slabs.

Code	Spec L x W x H	Price
SGB800AUB	1240 x 672 x 1177 500kg WLL	729
AQDSBG1320	1328 x 796 x 1141 600kg WLL	1231
DSBG1302S-B	1362 x 812 x 1195 600kg WLL	1042



Full ABACO range & specs online at

www.diamach.com.au/product-category/abaco-stone-handling-processing-equipment/

ABACO Tug Dollies

Abaco Tug Dolly is designed to transport stone slabs and glass sheets safely. It is convenient to use especially along narrow working alleys. Aluminum for lightweight, and easy to handle with good portability. Capacity of up to 450kg. With a four-solid-wheel structure, Stone Slab Dolly is unshakable and very easy to handle as well as helps slabs avoid damage. The rubber compound allows for minimizing tire marks on light-coloured floors.

Code	Spec L x W x H	Price
ATD19W	610 x 327 x 307 450kg WLL	719
ATD25W	710 x 382 x 307 450kg WLL	777
ATD60W	1524 x 546 x 588 450kg WLL	1514



ABACO Dehydrator

The dehydrator is an economical one-step method for separating, sludge and slurries. Constructed of Stainless Steel and consists of four basic components: pump, mud holding tank, clean water tray, and filter bags. The system has no moving parts and requires minimal maintenance. Able to change filter bags for maximum treating capacity

Code	Spec L x W x H	Price
ADE089220V	2433 x 700 x 2330mm	9853



ABACO Mortar Mixer

Abaco Mortar Mixer is used to rapidly mix multiple substances such as sand, cement, stone, etc in a short time. The compact and portable design combined with solid wheels provides easy maneuvering and moves through narrow spaces with just one person. Mixing paddle kit (with three crank arms and a paddle rake) ensures maximum mixing efficiency. Guide bar on the cover of the barrel and the "Stop" button to turn off the motor before opening the cover increase safety operation. The mixing barrel has a simple drum shape to maximize available volume and reduce the working space occupied by the machine.

Code	Spec L x W x H	Price
AMX100M2220V	1091 x 702 x 1202mm 109kg	2980



ABACO MYLIFT Electric Vacuum Lifter

Includes Batteries, Charger, Bag & Spare Seal. Portable Electric Vacuum Lifter (PVL100/Pro) is a hand-held tool designed to lift and move small and medium-sized sheets of material in workshops or construction sites. The suction cup is made of soft rubber which enhances the adhesion between the material and the suction cup. The rubber material also acts to prevent scratches on the material. There are two vacuum modes: Electric DC mode. Manual mode by pressing the hand pump.

Code	Spec L x W x H	Price
PVL100PROBAG	291 x 165 x 127mm 100kg WLL	435



ABACO Hand Suction Lifters

Suction Lifter is a hand tool with powerful suction pressure for lifting and transporting materials such as glass and stones in factories, construction sites, and other production areas. The unique design of the Suction Lifter provides a hand-held structure making it convenient and versatile.

Code	Spec L x W x H	Price
SLD121	Double 329 x 120 x 73mm 90kg WLL	47
SLT128	Triple 326 x 227 x 73mm 150kg WLL	81



ABACO Working Table

Working Table Black Rubber. Can be joined to achieve multiple shapes and sizes. Height adjustable feet.

Code	Spec L x W x H	Price
AWT7523CB	1927 x 608 x 965-1030mm 2200kg WWL	1123

ABACO Carry Clamps

The Abaco Carry Clamps are designed to safely lift and move slabs without the use of a forklift. The durable, rubber padded handles reduce hand fatigue. Rubber lined jaws protect the material and prevent the material from slipping. The weight of the slab exerts sufficient clamping force for such simple clamping devices. These clamps help you work more efficiently on smaller jobs by eliminating the need for a forklift. The Single Handed Clamp, SCH25, allows two people to move a slab; while the Double Handed Clamp, ACC40, requires four people. **Sold in pairs.**

Code	Spec	Price
SCH25W	25mm Cap. Single, 100kg WW	206
ACC40W	40mm Cap. Double, 250kg WWL	338
ACC60W	60mm Cap. Double, 250kg WWL	358
ADHGC100W	100mm Cap. Double, 200kg WWL	544



ABACO 90 Degree Clamp

The Abaco 90° Clamp is specifically designed for positioning and securing miter joints. You will no longer have problems with miter joints failing while the glue is drying. It saves labor, is quick and easy to use, and is strong and secure.

Code	Spec	Price
A90CM3W	Pair of 90 degree clamps	431

ABACO Lifters & Clamps

For lifting stone, Original design, rugged construction. Available with white(W) or black rubber (B)

Code	Spec	Price
ALG50B	15-50mm 1200kg WL	1080
ALG60B	15-60mm 1200kg WL	1238
ALG75B	30-75mm 1200kg WL	1270
ALG50W	15-50mm 1200kg WL	1102
ALG60W	15-60mm 1200kg WL	1258
ALG75W	30-75mm 1200kg WL	1290


ASVL5
OAW



ABACO Self Locking Slab Trolleys

For lifting stone, Original design, rugged construction. Available with white or black rubber (B)

Code	Spec	Price
SLT13M2B	Mk 2 with Caster	840
SLT13M3B	Mk 3 with black rubber and kickstand	815



ABACO Seam Setters

The Abaco Ratchet Seam Setter provides a quick and easy solution for accurate and safe positioning of countertops. The tool is lightweight and simple to use. A knob allows precision vertical adjustments. With the Seam Setter, your countertops will be perfectly joined and level. With a large, 203mm footprint suction cups, our Seam Setter is strong enough for the required tasks. M3 has white rubber.

Code	Spec	Price
ARSS2W	480mm Range, 50kg WWL	600
AEBSS12	EZ-Pro Battery Seam Setter	1730
VM2	Makita	



Stonemason's Apron

Stonemason's apron features front pockets, 2 velcro strips down the front for attaching polishing pads, and is made of heavy duty waterproof material, it's also a good long length. Must have for edge polishing or wet cutting. Snap clips for easy fitting

Code	Spec	Price
SMAPRON	Stonemason's Apron	38

Full ABACO Range Available Online >>>>

TUSCAN Levelling System

Very easy to learn and use at all skill levels. Installation is twice as fast and virtually eliminates lippage. Prevents tiles from moving while drying. Re-usable caps. More profitable for the installer. Ideal for tiles 300mm or larger. Reduces installer fatigue and stress. Lippage free, level surface drastically reduces the need for grinding.

Code	Spec	Price
TUSCANSTRAP	Levelling Strap Box 1000pcs	327
TUSCANCAP	Levelling Cap Box 250pcs	487
TUSCANTOOL	Setting Tool	300



TUSCAN Seamclip System

The system interlocks the tiles, virtually creating a single flat slab surface while the setting material is curing. The interlocking design of the system reduces and in most cases eliminates settling from shrinkage, as well as minimizing the possibility of warping

Code	Spec	Price
TSCR0150	10-12mm Tile, 150pcs	73
TSCR0500	10-12mm Tile, 500pcs	234
TSCB0150	6.5-9.5mm Tile, 150pcs	73
TSCB0500	6.5-9.5mm Tile, 500pcs	267
TSCW0150	3-6mm Tile, 150pcs	66



MUMME Scutch Hammers

Code	Spec	Price
5HSCFRH38	Fibreglass handle	
5HSCH38	Wood handle	



MUMME Scutch Holders

Code	Spec	Price
5SHWC25	1" Scutch Holder	
5SHWC38	1-1/2" Scutch Holder	
5SHWC50	2" Scutch Holder	



Gibson Heavy TCT Masonry Chisels (Grey/Blue)

These Chisels are made from High Carbon Tool Steels, and have a Tungsten Carbide Tip inserted into end of the tools. These Carbide tips out-perform ordinary Heat Treated Steel Tools many times over, and are considered the professional choice by many Stone Masons & institutions.

Available with Hammer, Pneumatic or Mallet Heads. We also stock the finer bladed (red) versions, claws and fishtail chisels from Gibson

Code	Spec	Price (H)	Price (P)	Price (M)
CTS14HF (H,P,M)	1/4"	102	108	108
CTS12HF (H,P,M)	1/2"	118	127	127
CTS34HF (H,P,M)	3/4"	133	143	143
CTS1HF (H,P,M)	1"	148	157	157
CTS112HF (H,P,M)	1-1/2"	184	195	195
CTS2HF (H,P,M)	2"	221	232	232
CTS3HF (H,P,M)	3"	296	304	304



Gibson Scutch Holders

Scutch Holders / chisels from 1/2" wide up to 2" wide, with options of Hammer head, Mallet Head or Pneumatic. These tools are made from High Carbon Tool Steels to withstand the work load for which they are used. Combs are simply knocked or pressed into the end for use, and then knocked out sideways when they need changing.

Code	Spec	Price (H)	Price (P)	Price (M)
SH05 (H,P,M)	1/2"	40	44	44
SH1 (H,P,M)	1"	44	50	57
SH15 (H,P,M)	1-1/2"	53	55	67
SH2 (H,P,M)	2"	58	61	78



Scutch Combs

Hardened Steel Inserts for cutting Stone/Brick/Plaster. Used by all trades, but especially useful for Stone Carving/Masonry, to shape stone quickly.

Code	Spec	Price
SCUTCH05	13mm (1/2")	1.1
SCUTCH1	25mm (1")	2.6
SCUTCH15	38mm (1-1/2")	3.4
SCUTCH2	50mm (2")	11



Bushhammer Plate 125mm For M14 Polishers

For bushhammer effect on stone and concrete. Ideal for roughing surfaces. Replacement rollers available. MUST BE USED AT LOW RPM to avoid stone, wheel and polisher damage.

Code	Spec	Price
125BUSHHAMMERM14	125mm 3 Rollers M14	363
125BUSHROLLER	Replacement Roller	55



Pneumatic Hammer Tool

Available in several sizes. Suits 10mm hoses. 1/2" Shank for use with all our pneumatic chisels.

Code	Spec	Price
PHT15	15mm piston x 0.85kg	176
PHT20	20mm piston x 1.2kg	208
PHT25	25mm piston x 1.7kg	231

MANNESMANN DEMAG Air Hammers

Our new chisel hammers reduce vibrations to a minimum (according to the requirements of EU directive 2002/44.)

Code	Blows/Air Con/Piston D/Stroke/Length/Weight	Price
MD 126	4000 min-1 m3/min 16mm 30mm 149mm 0.68kg	968
MD 182	3200 min-1 0.4 m3/min 20mm 60mm 255mm 1.70kg	1210



F+K Air Hammers

The F+K Preciso range is the entry level range of Air Hammer for Stone Masons, providing a tool suitable for normal everyday Stone Carving and Masonry work. Air Control is a knurled dial on the heel of the Air Hammer which allows control of the maximum Air Flow. The F+K702 Air hammer is for Medium-to-Heavy jobs. This hammer has a sensitive Thumb Valve Control for speed, a rotating exhaust silencer and bushings available for most common chisel shanks (12.7mm Dia. Standard)

Code	Blows/Air Con/Piston D/Stroke/Length/Weight	Price
FK701	6100/min 0.34 16mm 30mm 153mm 0.63kg	1320
FK702	3200/min 0.42 20mm 60mm 255mm 1.7kg	1335

Carbide Hand Chisels

Our economical range of lettering and carving chisels. Carbide tipped and hammer headed. The kit features a tool roll and 400g steel dummy mallet with the 6 chisels

Code	Spec	Price
6HC	150 x 6mm	20
8HC	150 x 8mm	22
10HC	150 x 10mm	25
12HC	150 x 12mm	28
10HCL	230 x 10mm	28
12HCL	230 x 12mm	30
DMSKIT	6 Chisels, Tool Roll, 400g Mallet	231



Wedges & Shims (Plugs & Feathers)

For splitting stone. New design incorporates a rubber grommet to keep the set together, no more lost shims! Also features an extra long wedge, for use in softer stones and easier striking.


Code	Spec	Price
WS12X125	12mm Ø Hole x 125mm Wedge	14
WS14X125	14mm Ø Hole x 125mm Wedge	15
WS16X125	16mm Ø Hole x 125mm Wedge	17
WS20X190	20mm Ø Hole x 190mm Wedge	24
WS24X190	24mm Ø Hole x 190mm Wedge	27
WS32X280	32mm Ø Hole x 280mm Wedge	38
WS38X320	38mm Ø Hole x 320mm Wedge	46



Carbide Point Tooth SDS Chisels

.Use on SDS Hammers to achieve bushhammered effect on stone or masonry

Code	Spec	Price
SDSBUSH	SDS Fitting	66
SDSMAXBUSH	SDS MAX Fitting	77



DIAMACH Rifflers

For fine carving soft stone

	6" 150mm	8" 200mm	10" 250mm	13" 325mm
DRIF0	50	70	90	95
DRIF1	50	70	90	95
DRIF2	50	70	90	95
DRIF3	50	70	90	95
DRIF4	50	70	90	95
DRIF5	50	70	90	95
DRIF6	50	70	90	95
DRIF7	50	70	90	50

Many more Chisels online including GUILLET, GIBSON, TROW & HOLDEA

TROW & HOLDEN Pneumatic Carving Tools

All Trow & Holden pneumatic tools are made to exacting specifications and are guaranteed against breakage for life. The "Type B" tools have a shorter piston stroke, are quieter and have less vibration. The "Type D" or Dallett-style tools have a longer stroke, more impact and are more powerful. The size of the tool refers to the diameter of the piston. All 1/2", 3/4", and 1" pneumatic tools take 1/2" round shank chisels. The 1-1/4" tools take 5/8" round shanks. The Bantam takes a chisel with a 5/16" shank.

Code	Spec	Price
BANTAM	"B" 15/32" Piston 5/16" Shank 3cfm	660
12B	"B" 1/2" Piston 1/2" Shank 4cfm	732
34B	"B" 3/4" Piston 1/2" Shank 4cfm	752
1B	"B" 1" Piston 1/2" Shank 6cfm	769
12D	"D" 1/2" Piston 1/2" Shank 3cfm	732
34D	"D" 3/4" Piston 1/2" Shank 4cfm	752
1D	"D" 1" Piston 1/2" Shank 6cfm	769
114D	"D" 1-1/4" Piston 1/2" Shank 8cfm	806




TROW & HOLDEN Pneumatic Stone Carving Set

OUR AIR-POWERED CARVING SET INCLUDES:

- 1 x Trow & Holden "Type B" Short Stroke Carving Tool with 1/2" or 3/4" size piston
- 1 x 10' air hose with all connecting hardware installed
- 1 x Tool pouch for easy storage
- 3 x Solid carbide Trow & Holden Carving Chisels – 1/2" wide straight blade, 5/8" wide rondel blade, 3/4" wide tooth chisel

Code	Spec	Price
THAIRCARSET	Pneumatic Carving Set	1142



TROW & HOLDEN Bantam Set

THE BARRE BANTAM

Weights only 9 ounces — less than half the weight of our 1/2" B Tool. 5/16" shank carbide chisels — smaller, lighter, and easier to control for fine carving. Smooth action with wide power range for incredible comfort & versatility. Like our other pneumatic tools, the Bantam is guaranteed against breakage for a lifetime of trouble-free performance.

The set includes: The Barre Bantam Pneumatic Tool, 10 ft. hose assembly with all hardware installed, and three chisels: 1/8" flat chisel, 3/16" rondel chisel, and 1/2" tooth chisel.

Code	Spec	Price
THBANTAMSET	Bantam Set	1026



TROW & HOLDEN Machine Chisels

Carbide-tipped Machine Chisels are used for general carving, sculpting and lettering in both soft and hard stone. Both Finishing {F} Blade Styles and Roughing {R} Blade Styles (with heavier carbide tips) can be provided with optional teeth or rondel blade.

Code	Spec	Price
CC1212F18	1/2" x 1/2" x 1/8"	111
CC1212F316	1/2" x 1/2" x 3/16"	114
CC1212F14	1/2" x 1/2" x 1/4"	118
CC1212F38	1/2" x 1/2" x 3/8"	125
CC1212F12	1/2" x 1/2" x 1/2"	130
CC5812F58	5/8" x 1/2" x 5/8"	143
CC5858F58	5/8" x 5/8" x 5/8"	144
CC3412F34	3/4" x 1/2" x 3/4"	150
CC3458F34	3/4" x 5/8" x 3/4"	150
CC1212R12	1/2" x 1/2" x 1/2"	123
CC5812R58	5/8" x 1/2" x 5/8"	138
CC5858R58	5/8" x 5/8" x 5/8"	137
CC3412R34	3/4" x 1/2" x 3/4"	148



TROW & HOLDEN Carbide Carving Chisels

5/8" Blade Is Shown. Made exclusively by Trow & Holden Company, our Carving Chisels are the same size and shape as traditional machine chisels but feature an elongated carbide tip with three times more carbide, so they will last longer and require less maintenance. Available in straight or rondel styles up to 3/4" wide.

Code	Spec	Price
CC1212F18NS	1/2" x 1/2" x 1/8"	106
CC1212F316NS	1/2" x 1/2" x 3/16"	109
CC1212F14NS	1/2" x 1/2" x 1/4"	113
CC1212F38NS	1/2" x 1/2" x 3/8"	118
CC1212F12NS	1/2" x 1/2" x 1/2"	123
CC581258NS	5/8" x 1/2" x 5/8"	134
CC3412F34NS	3/4" x 1/2" x 3/4"	139



TROW & HOLDEN Carbide Soft Stone Chisels

Carbide-tipped Chisels 1/2" Stock with 1/2" Shank. Chisels with Rondel Blade, add \$ 10. Chisels with Teeth, add \$ 20


Code	Spec	Price
CMC#34-12	1/2" x 1/2" x 3/4"	132
CMC#1-12	1/2" x 1/2" x 1"	137
CMC#114-12	1/2" x 1/2" x 1-1/4"	146
CMC#112-12	1/2" x 1/2" x 1-1/2"	158
CMC#2-12	1/2" x 1/2" x 2"	202
CMC#212-12	1/2" x 1/2" x 2-1/2"	232
CMC#3-12	1/2" x 1/2" x 3"	246



TROW & HOLDEN Carbide Cleaning Up Chisels

The wider blades and heavier 5/8in stocks of our Clean Up Chisels help dissipate some of the energy from the air hammer. Use the Clean Up Chisels to gradually scrape away material with a rough finish to achieve a more smooth and uniform surface. Chisels with Rondel Blade, add \$ 10. Chisels with Teeth, add \$ 20


Code	Spec	Price
CF1212F1	1/2" x 1/2" x 1"	128
CF5812F1	5/8" x 1/2" x 1"	153
CF5812F114	5/8" x 1/2" x 1-1/4"	160
CF5812F112	5/8" x 1/2" x 1-1/2"	165
CF5812F2	5/8" x 1/2" x 2"	197
CF5812R1	5/8" x 1/2" x 1"	167
CF5812R114	5/8" x 1/2" x 1-1/4"	172
CF5858R114	5/8" x 5/8" x 1-1/4"	172



TROW & HOLDEN Barre Bantam Carbide Chisels

All chisels with 5/16" shank are designed to fit the Barre Bantam Pneumatic Tool only, but can fit any pneumatic tool with a 1/2" shank opening when used with a pneumatic tool shank adaptor. Chisels with Rondel Blade, add \$ 10. Chisels with Teeth, add \$ 20


Code	Spec	Price
CC18	5/16" x 1/8"	102
CC316	5/16" x 3/16"	102
CC38	5/16" x 3/8"	130
CC12	5/16" x 1/2"	137



TROW & HOLDEN Carbide Bushing Chisels

All Chisels with 5/16" shanks are designed to fit the Barre Bantam Pneumatic Tool only but can fit any pneumatic tool with a 1/2" shank opening when used with a Pneumatic Tool Shank Adapter.

Code	Spec	Price
CBJ-4	3/8" square 4-PT Bush A	111
CJ12516-4	1/2" square Heavy 4-PT Bush B	116
CJ121216-9	Square Heavy 9-PT Bush C	124
CCC78516	7/8" round Cup Chisel D	120
CBJ-3	3-Blade Bush E	116
CBM-4	4-Tooth Frosting F	107
CBM-12	12-Tooth Frosting G	110
CBM-21	21-Tooth Frosting H	112



TROW & HOLDEN Carbide 9 Tooth Bushing Chisels

Featuring Solid Carbide Tips, these 9 point bushing tools are ideal for roughing out and texturing on all kinds of stone. The "L" types are 9" (230mm) long.

Code	Spec	Price
CJ1212-9	1/2" x 1/2"	125
CJ5812-9	5/8" x 1/2"	150
CJ3412-9	3/4" x 1/2"	169
CI1212-9-L	1/2" x 1/2"	144
CI5812-9-L	5/8" x 1/2"	169
CI3412-9-L	3/4" x 1/2"	187



TROW & HOLDEN Carbide 4 Tooth Bushing Chisels

Featuring Solid Carbide Tips, these 4 point bushing tools are ideal for roughing out and texturing on all kinds of stone. The "L" types are 9" (230mm) long.

Code	Spec	Price
CJ3812-4	3/8" x 1/2"	106
CJ1212-4	1/2" x 1/2"	118
CJ5812-4	5/8" x 1/2"	143
CJ3412-4	3/4" x 1/2"	162
CI1212-4-L	1/2" x 1/2"	139
CI5812-4-L	5/8" x 1/2"	155
CI3412-4-L	3/4" x 1/2"	178



TROW & HOLDEN Carbide Marble Frosting Tool

Use the Frosting Tool to leave a fine texture in marble or softer stone.

Code	Spec/Teeth per row	Price
CM25	1/2" x 1/2" x 5	118
CM49	5/8" x 1/2" x 7	127
CM64	3/4" x 1/2" x 8	137



TROW & HOLDEN Carbide Cup Bushing Chisel

A bushing tool that will follow the contour of the stone and close the surface without digging in, the Cup Chisel leaves a unique finish.

Code	Spec	Price
CC7812	7/8" x 1/2"	134



TROW & HOLDEN Carbide Double Blade Bushing Chisel

Use the Double Blade Chisel after the 4-Point or 9-Point for further smoothing.

Code	Spec	Price
CH58121	5/8" x 1/2" x 1"	181
CH5812112	5/8" x 1/2" x 1-1/2"	225



TROW & HOLDEN Carbide 3 Blade Bushing Chisel

Use a Three Blade to create an axed or brushed finish.

Code	Spec	Price
CI1212-3CC	1/2" x 1/2"	144
CI5812-3CC	5/8" x 1/2"	162



TROW & HOLDEN Carbide Criss-Cross Bushing Chisel

The Criss-Cross leaves a unique cross-hatched finish and nicely follows the 9-Point or Three Blade.

Code	Spec	Price
CI1212-4CC	1/2" x 1/2"	183
CI5812-4CC	5/8" x 1/2"	195
CI3412-4CC	3/4" x 1/2"	202



TROW & HOLDEN Carbide Ripper

Code	Spec	Price
CG1212-2	1/2" x 1/2" x 2	136
CG1212-3	1/2" x 1/2" x 3	153
CG5812-4	5/8" x 1/2" x 4	183
CG5858-4	5/8" x 5/8" x 4	183



TROW & HOLDEN Carbide Cape Chisels

Code	Spec	Price
CD121218	1/2" x 1/2" x 1/8"	102
CD1212316	1/2" x 1/2" x 3/16"	107
CD121214	1/2" x 1/2" x 1/4"	114
CD121238	1/2" x 1/2" x 3/8"	125



TROW & HOLDEN Swept Cape Chisel

These tools are used almost exclusively by masons to remove old mortar in preparation for repointing. Their curved shape prevents the chisel from getting stuck in mortar joints. All Stock is 1/2" Square and all shanks are 1/2" Round. STEEL BLADE ONLY.

Code	Spec	Price
AD1212316S	3/16"	157
AD121214S	1/4"	157
AD121238S	3/8"	157
AD12128S	1/8" (with teeth)	110



TROW & HOLDEN Soft Stone Mallet Head Chisels

For soft stone. All styles available with flat or rondel blades. Toothed blades are recommended for the 5/8" stock only. Chisels with Rondel Blade, add \$ 10. Chisels with Teeth, add \$ 20

Code	Spec	Price
CMC34	1/2" x 3/4"	137
CMC1	1/2" x 1"	141
CMC114	1/2" x 1-1/4"	148
CMC112	1/2" x 1-1/2"	151
CMC2	1/2" x 2"	192
CMC212	1/2" x 2-1/2"	197
CMC3	1/2" x 3"	213
CF58121H	5/8" x 1"	165
CF5812114H	5/8" x 1-1/4"	171
CF5812112H	5/8" x 1-1/2"	187
CF58122H	5/8" x 2"	194



TROW & HOLDEN Carbide Hand Chisel

Use the Hand Chisel for general carving, shaping and roughing out.

Code	Spec	Price
CHC38	3/8"	97
CHC12	1/2"	125
CHC58	5/8"	137
CHC34	3/4"	146
CHC78	7/8"	164
CHC1	1"	181



TROW & HOLDEN Carbide Hand Lettering Chisels & Set

Introducing our new Hand Carving & Lettering Chisels. We have shortened the length to 7", allowing greater control while working close-up. The blades feature fine tapers with durable carbide tips and the hexagonal stock feels comfortable during extended use. Blade widths range from 1/8" through 1/2". Chisels are sold individually (please choose size below). Chisels are also available as a complete set of six chisels with canvas pouch and your choice of Round or Square Hammer

Code	Spec	Price
CHC38-18X	3/8" x 1/8"	127
CHC38-316X	3/8" x 3/16"	132
CHC38-38X	3/8" x 3/8"	139
CHC12-14X	1/2" x 1/4"	139
CHC12-38X	1/2" x 3/8"	144
CHC12-12X	1/2" x 1/2"	153
CARBIDELLETTERINGSET	6 Chisels, Round Hammer & Pouch	770



TROW & HOLDEN Carbide Hand Point

For roughing out and knocking off high spots.

Code	Spec	Price
CHP38	3/8"	100
CHP12	1/2"	126
CHP58	5/8"	151
CHP34	3/4"	171
CHP78	7/8"	190
CHP1	1"	218



TROW & HOLDEN Carbide Tracer

The Mason's Chipper offers a bevelled blade for rock facing, trimming or squaring stone

Code	Spec	Price
CHT1112	1" x 1-1/2"	260
CHT12	1" x 2"	275
CHT1182	1-1/8" x 2"	317
CHT118212	1-1/8" x 2-1/2"	345
CHT1183	1-1/8" x 3"	363
CHT1184	1-1/8" x 4"	449



TROW & HOLDEN Carbide Hand Set

Use the Hand Set for trimming stone to size when the surface is relatively flat. This chisel features two usable blades for rockfacing, squaring and pitching stone

Code	Spec	Price
CHS1118	1" x 1-1/8"	231
CHS1112	1" x 1-1/2"	259
CHS12	1" x 2"	306
CHS1182	1-1/8" x 2"	345
CHS118214	1-1/8" x 2-1/4"	380
CHS118212	1-1/8" x 2-1/2"	389
CHS1183	1-1/8" x 3"	417
CHS1184	1-1/8" x 4"	458



TROW & HOLDEN Offset Carbide Hand Set

Use the Offset Hand Set when the chipper style is desired but more strength is needed. This tool makes it easier to see your pitch line and also helps to avoid nicking as you trim your stone.

Code	Spec	Price
CHO12	1" x 2"	301
CHO1182	1-1/8" x 2"	350
CHO118212	1-1/8" x 2-1/2"	391
CHO1183	1-1/8" x 3"	408
CHO1184	1-1/8" x 4"	463



TROW & HOLDEN Carbide Mason's Chippers

The Mason's Chipper offers a bevelled blade for rock facing, trimming or squaring stone

Code	Spec	Price
CHOM34114	3/4" x 1-1/4"	245
CHOM1118	1" x 1-1/8"	231
CHOM1112	1" x 1-1/2"	275
CHOM12	1" x 2"	267
CHOM1182	1-1/8" x 2"	359
CHOM118212	1-1/8" x 2-1/2"	400
CHOM1183	1-1/8" x 3"	417
CHOM1184	1-1/8" x 4"	472



TROW & HOLDEN Comfort Grip Hand Tools

Features 1-1/4" Square contoured handle and heavier carbide tip for the toughest jobs on hard stone.

Code	Spec	Price
CHC114CG	1-1/4" x 1-1/4" Hand Chisel	285?
CHT1182CG	1-1/8" x 2" Hand Tracer	352
CHP114CG	1-1/4" Hand Point	255
CHS1182CG	1-1/8" x 2"	359
CHOM1182CG	1-1/8" x 2" Masons Chipper	371
CH138CGP	1-3/8" Heavy Hand Point	285



TROW & HOLDEN Carbide Mill Pick

Traditionally used for dressing mill stones, the Carbide Mill Pick is also handy for chiseling lines in stone or trimming edges. Includes wood handle.

Code		Price
HMP2	2lb	419



TROW & HOLDEN Brass Hammer

Brass Hammers are perfect for lettering or other light work. Softer metal helps prevent bruising of the stone and reduces chisel shank wear. The round head means the hammer makes contact wherever it strikes the chisel, reducing the chance of mis-strikes. Includes 5" hardwood handle.


Code		Price
HBR1	1lb	157
HBR112	1-1/2lb	190
HBR2	2lb	238



TROW & HOLDEN Carbide Mosaic Hammer & Hardie

Traditionally used for cutting tile for detailed mosaic work, the Carbide Mosaic Hammer's fine carbide blades also work well for trimming and shaping thin veneer stone. Available in 1 lb. and 2-1/2 lb. weights, both hammers are fitted with wood handles (1 lb has 10" handle; 2-1/2 lb. has 16" handle). If you are doing mosaic work, the steel Hardie is a must. The pointed end is designed to be driven into a block of wood and the hardened chisel edge allows for precise placement and cutting of glass, tile or other mosaic materials.

Code	Spec	Price
HMO1CT	1lb x 10" wood	228
HMO212CT	2-1/2lb x 16" wood	424
HMOHARDIE	18oz Hardie	172
HARDIE	12lb Hardie	660



TROW & HOLDEN Solid Tooth Bush Hammer

For texturing or smoothing soft stone. To shape or remove stone, use more impact. Lighter impact will smooth the stone, leaving a stippled finish.

Code	Spec	Price
HBH1SQ	1" x 5" x 1-1/2 lbs x 10" wood	241
HBH112SQ	1-1/2" x 6" x 3-1/2 lbs x 16" wood	495
HBH134SQ	1-3/4" x 6-1/2" x 5-1/2 lbs x 16" wood	590
HBH2SQ	2" x 7" x 7-1/2 lbs x 16" wood	665
HBH1SQCT (carbide tipped)	1" x 5" x 1-1/2 lbs x 10" wood	412



TROW & HOLDEN Carbide Bull Set

For roughing out or shaping large blocks of flat stone (sawed or polished surface). Using the Bull Set is a 2-person operation - one person holds the hammer angled on its edge, set in place along the edge of the area of stone to be removed, angling the blade slightly toward the outside of the stone. The other person then hits it with the striking hammer. With use, the breaking edge of the hammer will wear down; the hammer can then be turned around on it's handle and the other side used. NOTE: This hammer is not meant to be swung. Carbide lasts longer and requires less maintenance than steel; however, it is more vulnerable to breaking if placed on an uneven surface, so be sure to use the Carbide Bull Set on a sawed or polished block.

Code	Spec	Price
HBS8	8 lbs x 32" wood or fiberglass	744
HSB10	10 lbs x 32" wood or fiberglass	868
HSB12	12 lbs x 32" wood or fiberglass	989
CARBIDE TIP		
HSB8CT	8 lbs x 32" wood or fiberglass	901
HSS10CT	10 lbs x 32" wood or fiberglass	1054
HSS12CT	12 lbs x 32" wood or fiberglass	1167



TROW & HOLDEN Slab Splitter

Use the same way as a Bull Set, but use it to split down the middle of a stone rather than along the edge. Carbide-Tipped Slab Splitters also available for use on Saw Blocks or Polished Surfaces Only.

Code	Spec	Price
HSS8	8 lbs x 32" wood or fiberglass	743
HSS10	10 lbs x 32" wood or fiberglass	868
HSS12	12 lbs x 32" wood or fiberglass	989
CARBIDE TIP		
HSS10CT	10 lbs x 32" wood or fiberglass	1054
HSS12CT	12 lbs x 32" wood or fiberglass	1165



TROW & HOLDEN Carbide Trimming Hammers

Two of most popular hammers are now available with carbide on all edges, so you can use them longer with less re grinding. When the edges eventually dull, turn it over on the handle for 2 more fresh edges. It works equally well for right or left hand use.

Code	Spec	Price
HTH2BCTV	Vert. Carbide Blade & Conc Back Edge 2 lbs	428
HTH2BCTH	Horiz. Carbide Blade & Conc Back Edge 2 lbs	428
HTH212CTV	Two Vert. Concave Faces 2-1/2 lbs	553
HTH212CTH	Two Horiz. Concave Faces 2-1/2 lbs	553
HTH312CTV	Two Vert. Concave Faces 3-½ lbs	614
HTH312CTH	Two Horiz. Concave Faces 3-½ lbs	614



TROW & HOLDEN Carbide Stone Buster

Price Includes 16" wood handle, installed. Our new carbide-tipped stone buster hammers can be used three different ways to handle a wide variety of stone cutting jobs.

Swing the Stone Buster, using the well-balanced and heat-treated striking head to hit your hand tools and chisels.

Swing the Stone Buster, using the rugged carbide-tipped blade, to trim, shape or split the hardest stone.

Hold the Stone Buster on the stone, using the heavy wood handle, and strike it with another hammer to deliver a powerful splitting force exactly where you want it. The handle also helps keep your hand out of harms way. Available with vertical or horizontal carbide-tipped blades in 2 LB and 4 LB weights.

Code	Spec	Price
HSB2CTV	2lb x Vertical Blade	380
HSB2CTH	2lb x Horizontal Blade	380
HSB4CTV	4lb x Vertical Blade	466
HSB4CTH	4lb x Horizontal Blade	466



TROW & HOLDEN Carbide Hammer Set

Price Includes 16" wood handle, installed. Our new carbide-tipped hammer set allows you to deliver a powerful yet accurate blow to make your edge work and pitching jobs go even faster. Just position the blade, then strike the heat-treated head with another hammer. Like our Stone Buster, the hammer head is also perfect for striking other hand tools. Available with vertical or horizontal carbide-tipped blades.

Code	Spec	Price
HHS4CTV	4lb x Vertical Blade	466
HHS4CTH	4lb x Horizontal Blade	466



TROW & HOLDEN Carbide Double Blade Masons Hammer

Price includes 16" wood handle, installed. The new Double Blade Mason's Hammer features the same Buster, but gives you both a vertical and horizontal blade in one hammer. Whatever the job, this vers

Code	Spec	Price
HDB3CT	3 lbs x 16" wood	417



TROW & HOLDEN Stonemason's or Mash Hammer

Made for striking stone only, should not be used to hit another hammer, nor be hit by another hammer. One end is a splitting blade for breaking stone, the other end is for trimming and can be provided with either a flat or concave face.


Code	Spec	Price
HMH2	2 lbs x 16" wood	313
HMH2CT Carbide Tip	2 lbs x 16" wood	403
HMH3	3 lbs x 16" wood	370
HMH3CT Carbide Tip	3 lbs x 16" wood	473
HMH4	4 lbs x 16" wood	422
HMH4CT Carbide Tip	4 lbs x 16" wood	533
HMH6-Special (2" square)	6 lbs x 32" wood	558
HMH8	8 lbs x 32" wood	748
HMH10	10 lbs x 32" wood	845
HMH12	12 lbs x 32" wood	986
HMH14	14 lbs x 32" wood	1081
HMH16	16 lbs x 32" wood	1183



TROW & HOLDEN Carbide Hammer Point

Price includes 13" fiberglass handle, installed. The new carbide-tipped Hammer Point is the fast, easy way to rough out a block. It's also perfect for removing a difficult knot or high spot. You can swing the Hammer Point like a regular hammer or use the sturdy fiberglass handle to hold in position while you strike it with another hammer. Keeping your hand away from the action allows you to deliver a powerful blow without fear of a mis-strike. This could be the most valuable tool in your toolbox. Now available in 4 LB and 2 LB weights.

Code		Price
HHP2CT	2lb	338
HHP4CT	4lb	440



TROW & HOLDEN Carbide Bush Hammer

For use with harder stones, the carbide-tipped bush hammer has 16 teeth on one end and 36 teeth on the other. Size is 1" Sq. x 5" Long and it weighs 1-1/2 LB. A 10" Wooden Handle is included.

Code		Price
HBH1SQCT	1" x 5" x 1-1/2lb x 10" wood	412



TROW & HOLDEN Rock Pick

For years we have been installing carbide tips onto our customer's brick mason hammers. We are now proud to offer two sizes of VAUGHN hammers with carbide-tipped blades. In addition, a carbide flat head (for trimming edges) or a carbide bushing head (for leveling or texturing) are available in both sizes. Wood handle included. 1-1/2lb with 1-1/4" wide blade

Code		Price
HRP24BH	Carbide Blade & 16-Pt Bushing Head	403
HRP24BTH	Carbide Blade & Trimming Head	366



TROW & HOLDEN Stinger

Our newest small hammer has carbide on both ends making it suitable for shaping on any type of stone. It features a point on one end and a chisel blade on the other for quick and easy pointing, chiseling and splitting. It weighs 2 pounds and is available with either a vertical or horizontal chisel end.

Code		Price
STINGER2V	2lb x Vertical Blade x 16" wood or 13" fiberglass	371
STINGER2H	2lb x Horizontal Blade x 16" wood or 13" fiberglass	371
STINGER4V	4lb x Vertical Blade x 16" wood or 13" fiberglass	507
STINGER4H	4lb x Horizontal Blade x 16" wood or 13" fiberglass	507



TROW & HOLDEN Ultimate Mash Hammer

Providing the best wear resistance of any stonecutting hammer on the market, our new carbide-tipped Ultimate Mash Hammer features heavy-duty carbide tips on the blade and both edges of the back cutting head. Now you can split and trim the hardest stone without the frequent re grinding and re-tempering necessary with steel blade hammers.

Code		Price
HMH3CTBEV	3lb (Vert.) x 16" wood or fiberglass	499
HMH3CTBEH	3lb (Horiz.) x 16" wood or fiberglass	499
HMH4CTBE	4lb x 16" wood or fiberglass	570



TROW & HOLDEN Comfort Grip Collection

Customers have been so happy with the performance of our Comfort Grip hand tools that we have decided to offer a complete set, along with our signature oval-eye 3 lb. Hand Hammer, all in a sturdy canvas tool bag. Our Comfort Grip carbide hand tools feature contoured handles which provide a secure grip for more powerful blows. Heavier carbide tips last and last, even when cutting the hardest stone. All our tools are manufactured from the highest quality American-made steel and carbide. Included are:

- 3 lb. Hand Hammer with oval eye and larger striking face
- Heavy Hand Point with Comfort Grip handle
- Comfort Grip Hand Chisel with 1-1/4" heavy duty blade
- Comfort Grip Hand Set with 2" blade
- Comfort Grip Hand Tracer with 2" heavy duty blade
- Heavy duty Trow & Holden canvas tool bag

Code	Price
COMFORTGRIPCOLLECTION	1820



lb	0.5	1	1.5	2	3	4	5	6	8	10	12
kg	0.22	0.45	0.68	0.91	1.36	1.81	2.27	2.72	3.62	4.54	5.44

TROW & HOLDEN Carbide Masonry Set

Our New Carbide Masonry Set, includes three of our most versatile stoneworking tools. The carbide-tipped Stone Buster, our newest hammer, gives you a splitting tool and a striking hammer in one tool. It is available in either 2 LB or 4 LB weights. Comes with a 16" wood handle or substitute a fibreglass handle for an additional \$12. The 2" carbide-tipped blade Mason's Chipper is perfect for light trimming or a squaring stone. The steeply angled blade and bevelled carbide tip make it easier to see your work. The 1" stock carbide-tipped Hand Point will be the workhorse of your tool set. Use it to rough out and remove high spots, which will help extend the life of your wider-blade carbide tools.

Code	Price
CARMASSET2 (2lb)	1108
CARMASSET4 (4lb)	1137

TROW & HOLDEN Pneumatic Mortar Removal Set

Our pneumatic mortar removal set is powerful enough to cut through the hardest mortars yet can be throttled down for fine detail work. The set features: 1" "Type B" short stroke carving tool; 10' air hose assembly with STAUBLI push-button Quick Connect; Striking cap and joint clean-out nozzle; Tool pouch for easy storage; Mortar removal chisels (4)--1/8" and 1/4" carbide cape chisels, 4 tooth carbide ripper, 1/4" steel swept cape chisel. Use with a SHP compressor to shave countless hours from your task..

Code	Price
MORTARREMOVALSET	1705

TROW & HOLDEN Carbide Bushing Set

Anyone with a pneumatic carving tool will simply love these bushing chisels and the set makes a great addition to our Pneumatic Carving Set. Bushing Set, Includes: 5/8" sq. 4-point with 1/2" shank; 5/8" sq. 9-point with 1/2" shank. 7/8" rd. Cup Chisel with 1/2" shank. 1 Wooden Box (holds 4 chisels) Bushing Set also available with 5/16" shank for Bantam Tools.

Code	Price
BUSHINGSETB (Bantam)	467
BUSHINGSET	527

TROW & HOLDEN Hard Stone Carving Set

This set features carbide-tipped chisels, which will keep their edge and last many times longer than steel tools. Use them for hand carving in granite, hard marble or anytime you're looking for improved performance in your stone carving tools. SET INCLUDES: 1/2" CT Point, 3/8" CT Chisel, 1/2" CT Chisel w/teeth, 3/4" and 1-1/4" CT Mallet Head Chisels, Tool Pouch and Your Choice of Hand Hammer--1-1/2 lb. Square hammer (10" handle) or 1-1/2 lb. Round Hammer (6" handle).

Code	Price
HARDSTONECARVESET	820



DIAMACH Merchandise

Good quality Gildan shirts and Hoodies. Go a size up on the Hoodies, they're slim fit. The Tool Bag is a great bit of gear to keep your chisels and hammers safe.

Code	Spec	Price
DMTSM	Small Shirt	24
DMTM	Medium Shirt	24
DMTL	Large Shirt	24
DMTXL	X Large Shirt	24
DMTXXL	2XL Shirt	24
DMT3XL	3XL Shirt	24
LHOODIE	Large Hoodie	35
XLHOODIE	X Large Hoodie	35
2XLHOODIE	2XL Hoodie	35
TOOLBAG	Tool Bag	24



mm	3	4	6	10	12	16	19	22	25	38	50	63	75	100
inches	1/8	3/16	1/4	3/8	1/2	5/8	3/4	7/8	1-1/4	1-1/2	2	2-1/2	3	4

3M™ Dust/Particle Respirator Kit 6225, (P2)

The respirator kit provides respiratory protection in a convenient and easy way.

The 3M Half Face Respirator 6000 Series is simple and lightweight.

To avoid moisture and contaminant exposure,

store the respirator in the handy, sealable storage container.

Kit Contains:

- 1 x 3M™ Half Face Respirator 6000 Series - Medium
- 1 x pair of 3M™ Particulate Filters 2125, P2
- 4 x 3M™ Respirator Cleaning Wipes 504
- 1 x 3M™ No-Touch™ Foam Earplugs P2000, Class 4 (SLC80: 25dB)
- 1 x 3M™ Respiratory Protection Guide
- 1x Handy storage container

Common Applications/Hazards:

For protection when sanding, sawing, lead paint removal, food manufacturing, insulation, drilling, cutting, masonry, grinding, powder coating
Protection Factors

Note that any filtering respirator should not be used for protection at airborne concentrations of contaminants above the relevant IDLH levels. This cartridge/filter, when used for protection against the contaminants as specified, is capable of providing the following protection levels:

- With a 3M 6000 Series Half Face Respirator: for particles, for airborne concentrations up to 10 times the Workplace Exposure Standard (WES)

To avoid moisture and contaminant exposure, store the respirator in the handy, sealable storage container



Code	Spec	Price
3M6225	Respirator Kit	90

On-Site Safety & Jack Armour Equipment

Full range available, selected items shown, contact us for trade pricing on all safety gear

Code	Spec	Price
12SCCFA	Positive Seal Safety Glasses Cobra Clear Anti fog lens with detachable foam	11
359SCCA	Positive Seal Safety Glasses SlingShot with Clear Anti fog Lens, ratchet arms with strap	17
103SCCFA	Safety Goggles Helix Clear Anti-fog, Splash resistant, Foam padding	20
HM1ATW	Hammerhead Hard Hat Vented - White	17
dBOSS27	Uncorded Ear Plugs - Orange (box 200 pairs) Class 5, 27dB	45
dBOSS27_C	Corded Ear Plugs - Orange (box 100 pairs) Class 5, 27dB	45
M12	Ear Muffs Circuit - Neon Orange Class 5, 27dB	15
RSY-XL	Rain suit (Jacket with hood and Pants) Hi-vis yellow/lime XL	40
DCSMSWXL	SMS Coveralls XL White	15
RP2V	P2 Moulded Mask with Valve (Box of 10)	22
RP2	P2 Moulded Mask (Box of 20)	33



AORTON Green Silicon Carbide Sharpening Wheels

For splitting stone.

Code	Spec	Price
66253129367	150 x 25mm	55
66253124224	200 x 25mm	84
66253124574	200 x 40mm	103



GUILLET Stone Wedges

For splitting stone.

Code	Spec	Price
5969	45 x 35mm 1200g	197
5244	25 x 105mm 300g	75



GUILLET Forged Tools for Soft Stone

Set No. 1 - 12 forged tools

Code	Spec	Price
2224	300g Dummy Mallet	101
8759	6mm Stone Chisel	43
4268	15mm Stone Chisel	43
8381	8mm Gouge	66
1829	15mm Claw 4 Flat Teeth	55
6518	10mm Claw 4 Teeth	58
4574	6mm Deerfoot 2 Teeth	55
6041	6mm Ognette	51
3044	6mm Rondelle	50
4403	Light Point	36
6599	6mm Snake Head	50
3512	Bush 16 teeth	65
3557	Empty Tool Roll	84
5195	Complete Set of 11 Chisels, Mallet + Tool Roll	698



GUILLET Forged Tools for Soft Stone

Set No. 2 - 12 forged tools


Code	Spec	Price
8777	30mm Stone Chisel	68
3143	25mm Stone Chisel	45
4709	20mm Stone Chisel	51
1253	10mm Gouge	66
5042	25mm Claw 5 Flat Teeth	61
8732	25mm Claw 5 Teeth	61
9245	20mm Claw 6 Teeth	61
6968	15mm Deerfoot	57
7715	10mm Ognette	59
5051	15mm Rondelle	52
5564	Medium Point	54
9767	10mm Snake Head	51
3557	Empty Tool Roll	84
4232	Complete Set of 12 Chisels + Tool Roll	797



GUILLET EUROP 2E Carbide Tipped Lettering Chisels

Carbide Tipped Lettering Chisels for Marble and Granite, with long exposed tungsten they are a lightweight chisel for intricate carving of letters for Letter cutters and Monumental Masons alike. 190mm long. 4-10mm widths feature 10mm of tungsten, while the 15-20mm chisels have 12mm. With the optional adapters they can be used with mallets or pneumatic tools.


Code	Spec	Price
3400	4mm	47
2806	6mm	51
8692	8mm	51
5497	10mm	52
4354	12mm	56
1015	15mm	59
5263	20mm	62
3035	Rounded Mallet Head Adapter	19
9412	10.2 x 36mm Pneumatic Head Adapter	16
3005	12.7 x 55mm Pneumatic Head Adapter	21
7342	Complete Set of 7 Chisels + Scriber + Tool Roll	385



GUILLET EUROP 2E Carbide Tipped Masonry Chisels

Carbide Tipped Masonry Chisels for Marble and Sandstone. 220mm long, they have a heavier shaft for comfortable use, and the mallet head supplied can be removed and replaced with the optional pneumatic heads. The 6-20mm width chisels feature 14mm of tungsten, while the 25 has 16, the 30 has 18 and the 40 has 20mm of tungsten.

Code	Spec	Price
9796	6mm	103
6601	10mm	106
2515	15mm	116
2254	20mm	119
3982	25mm	134
9508	30mm	148
8104	40mm	175
9535	Mallet Head for up to 25mm	25
7870	Mallet Head for over 25mm	27



GUILLET FORT 2E Carbide Tipped Heavy Lettering Chisels

Carbide Tipped Lettering Chisels for Marble and Granite. 190mm long, they have a less exposed tungsten tip for strength in hard stone. The 4-12mm width chisels feature 10mm of tungsten, while the 15 and 20mm has 12mm.

Code	Spec	Price
1866	4mm	50
6825	6mm	52
3252	8mm	55
1065	10mm	58
9066	12mm	64
5772	15mm	74
9381	20mm	91
2857	Complete Set of 7 Chisels + Scriber + Tool Roll	482



GUILLET Carbide Tipped Tracers Mallet Head

Carbide Tipped Tracer for Sandstone. Huge mallet head for comfortable use. 170mm long x 20mm shaft fits really well in the hand. Fine blade for detail work.

Code	Spec	Price
4638	25mm	157
7887	30mm	175
6258	40mm	211
9039	50mm	257
3180	55mm	242
5925	60mm	261
2226	80mm	357



GUILLET "Carbide Tipped Pitchers

Carbide Tipped for Marble, Granite and Sandstone.


Code	Spec	Price
7113	50mm Sandstone	211
4078	32mm Granite	231
2782	40mm Granite	245
5357	40mm Granite	286
2886	40mm TCT Protected	286
8712	50mm TCT Protected	389



GUILLET "CHOC" Carbide Tipped Chisels

Carbide Tipped for Marble, Granite and Sandstone. Unique flat shape is very comfortable to use. Exceptionally strong chisels.


Code	Spec	Price
6757	15mm	120
8702	20mm	125
2148	20mm Octagonal	132
7657	25mm	152
9660	30mm	170



GUILLET Carbide Tipped Points/Punches

Carbide Tipped for Marble, Granite and Sandstone

Code	Spec	Price
3962	10mm x 175mm Point	55
9589	14mm x 210mm Point	95
5299	16mm x 210mm Point	102
8974	18mm x 210mm Point	120
9994	20mm x 220mm Point	145
2365	20mm x 220mm Point (Rounded)	155
4697	20mm x 300mm Point	184
1906	22mm x 220mm Point	171
3985	28mm x 220mm Point (rounded)	234
3327	14mm x 210mm Punch	91
9867	16mm x 210mm Punch	106
5947	18mm x 210mm Punch	125
7757	20mm x 220mm Punch	145



GUILLET Stone Paving Pinch Bars

Carbide Tipped Claw Chisels for Marble and Granite. 240mm long, with 12.7mm (1/2") x 55mm shank.

Code	Spec	Price
5431	30 x 16 x 300mm	113
9913	30 x 18 x 450mm	175
1165	40 x 20 x 600mm	244
4045	40 x 22 x 800mm	368
3757	50 x 25 x 1000mm	559
8158	50 x 25 x 1300mm	696

GUILLET EUROP 2E Carbide Tipped Pneumatic Lettering Chisels

Carbide Tipped Lettering Chisels for Sandstone, with long exposed tungsten they are a lightweight chisel for intricate carving of letters for Letter cutters and Monumental Masons alike. 210mm long, 4-10mm widths feature 10mm of tungsten, while the 15-20mm chisels have 12mm. 12.7 (1/2") x 55mm Pneumatic end. Can be supplied with 10.2 x 36mm.

Code	Spec	Price
1250	6mm	97
9341	10mm	103
9044	15mm	114
8873	20mm	124
3500	25mm	130
6713	30mm	148
9261	40mm	169



GUILLET FORT 2E Carbide Tipped Pneumatic Masonry Chisels

Carbide Tipped Masonry Chisels for Marble and Sandstone. 250mm long, they have a heavier shaft for comfortable use. The 6-20mm width chisels feature 14mm of tungsten, while the 25 has 16, the 30 has 18 and the 40 has 20mm of tungsten. 12.7mm (1/2") x 55mm shank.

Code	Spec	Price
2083	6mm	96
4504	10mm	100
6799	15mm	108
3037	20mm	117
8860	25mm	130
2911	40mm	160



GUILLET Carbide Tipped Points/Punches

Carbide Tipped for Marble, Granite and Sandstone

Code	Spec	Price
9713	10mm x 175mm Point	71
8239	14mm x 210mm Point	96
2995	16mm x 210mm Point	110
6339	18mm x 210mm Point	121
6357	20mm x 220mm Point	129
2173	14mm x 210mm Punch	97
8976	16mm x 210mm Punch	114
1828	18mm x 210mm Punch	121



GUILLET "CHOC" Carbide Tipped Pneumatic Chisels

Carbide Tipped Chisels for Marble and Granite. Heavy duty with 12.7mm (1/2") x 55mm shank.


Code	Spec	Price
8839	15mm	134
3133	20mm	140



GUILLET Carbide Tipped Pneumatic Claw Chisels

Carbide Tipped Claw Chisels for Marble and Granite. 240mm long, with 12.7mm (1/2") x 55mm shank.

Code	Spec	Price
9299	10mm 2 flat teeth	100
2810	14mm 3 flat teeth	106
5114	18mm 4 flat teeth	130
3890	14mm 3 pointed teeth	114
3089	18mm 4 pointed teeth	130
1272	25mm 5 pointed teeth	178



GUILLET Paviour's Stone Hammers

Code	Spec	Price
4911	Single Carbide 40 x 40 x 105mm 1200g	328
1287	Double Carbide 40 x 40 x 105mm 750g	338
6019	Double Carbide 40 x 40 x 105mm 1200g	421
7693	Handle to suit	36



GUILLET Stonecarver's Hammers

Code	Spec	Price
4752	35 x 35 x 70mm 500g	162
9783	35 x 35 x 95mm 750g	196
9531	40 x 40 x 75mm 1450g	185



GUILLET Portuguese Round Stone Hammers

Code	Spec	Price
2224	300g	101
3601	400g	132
1851	600g	158
3972	800g	168
1092	1000g	206
5440	1250g	235
9047	1450g	263



GUILLET Bushing Hammer Interchangeable Heads

Code	Spec	Price
9398	40 x 40mm 25 & 49 Point 1960g	434



GUILLET Stonecutter's Hammers

Code	Spec	Price
6930	40 x 40 x 75mm 1000g	232
3537	40 x 40 x 90mm 1250g	265



GUILLET Misc Tools

Code	Spec	Price
5327	Tungsten Tipped Scribe	36
8292	150mm Compass	99
2523	200mm Compass	103
8888	300mm Compass	130
3557	Canvas Tool Roll	84



Masons Dutch Pin

Code	Spec	Price
250DUTCH	250mm long	22





FOOTPRINT Masons Chisels

Stonemason's favourite. Made in the UK. Premium steel for better performance

Code	Spec	Price
1236	115mm (4-1/2") Bolster with Ribs	66
1230	64mm (2-1/2") Pitcher	83
1232	64mm (2-1/2") Nicker	83
1234	64mm (2-1/2") Mason's Chisel	66

Dummy Hammers

These Conical section types Dummy/Dolly Hammers are CNC machined from EN8 to provide you with the perfect weight/size balance for carving with.

Code	Spec	Price
H400T	400g	79
H700T	700g	81
H1000T	1000g	83

DIAMACH Nylon Mallets

Stonemason's favourite. Various diameters. Australian Made Ash Handle. Now with premium German round wedge.

Code	Spec	Price
100NY LON	100mm (4")	74
125NY LON	125mm (5")	92
150NY LON	150mm (6")	115
HANDLE	Replacement 250mm (10") Handle	11
WEDGE	Replacement round wedge	5



Our warehouse is open from Monday to Friday from 7:30AM.

Due to other commitments including site deliveries and consultations, the store may be closed, in particular after 2:30PM as a result. Please call first just in case! Orders can be left in a secure location for after hours pickups



**Unit 9/20 Barcoo St,
ROSEVILLE NSW 2069**



**Office 02 8915 5095
Nic Hoskin 0417 466 505**



sales@diamach.com.au



Shop: diamach.com.au