



# DIAMACH



***Surface Preparation Tooling***

## ***Diamond Segment Shoes - Double Segments DRY***

### ***Ultra Hard Concrete - Yellow***

Extremely soft bond by special sintering process

Super soft bond matrix for hardest concrete

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| DUC18  | #18/20 Grit   | 36    |
| DUC25  | #25/30 Grit   | 35    |
| DUC30  | #30/40 Grit   | 33    |
| DUC60  | #60/80 Grit   | 33    |
| DUC120 | #120/150 Grit | 33    |



### ***Ultra Hard Concrete - Yellow***

Less scratches than bar segments

Softest bond

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DRUC18  | #18/20 Grit   | 39    |
| DRUC25  | #25/30 Grit   | 36    |
| DRUC30  | #30/40 Grit   | 33    |
| DRUC60  | #60/80 Grit   | 33    |
| DRUC120 | #120/150 Grit | 33    |



### ***Very Hard Concrete - Gold***

Easy grinding of very hard concrete

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| DVC18  | #18/20 Grit   | 36    |
| DVC25  | #25/30 Grit   | 35    |
| DVC30  | #30/40 Grit   | 33    |
| DVC60  | #60/80 Grit   | 33    |
| DVC120 | #120/150 Grit | 33    |



### ***Very Hard Concrete - Gold***

Suitable for very hard concrete

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DRVC18  | #18/20 Grit   | 39    |
| DRVC25  | #25/30 Grit   | 36    |
| DRVC30  | #30/40 Grit   | 33    |
| DRVC60  | #60/80 Grit   | 33    |
| DRVC120 | #120/150 Grit | 33    |



### ***Hard Concrete - Blue***

Wide range of grinding from medium hard to hard concrete

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| DHC18  | #18/20 Grit   | 36    |
| DHC25  | #25/30 Grit   | 35    |
| DHC30  | #30/40 Grit   | 33    |
| DHC60  | #60/80 Grit   | 33    |
| DHC120 | #120/150 Grit | 33    |



### ***Hard Concrete - Blue***

Suitable for medium hard to hard concrete

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DRHC1   | #18/20 Grit   | 39    |
| DRHC25  | #25/30 Grit   | 36    |
| DRHC30  | #30/40 Grit   | 33    |
| DRHC60  | #60/80 Grit   | 33    |
| DRHC120 | #120/150 Grit | 33    |



### ***Medium Concrete - Red***

Fast grinding with long life medium bond with matrix containing tungsten powder

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| DMC18  | #18/20 Grit   | 36    |
| DMC25  | #25/30 Grit   | 35    |
| DMC30  | #30/40 Grit   | 33    |
| DMC60  | #60/80 Grit   | 33    |
| DMC120 | #120/150 Grit | 33    |



### ***Medium Concrete - Red***

Wide range of concrete from hard to medium concrete

Less scratches than bar segment

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DRMC18  | #18/20 Grit   | 39    |
| DRMC25  | #25/30 Grit   | 36    |
| DRMC30  | #30/40 Grit   | 33    |
| DRMC60  | #60/80 Grit   | 33    |
| DRMC120 | #120/150 Grit | 33    |



### ***Soft Concrete - Black***

Long life with Tungsten carbide powder

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| DSC18  | #18/20 Grit   | 42    |
| DSC25  | #25/30 Grit   | 39    |
| DSC30  | #30/40 Grit   | 36    |
| DSC60  | #60/80 Grit   | 36    |
| DSC120 | #120/150 Grit | 36    |



### ***Soft Concrete - Black***

Long life for soft concrete for less scratches

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DRSC18  | #18/20 Grit   | 42    |
| DRSC25  | #25/30 Grit   | 39    |
| DRSC30  | #30/40 Grit   | 36    |
| DRSC60  | #60/80 Grit   | 36    |
| DRSC120 | #120/150 Grit | 36    |



## **Diamond Segment Shoes - Double Segments- DRY**

### **Very Abrasive Concrete - Orange**

Super long lasting very hard bond with high content of Tungsten carbide powder

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| DAC18  | #18/20 Grit   | 43    |
| DAC25  | #25/30 Grit   | 39    |
| DAC30  | #30/40 Grit   | 36    |
| DAC60  | #60/80 Grit   | 36    |
| DAC120 | #120/150 Grit | 36    |



### **Very Abrasive Concrete - Orange**

The hardest bond of concrete grinding with long life

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DRAC18  | #18/20 Grit   | 42    |
| DRAC25  | #25/30 Grit   | 39    |
| DRAC30  | #30/40 Grit   | 36    |
| DRAC60  | #60/80 Grit   | 36    |
| DRAC120 | #120/150 Grit | 36    |



### **Natural Stone Terrazzo Green**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DNST30  | 30/40 Grit    | 43    |
| DNST40  | #40/50 Grit   | 39    |
| DNST60  | #60/80 Grit   | 36    |
| DNST120 | #120/150 Grit | 36    |



### **Natural Stone Terrazzo Green**

20 x 10 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| DRNST30  | #30/40 Grit   | 42    |
| DRNST40  | #40/50 Grit   | 39    |
| DRNST60  | #60/80 Grit   | 36    |
| DRNST120 | #120/150 Grit | 36    |



## **Diamond Segment Shoes - Single Segment - DRY**

### **Ultra Hard Concrete - Yellow**

Extremely soft bond by special sintering process. Super soft bond matrix for hardest concrete

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| SUC18  | #18/20 Grit   | 32    |
| SUC25  | #25/30 Grit   | 30    |
| SUC30  | #30/40 Grit   | 27    |
| SUC60  | #60/80 Grit   | 27    |
| SUC120 | #120/150 Grit | 27    |



### **Ultra Hard Concrete - Yellow**

Less scratches than bar segments. Softest bond

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| SRUC18  | #18/20 Grit   | 30    |
| SRUC25  | #25/30 Grit   | 29    |
| SRUC30  | #30/40 Grit   | 26    |
| SRUC60  | #60/80 Grit   | 26    |
| SRUC120 | #120/150 Grit | 26    |



### **Very Hard Concrete - Gold**

Easy grinding of very hard concrete

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| SVC18  | #18/20 Grit   | 32    |
| SVC25  | #25/30 Grit   | 30    |
| SVC30  | #30/40 Grit   | 27    |
| SVC60  | #60/80 Grit   | 27    |
| SVC120 | #120/150 Grit | 27    |



### **Very Hard Concrete - Gold**

Suitable for very hard concrete

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| SRVC18  | #18/20 Grit   | 30    |
| SRVC25  | #25/30 Grit   | 29    |
| SRVC30  | #30/40 Grit   | 26    |
| SRVC60  | #60/80 Grit   | 26    |
| SRVC120 | #120/150 Grit | 26    |



### **Hard Concrete - Blue**

Wide range of grinding from medium hard to hard concrete

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| SHC18  | #18/20 Grit   | 32    |
| SHC25  | #25/30 Grit   | 30    |
| SHC30  | #30/40 Grit   | 27    |
| SHC60  | #60/80 Grit   | 27    |
| SHC120 | #120/150 Grit | 27    |



### **Hard Concrete - Blue**

Suitable for medium hard to hard concrete

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| SRHC18  | #18/20 Grit   | 30    |
| SRHC25  | #25/30 Grit   | 29    |
| SRHC30  | #30/40 Grit   | 26    |
| SRHC60  | #60/80 Grit   | 26    |
| SRHC120 | #120/150 Grit | 26    |



### **Medium Concrete - Red**

Fast grinding with long life medium bond with matrix containing tungsten powder

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| SMC18  | #18/20 Grit   | 32    |
| SMC25  | #25/30 Grit   | 30    |
| SMC30  | #30/40 Grit   | 27    |
| SMC60  | #60/80 Grit   | 27    |
| SMC120 | #120/150 Grit | 27    |



### **Medium Concrete - Red**

Wide range of concrete from hard to medium concrete . Less scratches than bar segment

20 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| SRMC18  | #18/20 Grit   | 30    |
| SRMC25  | #25/30 Grit   | 29    |
| SRMC30  | #30/40 Grit   | 26    |
| SRMC60  | #60/80 Grit   | 26    |
| SRMC120 | #120/150 Grit | 26    |



## **HTC Quick Change Shoes - DRY**

### **Ultra Hard Concrete - Purple**

36 x 12 x 10mm Segment

| Code   | Spec         | Price |
|--------|--------------|-------|
| HTXC25 | #25/30 Grit  | 39    |
| HTXC40 | #40/80 Grit  | 36    |
| HTXC80 | #80/100 Grit | 36    |



### **Very Hard Concrete - Yellow**

36 x 12 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| HTUC25  | #25/30 Grit   | 42    |
| HTUC40  | #40/80 Grit   | 39    |
| HTUC80  | #80/100 Grit  | 36    |
| HTUC120 | #120/150 Grit | 36    |



### **Hard Concrete - Blue**

30 x 30 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| HTHC16  | #16/20 Grit   | 42    |
| HTHC25  | #25/30 Grit   | 39    |
| HTHC40  | #40/60 Grit   | 36    |
| HTHC80  | #80/100 Grit  | 36    |
| HTHC120 | #120/150 Grit | 36    |



### **Medium Concrete - Red**

38 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| HTMC16  | #16/20 Grit   | 42    |
| HTMC25  | #25/30 Grit   | 39    |
| HTMC40  | #40/50 Grit   | 36    |
| HTMC80  | #80/100 Grit  | 36    |
| HTMC120 | #120/150 Grit | 36    |



### **Soft Concrete - Orange**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| HTAC25  | #25/30 Grit   | 45    |
| HTAC40  | #40/50 Grit   | 42    |
| HTAC80  | #80/1000 Grit | 39    |
| HTAC120 | #120/150 Grit | 39    |



### **Bond Comparison Chart**

| HTC Bond     | Concrete               | Mohs' Scale | Bond    |
|--------------|------------------------|-------------|---------|
| X2 Gold 25   | Very hard concrete 7-9 |             | HTUC25  |
| X3 Grey 40   | Very hard concrete 7-9 |             | HTUC40  |
| X4 Brown 80  | Very hard concrete 7-9 |             | HTUC80  |
| X5 Black 150 | Very hard concrete 7-9 |             | HTUC120 |
| H1 Silver 16 | Hard concrete 6-8      |             | HTHC16  |
| H2 Gold 25   | Hard concrete 6-8      |             | HTHC25  |
| H3 Grey 40   | Hard concrete 6-8      |             | HTHC40  |
| H4 Brown 80  | Hard concrete 6-8      |             | HTHC80  |
| H5 Black 150 | Hard concrete 6-8      |             | HTHC120 |
| M1 Silver 16 | Medium concrete 5-6    |             | HTMC16  |
| M2 Gold 25   | Medium concrete 5-6    |             | HTMC25  |
| M3 Grey 40   | Medium concrete 5-6    |             | HTMC40  |
| M4 Brown 80  | Medium concrete 5-6    |             | HTMC80  |
| M5 Black 150 | Medium concrete 5-6    |             | HTMC120 |
| S2 Gold 25   | Soft concrete 2-3      |             | HTAC25  |
| S3 Grey 40   | Soft concrete 2-3      |             | HTAC40  |
| S4 Brown 80  | Soft concrete 2-3      |             | HTAC80  |
| S5 Black 150 | Soft concrete 2-3      |             | HTAC120 |

## **DiaMag Shoes - For Blastrac and Diamatic Grinders**

### **Ultra Hard Concrete - Yellow**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| MDUC18  | #18/20 Grit   | 36    |
| MDUC30  | #30/40 Grit   | 33    |
| MDUC60  | #60/80 Grit   | 33    |
| MDUC120 | #120/150 Grit | 33    |



### **Very Hard Concrete - Gold**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| MDVC18  | #18/20 Grit   | 36    |
| MDVC30  | #30/40 Grit   | 33    |
| MDVC60  | #60/80 Grit   | 33    |
| MDVC120 | #120/150 Grit | 33    |



### **Hard Concrete - Blue**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| MDHC18  | #18/20 Grit   | 36    |
| MDHC30  | #30/40 Grit   | 33    |
| MDHC60  | #60/80 Grit   | 33    |
| MDHC120 | #120/150 Grit | 33    |



### **Medium Concrete - Red**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| MDMC18  | #18/20 Grit   | 36    |
| MDMC30  | #30/40 Grit   | 33    |
| MDMC60  | #60/80 Grit   | 33    |
| MDMC120 | #120/150 Grit | 33    |



### **Soft Concrete - Black**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| MDSC18  | #18/20 Grit   | 39    |
| MDSC30  | #30/40 Grit   | 36    |
| MDSC60  | #60/80 Grit   | 36    |
| MDSC120 | #120/150 Grit | 36    |



### **Extra Soft Concrete - Orange**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| MDAC18  | #18/20 Grit   | 39    |
| MDAC30  | #30/40 Grit   | 36    |
| MDAC60  | #60/80 Grit   | 36    |
| MDAC120 | #120/150 Grit | 36    |



## **Diamond Segment Shoes - Colour**

| Concrete Hardness | PSI        | Mohs' Scale | MPa     | Bond Hardness  | Bond Colour |
|-------------------|------------|-------------|---------|----------------|-------------|
| Ultra Hard        | Over 7000  | 8 - 9       | C50-C65 | Extremely Soft | UC Yellow   |
| Very Hard         | 6000-7000  | 6 - 7       | C40-C50 | Very Soft      | VC Gold     |
| Hard              | 5000-6000  | 5 - 6       | C35-C45 | Soft           | HC Blue     |
| Medium            | 4000-5000  | 4 - 5       | C20-C40 | Medium         | MC Red      |
| Soft              | 3000-4000  | 3 - 4       | C15-C25 | Hard           | SC Black    |
| Very Abrasive     | Under 3000 | 2 - 3       | C10-C20 | Very Hard      | AC Orange   |



## **Redi - Lock Diamond Segment Shoes for Husqvarna Grinders**

### **Extra Hard Concrete - Yellow**

36 x 12 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| HQUC18  | #18/20 Grit   | 39    |
| HQUC20  | #20/30 Grit   | 39    |
| HQUC30  | #30/40 Grit   | 36    |
| HQUC60  | #60/80 Grit   | 36    |
| HQUC120 | #120/150 Grit | 36    |



### **Medium Concrete - Red**

36 x 12 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| HQMC20  | #20/30 Grit   | 39    |
| HQMC30  | #30/40 Grit   | 36    |
| HQMC60  | #60/80 Grit   | 36    |
| HQMC120 | #120/150 Grit | 36    |



### **Hard Concrete - Gold**

36 x 12 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| HQVC20  | #20/30 Grit   | 39    |
| HQVC30  | #30/40 Grit   | 36    |
| HQVC60  | #60/80 Grit   | 36    |
| HQVC120 | #120/150 Grit | 36    |



### **Soft Concrete - Black**

36 x 12 x 10mm Segment

| Code   | Spec        | Price |
|--------|-------------|-------|
| HQSC20 | #20/30 Grit | 39    |
| HQSC30 | #30/40 Grit | 36    |
| HQSC60 | #60/80 Grit | 36    |



### **Medium Hard Concrete - Blue**

36 x 12 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| HQHC20  | #20/30 Grit   | 39    |
| HQHC30  | #30/40 Grit   | 36    |
| HQHC60  | #60/80 Grit   | 36    |
| HQHC120 | #120/150 Grit | 36    |



### **Extremely Abrasive Concrete- Orange**

36 x 12 x 10mm Segment

| Code   | Spec        | Price |
|--------|-------------|-------|
| HQAC20 | #20/30 Grit | 39    |
| HQAC30 | #30/40 Grit | 36    |



### **Conversion Chart**

| Husqvarna | Concrete           | Mohs' Scale | Bond |
|-----------|--------------------|-------------|------|
| G 1110    | Extra Hard 7-9     |             | DUC  |
| G1120     | Hard 6-8           |             | DVC  |
| G 1140    | Medium Hard 5-6    |             | DHC  |
| G 1150    | Medium 4-5         |             | DMC  |
| G 1170    | Soft 3-4           |             | DSC  |
| G 1180    | Extremely Soft 2-3 |             | DAC  |

### **PCD Shoe**

13 x ¼ x 2 PCD

| Code  | Spec              | Price |
|-------|-------------------|-------|
| HQPCR | Clockwise         | 88    |
| HQPCL | Counter Clockwise | 88    |



## **Easy- Lock Diamond Segment Shoes for Scanmaskin Grinders**

### **Extra Hard Concrete - Yellow**

36 x 12 x 10mm Segment (SCSS Scanmaskin Code)

| Code     | Spec          | Price |
|----------|---------------|-------|
| SCDUC18  | #18/20 Grit   | 42    |
| SCDUC25  | #25/30 Grit   | 39    |
| SCDUC30  | #30/40 Grit   | 36    |
| SCDUC60  | #60/80 Grit   | 36    |
| SCDUC120 | #120/150 Grit | 36    |



### **Medium Concrete - Red**

36 x 12 x 10mm Segment (SCM Scanmaskin Code)

| Code     | Spec          | Price |
|----------|---------------|-------|
| SCDMC18  | #18/20 Grit   | 42    |
| SCDMC25  | #25/30 Grit   | 39    |
| SCDMC30  | #30/40 Grit   | 36    |
| SCDMC60  | #60/80 Grit   | 36    |
| SCDMC120 | #120/150 Grit | 36    |



### **Hard Concrete - Gold**

36 x 12 x 10mm Segment (SCSS Scanmaskin Code)

| Code     | Spec          | Price |
|----------|---------------|-------|
| SCDVC18  | #18/20 Grit   | 42    |
| SCDVC25  | #25/30 Grit   | 39    |
| SCDVC30  | #30/40 Grit   | 36    |
| SCDVC60  | #60/80 Grit   | 36    |
| SCDVC120 | #120/150 Grit | 36    |



### **Soft Concrete - Black**

36 x 12 x 10mm Segment (SCL Scanmaskin Code)

| Code     | Spec          | Price |
|----------|---------------|-------|
| SCDSC18  | #18/20 Grit   | 45    |
| SCDSC25  | #25/30 Grit   | 42    |
| SCDSC30  | #30/40 Grit   | 39    |
| SCDSC60  | #60/80 Grit   | 39    |
| SCDSC120 | #120/150 Grit | 39    |



### **Medium Hard Concrete - Blue**

36 x 12 x 10mm Segment (SCS Scanmaskin Code)

| Code     | Spec          | Price |
|----------|---------------|-------|
| SCDHC18  | #18/20 Grit   | 42    |
| SCDHC25  | #25/30 Grit   | 39    |
| SCDHC30  | #30/40 Grit   | 36    |
| SCDHC60  | #60/80 Grit   | 36    |
| SCDHC120 | #120/150 Grit | 36    |



### **Extremely Abrasive Concrete- Orange**

36 x 12 x 10mm Segment (SCX Scanmaskin Code)

| Code    | Spec        | Price |
|---------|-------------|-------|
| SCDAC25 | #25/30 Grit | 45    |
| SCDAC30 | #30/40 Grit | 42    |
| SCDAC60 | #60/80 Grit | 39    |



### **Easy Lock Scanmaskin Conversion Chart**

| Scanmaskin Code | Concrete Hardness | Bond Hardness  | Bond |
|-----------------|-------------------|----------------|------|
| SCSSS           | Extremely hard    | Extremely soft | UC   |
| SCSS            | Extra hard        | Extra soft     | DVC  |
| SCS             | Hard              | Soft           | HC   |
| SCM             | Medium hard       | Medium soft    | MC   |
| SCL             | Soft              | Hard           | SC   |
| SCX             | Extra Soft        | Extra hard     | AC   |
| SCXX            | Very Soft         | Very hard      | AC   |
| SCXXX           | Extremely Soft    | Extremely hard | BC   |

### **QC Lavina Conversion Chart**

| Item | Lavina Color | Concrete Hardness   | Bond | PSI        | MOHS scale |
|------|--------------|---------------------|------|------------|------------|
| SC   | Yellow       | Soft concrete       | AC   | Under 3000 | 2 to 3     |
| MC   | Grey         | Medium concrete     | MC   | 4000-5000  | 3 to 4     |
| HC   | Red          | Hard concrete       | HC   | 5000-6000  | 5 to 7     |
| HCG  | Gold         | Extra hard concrete | VC   | 6000-7000  | 7 to 8     |
| SHC  | White        | Super hard concrete | UC   | Over 7000  | 8 to 9     |

## **Round Diamond Segment Shoes for Scanmaskin Grinders**

### **Extra Hard Concrete - Yellow Triple**

25/8 x 17 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| RRVC18  | #18/20 Grit   | 47    |
| RRVC25  | #25/30 Grit   | 45    |
| RRVC30  | #30/40 Grit   | 42    |
| RRVC60  | #60/80 Grit   | 42    |
| RRVC120 | #120/150 Grit | 42    |



### **Extra Hard Concrete - Yellow Single**

25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| ROVC18  | #18/20 Grit   | 38    |
| ROVC25  | #25/30 Grit   | 38    |
| ROVC30  | #30/40 Grit   | 36    |
| ROVC60  | #60/80 Grit   | 36    |
| ROVC120 | #120/150 Grit | 36    |



### **Medium Hard Concrete - Blue Triple**

25/8 x 17 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| RRHC18  | #18/20 Grit   | 47    |
| RRHC25  | #25/30 Grit   | 45    |
| RRHC30  | #30/40 Grit   | 42    |
| RRHC60  | #60/80 Grit   | 42    |
| RRHC120 | #120/150 Grit | 42    |



### **Medium Hard Concrete - Blue Single**

25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| ROHC18  | #18/20 Grit   | 38    |
| ROHC25  | #25/30 Grit   | 38    |
| ROHC30  | #30/40 Grit   | 36    |
| ROHC60  | #60/80 Grit   | 36    |
| ROHC120 | #120/150 Grit | 36    |



### **Medium Concrete - Red Triple**

25/8 x 17 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| RRMC18  | #18/20 Grit   | 47    |
| RRMC25  | #25/30 Grit   | 45    |
| RRMC30  | #30/40 Grit   | 42    |
| RRMC60  | #60/80 Grit   | 42    |
| RRMC120 | #120/150 Grit | 42    |



### **Medium Concrete - Red Single**

25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| ROMC18  | #18/20 Grit   | 38    |
| ROMC25  | #25/30 Grit   | 38    |
| ROMC30  | #30/40 Grit   | 36    |
| ROMC60  | #60/80 Grit   | 36    |
| ROMC120 | #120/150 Grit | 36    |



### **Soft Concrete - Black Triple**

25/8 x 17 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| RRSC18  | #18/20 Grit   | 51    |
| RRSC25  | #25/30 Grit   | 48    |
| RRSC30  | #30/40 Grit   | 48    |
| RRSC60  | #60/80 Grit   | 48    |
| RRSC120 | #120/150 Grit | 48    |



### **Soft Concrete - Black Single**

25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| ROSC18  | #18/20 Grit   | 41    |
| ROSC25  | #25/30 Grit   | 41    |
| ROSC30  | #30/40 Grit   | 39    |
| ROSC60  | #60/80 Grit   | 39    |
| ROSC120 | #120/150 Grit | 39    |



## **QC Diamond Segment Shoes for Lavina Grinders**

### **Soft Concrete - Yellow Double Bar**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QCAC18  | #18/20 Grit   | 45    |
| QCAC30  | #30/40 Grit   | 42    |
| QCAC60  | #60/80 Grit   | 39    |
| QCAC120 | #120/150 Grit | 39    |



### **Soft Concrete - Yellow Double Round**

25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| QCACR18  | #18/20 Grit   | 45    |
| QCACR30  | #30/40 Grit   | 39    |
| QCACR60  | #60/80 Grit   | 39    |
| QCACR120 | #120/150 Grit | 39    |



### **Medium Concrete - Grey Double Bar**

240 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QCMC18  | #18/20 Grit   | 39    |
| QCMC30  | #30/40 Grit   | 36    |
| QCMC60  | #60/80 Grit   | 36    |
| QCMC120 | #120/150 Grit | 36    |



### **Medium Concrete - Grey Double Round**

25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| QCMCR18  | #18/20 Grit   | 42    |
| QCMCR30  | #30/40 Grit   | 36    |
| QCMCR60  | #60/80 Grit   | 36    |
| QCMCR120 | #120/150 Grit | 36    |



### **Hard Concrete - Red Double Bar**

25/8 x 17 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QCHC30  | #30/40 Grit   | 36    |
| QCHC60  | #60/80 Grit   | 36    |
| QCHC120 | #120/150 Grit | 36    |



### **Hard Concrete - Red Double Round**

25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| QCHCR30  | #30/40 Grit   | 36    |
| QCHCR60  | #60/80 Grit   | 36    |
| QCHCR120 | #120/150 Grit | 36    |



### **Extra Hard Concrete - Gold Double Bar**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QCVC30  | #30/40 Grit   | 36    |
| QCVC60  | #60/80 Grit   | 36    |
| QCVC120 | #120/150 Grit | 36    |



### **Extra Hard Concrete - Gold Double Round**

25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| QCVCR30  | #30/40 Grit   | 36    |
| QCVCR60  | #60/80 Grit   | 36    |
| QCVCR120 | #120/150 Grit | 36    |



### **Super Hard Concrete - White Double Bar**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QCUC30  | #30/40 Grit   | 36    |
| QCUC60  | #60/80 Grit   | 36    |
| QCUC120 | #120/150 Grit | 36    |



## **Single Diamond Segment Shoes for Lavina Grinders**

### **Soft Concrete - Yellow Single Bar**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LSAC18  | #18/20 Grit   | 39    |
| LSAC30  | #30/40 Grit   | 36    |
| LSAC60  | #60/80 Grit   | 36    |
| LSAC120 | #120/150 Grit | 36    |



### **Soft Concrete - Yellow Single Round**

25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LRAC18  | #18/20 Grit   | 49    |
| LRAC30  | #30/40 Grit   | 39    |
| LRAC60  | #60/80 Grit   | 39    |
| LRAC120 | #120/150 Grit | 39    |



### **Medium Concrete - Grey Single Bar**

240 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LSMC18  | #18/20 Grit   | 36    |
| LSMC30  | #30/40 Grit   | 33    |
| LSMC60  | #60/80 Grit   | 33    |
| LSMC120 | #120/150 Grit | 33    |



### **Medium Concrete - Grey Single Round**

25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LRMC18  | #18/20 Grit   | 38    |
| LRMC30  | #30/40 Grit   | 36    |
| LRMC60  | #60/80 Grit   | 36    |
| LRMC120 | #120/150 Grit | 36    |



### **Hard Concrete - Red Single Bar**

25/8 x 17 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LSHC30  | #30/40 Grit   | 36    |
| LSHC60  | #60/80 Grit   | 32    |
| LSHC120 | #120/150 Grit | 33    |



### **Hard Concrete - Red Single Round**

25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LRHC30  | #30/40 Grit   | 38    |
| LRHC60  | #60/80 Grit   | 36    |
| LRHC120 | #120/150 Grit | 36    |



### **Extra Hard Concrete - Gold Single Bar**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LSVC30  | #30/40 Grit   | 36    |
| LSVC60  | #60/80 Grit   | 33    |
| LSVC120 | #120/150 Grit | 33    |



### **Extra Hard Concrete - Gold Single Round**

25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LRVC30  | #30/40 Grit   | 38    |
| LRVC60  | #60/80 Grit   | 36    |
| LRVC120 | #120/150 Grit | 36    |



### **Super Hard Concrete - White Single Bar**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LSUC30  | #30/40 Grit   | 33    |
| LSUC60  | #60/80 Grit   | 33    |
| LSUC120 | #120/150 Grit | 33    |



### **QCS Diamond Segment Shoes for SASE Grinder**

#### **Extremely Hard Concrete - Yellow Double**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QDUC25  | #25/30 Grit   | 42    |
| QDUC30  | #30/40 Grit   | 42    |
| QDUC60  | #60/80 Grit   | 42    |
| QDUC120 | #120/150 Grit | 36    |



#### **Soft Concrete - Black Double**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QDSC18  | #18/20 Grit   | 45    |
| QDSC25  | #25/30 Grit   | 45    |
| QDSC30  | #30/40 Grit   | 39    |
| QDSC60  | #60/80 Grit   | 39    |
| QDSC120 | #120/150 Grit | 39    |
| QDSC250 | #250/300 Grit | 39    |



#### **Very Hard Concrete - Gold Double**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QDVC25  | #25/30 Grit   | 42    |
| QDVC30  | #30/40 Grit   | 36    |
| QDVC60  | #60/80 Grit   | 36    |
| QDVC120 | #120/150 Grit | 36    |



#### **Very Soft Concrete - Orange Double**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QDAC18  | #18/20 Grit   | 45    |
| QDAC25  | #25/30 Grit   | 45    |
| QDAC30  | #30/40 Grit   | 39    |
| QDAC60  | #60/80 Grit   | 39    |
| QDAC120 | #120/150 Grit | 39    |
| QDAC250 | #250/300 Grit | 39    |



#### **Hard Concrete - Blue Double**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QDHC18  | #18/20 Grit   | 42    |
| QDHC25  | #25/30 Grit   | 42    |
| QDHC40  | #40/50 Grit   | 36    |
| QDHC80  | #60/80 Grit   | 36    |
| QDHC120 | #120/150 Grit | 36    |
| QDHC250 | #250/300 Grit | 36    |



#### **Very Soft Concrete - Long Life Orange Triple**

24 x 24 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| QTJAC30  | #30/40 Grit   | 93    |
| QTJAC80  | #80/100 Grit  | 84    |
| QTJAC120 | #120/150 Grit | 84    |



#### **Medium Concrete - Red Double**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| QDMC18  | #18/20 Grit   | 42    |
| QDMC25  | #25/30 Grit   | 42    |
| QDMC40  | #40/50 Grit   | 36    |
| QDMC80  | #60/80 Grit   | 36    |
| QDMC120 | #120/150 Grit | 36    |
| QDMC250 | #250/300 Grit | 36    |



#### **QC Lavina Conversion Chart**

| SASE color | Concrete Hardness | Mohs scale | Bond hardness  | Bond |
|------------|-------------------|------------|----------------|------|
| Yellow     | Extremely hard    | 8 to 9     | Extremely soft | UC   |
| Gold       | Very hard to hard | 6 to 7     | Very soft      | VC   |
| Blue       | Hard to medium    | 5 to 6     | Soft           | HC   |
| Red        | Medium            | 4 to 5     | Medium         | MC   |
| Black      | Soft              | 3 to 4     | Hard           | SC   |
| Orange     | Very soft         | 2 to 3     | Very hard      | AC   |

### **Werkmaster Diamond Segment Shoes**

#### **Hard Concrete - Grey Single Standard**

Wing Segment

| Code    | Spec        | Price |
|---------|-------------|-------|
| WMHCS18 | #18/20 Grit | 23    |
| WMHCS30 | #30/40 Grit | 20    |
| WMHCS70 | #60/70 Grit | 20    |



#### **Hard Concrete - Grey Double Heavy Duty**

Rhombus + Rectangle Segment

| Code    | Spec        | Price |
|---------|-------------|-------|
| WMHCD18 | #18/20 Grit | 36    |
| WMHCD30 | #30/40 Grit | 31    |
| WMHCD70 | #70/80 Grit | 31    |



#### **Medium Concrete - Red Single Standard**

Wing Segment

| Code    | Spec        | Price |
|---------|-------------|-------|
| WMMCS18 | #18/20 Grit | 23    |
| WMMCS30 | #30/40 Grit | 20    |
| WMMCS70 | #60/70 Grit | 20    |



#### **Medium Concrete - Red Double Heavy Duty**

Rhombus + Rectangle Segment

| Code    | Spec        | Price |
|---------|-------------|-------|
| WMMCD18 | #18/20 Grit | 36    |
| WMMCD30 | #30/40 Grit | 31    |
| WMMCD70 | #70/80 Grit | 31    |



## **Werkmaster Diamond Segment Shoes**

### **Soft Concrete - Orange Single Standard**

Wing Segment

| Code    | Spec        | Price |
|---------|-------------|-------|
| WMACS18 | #18/20 Grit | 26    |
| WMACS30 | #30/40 Grit | 23    |
| WMACS70 | #70/80 Grit | 23    |



### **Soft Concrete - Orange Double Heavy Duty**

Rhombus + Rectangle Segment

| Code    | Spec        | Price |
|---------|-------------|-------|
| WMACD18 | #18/20 Grit | 38    |
| WMACD30 | #30/40 Grit | 33    |
| WMACD70 | #70/80 Grit | 33    |



## **Werkmaster PCD Shoes**

### **For thick coating removal over 3mm**

ø13 X 1 1/2 mm Spec

| Code   | Direction         | Price |
|--------|-------------------|-------|
| WPSCR  | Clockwise         | 79    |
| WPSCCL | Counter Clockwise | 79    |



### **For medium coating removal over 2-3mm**

4.5 x 4.5 x 3mm Spec

| Code   | Direction         | Price |
|--------|-------------------|-------|
| WTPCLR | Clockwise         | 57    |
| WTPCCL | Counter Clockwise | 57    |



## **Fast Change Diamond Segment Shoes**

### **Very Hard Concrete - Yellow Double Bar**

40 x 10 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| FCUCD18  | #18/20 Grit   | 42    |
| FCUCD30  | #30/40 Grit   | 36    |
| FCUCD60  | #60/80 Grit   | 36    |
| FCUCD120 | #120/150 Grit | 36    |



### **Very Hard Concrete - Yellow Single Bar**

25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| FCUCS18  | #18/20 Grit   | 39    |
| FCUCS30  | #30/40 Grit   | 37    |
| FCUCS60  | #60/80 Grit   | 37    |
| FCUCS120 | #120/150 Grit | 37    |



### **Hard Concrete - Blue Double Bar**

240 x 10 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| FCHCD18  | #18/20 Grit   | 42    |
| FCHCD30  | #30/40 Grit   | 36    |
| FCHCD60  | #60/80 Grit   | 36    |
| FCHCD120 | #120/150 Grit | 36    |



### **Hard Concrete - Blue Single Bar**

25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| FCHCS18  | #18/20 Grit   | 39    |
| FCHCS30  | #30/40 Grit   | 37    |
| FCHCS60  | #60/80 Grit   | 37    |
| FCHCS120 | #120/150 Grit | 37    |



### **Medium Concrete - Red Double Bar**

25/8 x 17 x 8mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| FCMCD30  | #30/40 Grit   | 42    |
| FCMCD60  | #60/80 Grit   | 36    |
| FCMCD120 | #120/150 Grit | 36    |
| FCMCD120 | #120/150 Grit | 36    |



### **Medium Concrete - Red Single Bar**

25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| FCMCS18  | #30/40 Grit   | 39    |
| FCMCS30  | #60/80 Grit   | 37    |
| FCMCS60  | #120/150 Grit | 37    |
| FCMCS120 | #120/150 Grit | 37    |



### **Soft Abrasive Concrete - Orange Double Bar**

40 x 10 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| FCACD30  | #30/40 Grit   | 45    |
| FCACD60  | #60/80 Grit   | 39    |
| FCACD120 | #120/150 Grit | 39    |



### **Soft Abrasive Concrete - Orange Single Bar**

25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| FCACS30  | #30/40 Grit   | 41    |
| FCACS60  | #60/80 Grit   | 39    |
| FCACS120 | #120/150 Grit | 39    |



## **Conversion Chart**

| Syntec bond color | Concrete Hardness | Bond | Color  |
|-------------------|-------------------|------|--------|
| Gold              | Very hard         | UC   | Yellow |
| Blue              | Hard              | HC   | Blue   |
| Red               | Medium            | MC   | Red    |
| Black             | Soft abrasive     | AC   | Orange |



## **CONTEC Quick Change Shoes - DRY**

### **Very Hard Concrete - Yellow**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| NCUC18  | #18/20 Grit   | 42    |
| NCUC30  | #30/40 Grit   | 36    |
| NCUC60  | #60/80 Grit   | 36    |
| NCUC120 | #120/150 Grit | 36    |



### **Hard Concrete - Yellow**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| NCHC18  | #18/20 Grit   | 42    |
| NCHC30  | #30/40 Grit   | 36    |
| NCHC60  | #60/80 Grit   | 36    |
| NCHC120 | #120/150 Grit | 36    |



### **Medium Concrete - Blue**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| NCMC18  | #18/20 Grit   | 42    |
| NCMC30  | #30/40 Grit   | 36    |
| NCMC60  | #60/80 Grit   | 36    |
| NCMC120 | #120/150 Grit | 36    |



### **Soft Concrete - Orange**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| NCAC18  | #18/20 Grit   | 42    |
| NCAC30  | #30/40 Grit   | 36    |
| NCAC60  | #60/80 Grit   | 36    |
| NCAC120 | #120/150 Grit | 36    |



## **Wolff Quick Change Shoes - DRY**

### **Very Hard Concrete - Yellow**

40 x 10 x 10mm Segment

| Code  | Spec        | Price |
|-------|-------------|-------|
| WUC30 | #30/40 Grit | 39    |
| WUC60 | #60/80 Grit | 39    |



### **Medium Concrete - Red**

40 x 10 x 10mm Segment

| Code  | Spec        | Price |
|-------|-------------|-------|
| WMC30 | #30/40 Grit | 39    |
| WMC60 | #60/80 Grit | 39    |



### **Hard Concrete - Gold**

40 x 10 x 10mm Segment

| Code  | Spec        | Price |
|-------|-------------|-------|
| WHC30 | #30/40 Grit | 39    |
| WHC60 | #60/80 Grit | 39    |



### **Soft Concrete - Black**

40 x 10 x 10mm Segment

| Code  | Spec        | Price |
|-------|-------------|-------|
| WAC30 | #30/40 Grit | 42    |
| WAC60 | #60/80 Grit | 42    |



## **DRS Diamond Segment Shoes**

### **Hard Concrete - 3 Convex Diamonds DRY**

40 x 8 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DTHC20  | #20/30 Grit   | 41    |
| DTHC40  | #40/50 Grit   | 33    |
| DTHC60  | #60/80 Grit   | 33    |
| DTHC120 | #120/150 Grit | 33    |



### **Very Hard Concrete - Yellow Double Universal**

40 x 8 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DUUC16  | #16/20 Grit   | 32    |
| DUUC20  | #20/30 Grit   | 32    |
| DUUC40  | #40/50 Grit   | 26    |
| DUUC60  | #60/80 Grit   | 26    |
| DUUC120 | #120/150 Grit | 26    |



### **Hard Concrete - 3 POP Diamonds**

40 x 8 x 8mm Segment

| Code     | Spec        | Price |
|----------|-------------|-------|
| DTPHC20  | #20/30 Grit | 41    |
| DTPHC40  | #40/50 Grit | 33    |
| DTPHC60  | #60/80 Grit | 33    |
| DTPHC120 | #60/80 Grit | 33    |



### **Medium Hard Concrete - Red Double Universal**

40 x 8 x 8mm Segment

| Code    | Spec        | Price |
|---------|-------------|-------|
| DUMC16  | #16/20 Grit | 32    |
| DUMC20  | #20/30 Grit | 32    |
| DUMC40  | #40/50 Grit | 26    |
| DUMC60  | #60/80 Grit | 26    |
| DUMC120 | #60/80 Grit | 26    |



### **Hard Concrete - Double Bar Diamonds**

40 x 8 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DDHC20  | #20/30 Grit   | 39    |
| DDHC40  | #40/50 Grit   | 36    |
| DDHC60  | #60/80 Grit   | 33    |
| DDHC120 | #120/150 Grit | 33    |



### **Hard Concrete - Blue Double Universal**

40 x 8 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DUHC16  | #16/20 Grit   | 32    |
| DUHC20  | #20/30 Grit   | 32    |
| DUHC40  | #40/50 Grit   | 26    |
| DUHC60  | #60/80 Grit   | 26    |
| DUHC120 | #120/150 Grit | 26    |



### **Soft Concrete - Double Oval Segments**

40 x 8 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| DOAC20  | #20/30 Grit   | 50    |
| DOAC40  | #40/50 Grit   | 44    |
| DOAC60  | #60/80 Grit   | 44    |
| DOAC120 | #120/150 Grit | 44    |



### **Soft Concrete - Grey Double Universal**

40 x 8 x 8mm Segment

| Code   | Spec        | Price |
|--------|-------------|-------|
| DUAC16 | #16/20 Grit | 35    |
| DUAC20 | #20/30 Grit | 35    |
| DUAC40 | #40/50 Grit | 35    |
| DUAC60 | #60/80 Grit | 29    |
| DUAC60 | #60/80 Grit | 29    |



### **Triseg Shoes - DRY**

#### **Medium Hard and Hard Concrete - Red**

42 x 10 x 10mm Segment

| Code  | Spec        | Price |
|-------|-------------|-------|
| THC20 | #20/30 Grit | 68    |



#### **Soft Concrete - Grey**

42 x 10 x 10mm Segment

| Code  | Spec        | Price |
|-------|-------------|-------|
| TSC20 | #20/30 Grit | 72    |



#### **Medium Concrete - Brown**

42 x 10 x 10mm Segment

| Code  | Spec        | Price |
|-------|-------------|-------|
| TMC70 | #20/30 Grit | 62    |



#### **Soft Concrete - Yellow**

42 x 10 x 10mm Segment

| Code  | Spec        | Price |
|-------|-------------|-------|
| TSC70 | #20/30 Grit | 68    |



#### **Medium Concrete - Purple**

40 x 10 x 10mm Segment

| Code   | Spec          | Price |
|--------|---------------|-------|
| TMC120 | #120/150 Grit | 62    |



#### **PCD Split**

| Code | Segment          | Price |
|------|------------------|-------|
| TSPC | 3 x 40 x 10 x 10 | 92    |



#### **PCD Xtreme with Round Seg**

| Code | Segment        | Price |
|------|----------------|-------|
| FPCD | 4 x 13 x 1 / 4 | 120   |



### **Airtec Shoes For Magnet - DRY**

#### **Hard Concrete - Yellow Airtec**

40 x 10 x 10mm Segment

| Code   | Spec         | Price |
|--------|--------------|-------|
| ADUC16 | #16/20 Grit  | 39    |
| ADUC40 | #40/50 Grit  | 33    |
| ADUC80 | #80/100 Grit | 33    |



#### **Medium Concrete - Red Airtec**

40 x 10 x 10mm Segment

| Code   | Spec        | Price |
|--------|-------------|-------|
| ADMC16 | #16/20 Grit | 39    |
| ADMC40 | #40/50 Grit | 33    |



#### **Soft Concrete - Orange Airtec**

40 x 10 x 10mm Segment

| Code   | Spec        | Price |
|--------|-------------|-------|
| ADAC16 | #16/20 Grit | 42    |
| ADAC40 | #40/50 Grit | 36    |



#### **Hard Concrete - Yellow Airtec**

D25 X 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| ADUC80  | #80/100 Grit  | 33    |
| ADUC120 | #120/150 Grit | 33    |



#### **Medium Concrete - Red Airtec**

D25 X 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| ADMC80  | #80/100 Grit  | 33    |
| ADMC120 | #120/150 Grit | 33    |



#### **Soft Concrete - Orange Airtec**

D25 X 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| ADAC80  | #80/100 Grit  | 36    |
| ADAC120 | #120/150 Grit | 36    |



### **General Grinding - Black Airtec**

40 x 8 x 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| ADHC16  | #16/20 Grit   | 39    |
| ADHC40  | #40/50 Grit   | 33    |
| ADHC80  | #80/100 Grit  | 33    |
| ADHC120 | #120/150 Grit | 33    |

| Code    | Spec          | Price |
|---------|---------------|-------|
| ADHC16  | #16/20 Grit   | 39    |
| ADHC40  | #40/50 Grit   | 33    |
| ADHC80  | #80/100 Grit  | 33    |
| ADHC120 | #120/150 Grit | 33    |



## **Big Hole Shoes for Magnet - DRY - D10MM FOR Xingyi grinder. D9 for Iron horse**

### **Very Hard Concrete - Yellow**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| BXUC30  | #30/40 Grit   | 33    |
| BXUC60  | #60/80 Grit   | 33    |
| BXUC120 | #120/150 Grit | 33    |



### **Hard Concrete - Blue**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| BXHC30  | #30/40 Grit   | 33    |
| BXHC60  | #60/80 Grit   | 33    |
| BXHC120 | #120/150 Grit | 33    |



### **Medium Concrete - Red**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| BXMC30  | #30/40 Grit   | 33    |
| BXMC60  | #60/80 Grit   | 33    |
| BXMC120 | #120/150 Grit | 33    |



### **Very Soft Concrete - Orange**

40 x 10 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| BXAC30  | #30/40 Grit   | 36    |
| BXAC60  | #60/80 Grit   | 36    |
| BXAC120 | #120/150 Grit | 36    |



## **Long Life Segment Shoes**

### **Triple Jumbo Square Segment - Dry**

#### **Medium Concrete - Red**

24 x 24 x10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| TJMC18  | #18/20 Grit   | 92    |
| TJMC25  | #25/30 Grit   | 88    |
| TJMC30  | #30/40 Grit   | 83    |
| TJMC60  | #60/80 Grit   | 76    |
| TJMC120 | #120/150 Grit | 76    |



#### **Soft Concrete - Black**

24 x 24 x10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| TJSC18  | #18/20 Grit   | 96    |
| TJSC25  | #25/30 Grit   | 92    |
| TJSC30  | #30/40 Grit   | 86    |
| TJSC60  | #60/80 Grit   | 79    |
| TJSC120 | #120/150 Grit | 79    |



#### **Very Abrasive Concrete - Orange**

24 x 24 x10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| TJAC18  | #18/20 Grit   | 96    |
| TJAC25  | #25/30 Grit   | 92    |
| TJAC30  | #30/40 Grit   | 83    |
| TJAC60  | #60/80 Grit   | 79    |
| TJAC120 | #120/150 Grit | 79    |



#### **Extremely Abrasive Concrete - Sky Blue**

24 x 24 x10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| TJBC18  | #18/20 Grit   | 125   |
| TJBC25  | #25/30 Grit   | 118   |
| TJBC30  | #30/40 Grit   | 111   |
| TJBC60  | #60/80 Grit   | 111   |
| TJBC120 | #120/150 Grit | 111   |



### **Big Round Segment - Dry**

#### **Natural Stone Terrazzo - Green**

D25 x 10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| LNSR30  | #30/40 Grit   | 62    |
| LNSR40  | #40/50 Grit   | 61    |
| LNSR60  | #60/80 Grit   | 61    |
| LNSR120 | #120/150 Grit | 61    |
| MNSR60  | #30/40 Grit   | 69    |
| MNSR60  | #40/50 Grit   | 66    |
| MNSR60  | #60/80 Grit   | 66    |
| MNSR60  | #120/150 Grit | 66    |



### **Triple Round Segment - Dry**

#### **Medium Concrete - Red**

D20 x10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| TRMC18  | #18/20 Grit   | 75    |
| TRMC25  | #25/30 Grit   | 68    |
| TRMC30  | #30/40 Grit   | 65    |
| TRMC60  | #60/80 Grit   | 65    |
| TRMC120 | #120/150 Grit | 59    |



#### **Soft Concrete - Black**

24 x 24 x10mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| TRSC18  | #18/20 Grit   | 78    |
| TRSC25  | #25/30 Grit   | 71    |
| TRSC30  | #30/40 Grit   | 68    |
| TRSC60  | #60/80 Grit   | 68    |
| TRSC120 | #120/150 Grit | 68    |



## ***Special Shape Shoes (Beveled edge for uneven floor)***

### ***Smooth Cut Shoe - Dry (Beveled edge for uneven floor)***

#### ***Extra Hard Concrete - Yellow***

17/6 x 22 x 8mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| SMCSC30  | #30/40 Grit   | 50    |
| SMCSC60  | #60/80 Grit   | 50    |
| SMCSC120 | #120/150 Grit | 50    |



### ***Quick Start Shoe - Dry (Less scratches with round edge)***

#### ***Extra Hard Concrete - Yellow***

39 x 11 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| SFDCX30  | #30/40 Grit   | 54    |
| SFDCX60  | #60/80 Grit   | 54    |
| SFDCX120 | #120/150 Grit | 54    |



### ***Arrow Segment Shoe - Dry***

#### ***Medium Concrete - Red***

25 x 25 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| ARDMC18  | #18/20 Grit   | 57    |
| ARDMC25  | #25/30 Grit   | 57    |
| ARDMC30  | #30/40 Grit   | 50    |
| ARDMC60  | #60/80 Grit   | 50    |
| ARDMC120 | #120/150 Grit | 50    |



### ***Bar Seg with V Groove***

#### ***Fast grind stone and terrazzo***

40 X 10 x 10mm Segment

| Code   | Spec         | Price |
|--------|--------------|-------|
| SBST30 | #30/40 Grit  | 60    |
| SBST60 | #60/80 Grit  | 57    |
| SBST80 | #80/100 Grit | 57    |



### ***Rooftop Seg Shoe (Easy grinding slim segments)***

#### ***Very Hard Concrete - Yellow***

26 X 3/5 X 6mm Segment

| Code   | Spec        | Price |
|--------|-------------|-------|
| RFUC30 | #30/40 Grit | 50    |
| RFUC60 | #60/80 Grit | 50    |



### ***Round Seg with V Groove***

#### ***Fast grinding for stone and terrazzo***

D25 x 10mm Segment

| Code   | Spec         | Price |
|--------|--------------|-------|
| SRST30 | #30/40 Grit  | 57    |
| SRST60 | #60/80 Grit  | 57    |
| SRST80 | #80/100 Grit | 57    |



### ***Smart Cut Shoe - Dry (Beveled edge for uneven floor)***

#### ***Medium Concrete - Red***

17/6 X 22 X 8mm Segment

| Code    | Spec          | Price |
|---------|---------------|-------|
| SMMC18  | #18/20 Grit   | 49    |
| SMMC25  | #25/30 Grit   | 49    |
| SMMC30  | #30/40 Grit   | 46    |
| SMMC60  | #60/80 Grit   | 46    |
| SMMC120 | #120/150 Grit | 46    |



### ***Rhombus Segment Shoe - Dry***

#### ***Hard Concrete - Blue***

23 x 17 x 10mm Segment

| Code     | Spec          | Price |
|----------|---------------|-------|
| RMDHC18  | #18/20 Grit   | 53    |
| RMDHC25  | #25/30 Grit   | 53    |
| RMDHC30  | #30/40 Grit   | 50    |
| RMDHC60  | #60/80 Grit   | 50    |
| RMDHC120 | #120/150 Grit | 50    |



## ***Wood Grinding / Vacuum Brazed Shoe - Dry***

| Code   | Spec          | Price |
|--------|---------------|-------|
| WGS25  | #25/35 Grit   | 50    |
| WGS30  | #30/40 Grit   | 50    |
| WGS35  | #35/40 Grit   | 50    |
| WGS40  | #40/50 Grit   | 50    |
| WGS50  | #50/60 Grit   | 50    |
| WGS60  | #60/80 Grit   | 50    |
| WGS80  | #80/100 Grit  | 50    |
| WGS100 | #100/150 Grit | 50    |



### ***Big Dot Shoe for Hard Concrete***

| Code | Plate Shape | Price |
|------|-------------|-------|
| BMDS | Trapezoid   | 50    |



## **Small Dot Shoe**

### **Extra Hard Concrete - Yellow**

| Code | Spec      | Price |
|------|-----------|-------|
| SMDS | Trapezoid | 50    |



## **Pentagon Shoe**

### **For medium concrete - Dry**

| Code | Spec      | Price |
|------|-----------|-------|
| VBPT | Trapezoid | 54    |



## **Cove Stone Wheel / Electroplated / Wet & Dry**

### **Extra Hard Concrete - Yellow**

**Diameter:** 5 inch/120mm    **Radius:** 3/4inch/25mm    **Height:** 1inch/25mm

| Code  | Spec         | Price |
|-------|--------------|-------|
| CSW25 | #25/35 Grit  | 428   |
| CSW40 | #40/50 Grit  | 394   |
| CSW80 | #80/100 Grit | 362   |

**Arbor** 7/8" (22.23mm)



## **Round Prep Tools**

### **To grind terrazzo and concrete. Suitable for Terrco, PrepMaster grinders.**

#### **Very Hard Concrete - 4 Segments Yellow - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPVC425  | #25/30 Grit   | 95    |
| SPVC430  | #30/40 Grit   | 88    |
| SPVC460  | #60/80 Grit   | 88    |
| SPVC4120 | #120/150 Grit | 88    |



#### **Very Hard Concrete - 5 Segments Yellow - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPVC525  | #25/30 Grit   | 95    |
| SPVC530  | #30/40 Grit   | 88    |
| SPVC560  | #60/80 Grit   | 88    |
| SPVC5120 | #120/150 Grit | 88    |



#### **Hard Concrete - 4 Segments Blue - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPHC425  | #25/30 Grit   | 95    |
| SPHC430  | #30/40 Grit   | 88    |
| SPHC460  | #60/80 Grit   | 88    |
| SPHC4120 | #120/150 Grit | 88    |



#### **Hard Concrete - 5 Segments Blue - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPHC525  | #25/30 Grit   | 95    |
| SPHC530  | #30/40 Grit   | 88    |
| SPHC560  | #60/80 Grit   | 88    |
| SPHC5120 | #120/150 Grit | 88    |



#### **Medium Concrete - 4 Segments Red - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPMC425  | #25/30 Grit   | 95    |
| SPMC430  | #30/40 Grit   | 88    |
| SPMC460  | #60/80 Grit   | 88    |
| SPMC4120 | #120/150 Grit | 88    |



#### **Medium Concrete - 5 Segments Red - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPMC520  | #25/30 Grit   | 95    |
| SPMC530  | #30/40 Grit   | 88    |
| SPMC560  | #60/80 Grit   | 88    |
| SPMC5120 | #120/150 Grit | 88    |



#### **Soft Concrete - 4 Segments Black - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPSC425  | #25/30 Grit   | 95    |
| SPSC430  | #30/40 Grit   | 88    |
| SPSC460  | #60/80 Grit   | 88    |
| SPSC4120 | #120/150 Grit | 88    |



#### **Soft Concrete - 5 Segments Black - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPSC525  | #25/30 Grit   | 95    |
| SPSC530  | #30/40 Grit   | 88    |
| SPSC560  | #60/80 Grit   | 88    |
| SPSC5120 | #120/150 Grit | 88    |





## **Segment Prep Tools**

### **Suitable for Terco, PrepMaster grinders.**

#### **Very Hard Concrete - 8 Segments Yellow - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPVC825  | #25/30 Grit   | 132   |
| SPVC830  | #30/40 Grit   | 113   |
| SPVC860  | #60/80 Grit   | 113   |
| SPVC8120 | #120/150 Grit | 113   |



#### **Very Hard Concrete - 10 Segments Yellow - DRY**

Diameter: 3 3/8 inch 84mm

| Code      | Spec          | Price |
|-----------|---------------|-------|
| SPVC1025  | #25/30 Grit   | 142   |
| SPVC1030  | #30/40 Grit   | 123   |
| SPVC1060  | #60/80 Grit   | 123   |
| SPVC10120 | #120/150 Grit | 123   |



#### **Hard Concrete - 8 Segments Blue - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPHC825  | #25/30 Grit   | 132   |
| SPHC830  | #30/40 Grit   | 113   |
| SPHC860  | #60/80 Grit   | 113   |
| SPHC8120 | #120/150 Grit | 113   |



#### **Hard Concrete - 10 Segments Blue - DRY**

Diameter: 3 3/8 inch 84mm

| Code      | Spec          | Price |
|-----------|---------------|-------|
| SPHC1025  | #25/30 Grit   | 142   |
| SPHC1030  | #30/40 Grit   | 123   |
| SPHC1060  | #60/80 Grit   | 123   |
| SPHC10120 | #120/150 Grit | 123   |



#### **Medium Concrete - 8 Segments Red - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPMC825  | #25/30 Grit   | 132   |
| SPMC830  | #30/40 Grit   | 113   |
| SPMC860  | #60/80 Grit   | 113   |
| SPMC8120 | #120/150 Grit | 113   |



#### **Medium Concrete - 10 Segments Red - DRY**

Diameter: 3 3/8 inch 84mm

| Code      | Spec          | Price |
|-----------|---------------|-------|
| SPMC1025  | #25/30 Grit   | 142   |
| SPMC1030  | #30/40 Grit   | 123   |
| SPMC1060  | #60/80 Grit   | 123   |
| SPMC10120 | #120/150 Grit | 123   |



#### **Soft Concrete - 8 Segments Black - DRY**

Diameter: 3 3/8 inch 84mm

| Code     | Spec          | Price |
|----------|---------------|-------|
| SPSC425  | #25/30 Grit   | 132   |
| SPSC430  | #30/40 Grit   | 113   |
| SPSC460  | #60/80 Grit   | 113   |
| SPSC4120 | #120/150 Grit | 113   |



#### **Soft Concrete - 10 Segments Black - DRY**

Diameter: 3 3/8 inch 84mm

| Code      | Spec          | Price |
|-----------|---------------|-------|
| SPSC1025  | #25/30 Grit   | 142   |
| SPSC1030  | #30/40 Grit   | 123   |
| SPSC1060  | #60/80 Grit   | 123   |
| SPSC10120 | #120/150 Grit | 123   |



## **Grinding Cup Wheels - DRY**

### **Single Row Grinding Cup**

**For removing flashing from concrete forms & smoothing concrete.**

Arbor: M14 or 22.23mm

| Code   | Diameter           | Price |
|--------|--------------------|-------|
| SRC100 | 4 inch / 100mm     | 47    |
| SRC115 | 4 1/2 inch / 115mm | 71    |
| SRC125 | 5 inch / 125mm     | 82    |
| SRC175 | 7 inch / 175mm     | 153   |

Medium bond, Hard bond available



### **Double Row Grinding Cup**

**Effective concrete deburring and rough surface grinding**

Arbor: M14 or 22.23mm

| Code   | Diameter           | Price |
|--------|--------------------|-------|
| DRC100 | 4 inch / 100mm     | 88    |
| DRC115 | 4 1/2 inch / 115mm | 92    |
| DRC125 | 5 inch / 125mm     | 103   |
| DRC175 | 7 inch / 175mm     | 176   |

Medium bond, Hard bond available



### **Epoxy Cup**

**Suitable for removing thin epoxy coating or urethane coating on concrete floors.**

Arbor: M14, 5/8"-11. 22.23mm

| Code   | Diameter       | Price |
|--------|----------------|-------|
| EPC100 | 4 inch / 100mm | 74    |
| EPC125 | 5 inch / 125mm | 89    |
| EPC150 | 6 inch / 150mm | 111   |

Coarse grit available



### **Rapido Grinding Cup**

**Fast grinding of concrete**

Arbor: M14 or 22.23mm

| Code   | Diameter           | Price |
|--------|--------------------|-------|
| RGC100 | 4 inch / 100mm     | 63    |
| RGC115 | 4 1/2 inch / 115mm | 73    |
| RGC125 | 5 inch / 125mm     | 79    |
| RGC175 | 7 inch / 175mm     | 158   |

Coarse grit available



### **Bird Foot Cup Wheel**

**Slanted segment to scrape & grind.  
Suitable to remove thin coating.**

Available arbor: 22.23mm

| Code   | Diameter       | Price |
|--------|----------------|-------|
| BFC125 | 5 inch / 125mm | 110   |
| BFC175 | 7 inch / 175mm | 176   |

Available grit: #16/20, #30/40



### **Stealth Cup Wheel**

Available arbor: 22.23mm

| Code   | Diameter       | Price |
|--------|----------------|-------|
| STC100 | 4 inch / 100mm | 85    |
| STC125 | 5 inch / 125mm | 110   |
| STC175 | 7 inch / 175mm | 176   |

Coarse, Medium grit available



### **Speedo Double Row Cup**

**European style fast grinding.**

Arbor: 22.23mm

| Code   | Diameter       | Price |
|--------|----------------|-------|
| SDR125 | 5 inch / 125mm | 102   |
| SDR175 | 7 inch / 175mm | 194   |

Coarse, Medium grit available



### **Smooth Edge Cup Wheel - DRY**

**New ceramic bond to grind the edge or corner smoothly.**

**\*Very lightweight for comfortable grinding.**

| Code  | Diameter       | Price |
|-------|----------------|-------|
| SEGC5 | 5 inch / 125mm | 89    |
| SEGM5 | 5 inch / 125mm | 89    |
| SEGF5 | 5 inch / 125mm | 89    |
| SEGC7 | 7 inch / 175mm | 130   |
| SEGM7 | 7 inch / 175mm | 130   |
| SEGF7 | 7 inch / 175mm | 130   |



### **Beveled Cup Wheel**

**Grind uneven surface.**

Arbor: 22.23mm (7/8")

| Code   | Diameter           | Price |
|--------|--------------------|-------|
| BCW100 | 4 inch / 100mm     | 104   |
| BCW115 | 4 1/2 inch / 115mm | 134   |
| BCW125 | 5 inch / 125mm     | 173   |
| BCW175 | 7 inch / 175mm     | 209   |

Coarse, Medium grit available



### **Power Swirly Cup Wheel**

**Combination of single row cup & swirly cup. Big air holes for fast suction.**

Available Arbor: 15mm, 22.23mm

| Code    | Diameter       | Price |
|---------|----------------|-------|
| PSWC150 | 4 inch / 100mm | 125   |
| PSWM150 | 5 inch / 125mm | 125   |
| PSWF150 | 6 inch / 150mm | 125   |

Coarse grit available



### **Excel Grinding Cup Wheel**

Arbor: 22.23mm or Hilti

| Code   | Diameter       | Price |
|--------|----------------|-------|
| EGC100 | 4 inch / 100mm | 79    |
| EG125  | 5 inch / 125mm | 101   |
| EGC175 | 7 inch / 175mm | 148   |

Coarse, Medium grit available



### **Semi Arrow Cup Wheel - Dry**

**New design segments for fast grinding.**

Thread: M14 or 22.23(7/8") Arbor

| Code   | Diameter       | Price |
|--------|----------------|-------|
| SAC100 | 4 inch / 100mm | 52    |
| SAC125 | 5 inch / 125mm | 63    |
| SAC175 | 7 inch / 175mm | 145   |

Medium, Hard bond available




### **Ring Seg Cup Wheel - DRY**

**Fast removing of thin coatings. Aggressive grinding of concrete.**

Thread: 22.23mm (7/8"), M14

| Code    | Spec        | Price |
|---------|-------------|-------|
| RNGA125 | #25/30 grit | 95    |
| RNGC125 | #30/40 grit | 95    |
| RNGA175 | #25/30 grit | 165   |
| RNGA175 | #30/40 grit | 165   |



### **Arrow Segment Cup Wheel**

Arbor: 22.23mm

| Code     | Diameter       | Price |
|----------|----------------|-------|
| ASC1255  | 5 inch / 125mm | 132   |
| ASC1506  | 6 inch / 150mm | 157   |
| ASC1756  | 7 inch / 175mm | 165   |
| ASC17510 | 7 inch / 175mm | 236   |

Medium, Hard, Very Hard bond available.



### **Smooth Grinding Cup Wheel Single Row**

**Rooftop segments. Air holes for fast suction.**

Arbor: 22.23mm

| Code    | Diameter       | Price |
|---------|----------------|-------|
| SGCS125 | 5 inch / 125mm | 121   |
| SGCS150 | 6 inch / 150mm | 153   |
| SGCS175 | 7 inch / 175mm | 215   |



### **Smooth Grinding Cup Wheel Double Row**

Arbor: 22.23mm

| Code    | Diameter       | Price |
|---------|----------------|-------|
| SGCD125 | 4 inch / 100mm | 141   |
| SGCD150 | 5 inch / 125mm | 174   |
| SGCD175 | 7 inch / 175mm | 215   |



### **Swirly Cup Wheel**

Arbor: 22.23mm

| Code     | Diameter         | Price |
|----------|------------------|-------|
| SWC10010 | 4 inch / 100mm   | 70    |
| SWC10013 | 4 inch / 100mm   | 84    |
| SWC11515 | 4.5 inch / 115mm | 106   |
| SWC11518 | 4.5 inch / 115mm | 117   |
| SWC12518 | 5 inch / 125mm   | 135   |
| SWC15018 | 6 inch / 150mm   | 140   |
| SWC17512 | 7 inch / 175mm   | 163   |
| SWC17518 | 7 inch / 175mm   | 178   |
| SWC17524 | 7 inch / 175mm   | 245   |

Coarse, Medium grit available



## **Wing Cup Wheel - Dry**

**Innovative wing type segment. Fast grinding with U groove in segment.**

Arbor: 22.23mm

| Code   | Diameter       | Price |
|--------|----------------|-------|
| WSC100 | 4 inch / 100mm | 95    |
| WSC125 | 5 inch / 125mm | 122   |
| WSC175 | 7 inch / 175mm | 178   |

Coarse , Medium grit available



## **Tornado Cup Wheel 3 Segments**

Arbor: 22.23mm

| Code    | Diameter       | Price |
|---------|----------------|-------|
| TNC1753 | 7 inch / 175mm | 155   |

Coarse , Medium, Fine grit available

Medium, Hard, Extra Hard bond



## **Tornado Cup Wheel 6 Segments**

Arbor: 22.23mm

| Code    | Diameter       | Price |
|---------|----------------|-------|
| TNC1756 | 7 inch / 175mm | 189   |

Coarse , Medium, Fine grit available

Medium, Hard, Extra Hard bond



## **Tornado Cup Wheel 9 Segments**

Arbor: 22.23mm

| Code    | Diameter       | Price |
|---------|----------------|-------|
| TNC1759 | 7 inch / 175mm | 214   |

Coarse , Medium, Fine grit available

Medium, Hard, Extra Hard bond available



## **Tornado Cup Wheel 18 Segments**

Arbor: 22.23mm

| Code     | Diameter       | Price |
|----------|----------------|-------|
| TNC17518 | 7 inch / 175mm | 265   |

Coarse , Medium, Fine grit available

Medium, Hard, Extra Hard bond available



## **Lightning Seg Cup Dry**

**Unique design**

Very aggressive grinding with coarse diamonds #20/30grit with soft bond

| Code | No. Of segments | Price |
|------|-----------------|-------|
| LSC5 | 10              | 80    |
| LSC7 | 14              | 127   |

Arbor: 22.23mm



## **Cyclone Grinding Cup - DRY**

**Cyclone shape cup body. Excellent cooling effect. Fast & clean grinding.**

Available arbor: 22.2mm

| Code | No. Of segments | Price |
|------|-----------------|-------|
| CGC5 | 10              | 74    |
| CGC7 | 12              | 123   |



## **Wide Space Grinding Cup - DRY**

**80mm long segments for larger surface area**

Available arbor: 22.2mm

| Code | Diameter       | Price |
|------|----------------|-------|
| WSG5 | 5 inch / 125mm | 77    |



## **3" Turbo Grinding Wheel**

**Extra hard bond - Orange**

Available thread: M14

| Code     | Spec          | Price |
|----------|---------------|-------|
| TCCX330  | #30/40 grit   | 79    |
| TCCX340  | #40/50 grit   | 79    |
| TCCX360  | 60/80 grit    | 79    |
| TCCX3100 | #100/120 grit | 79    |



**Hard Bond - Black**

Available thread: M14

| Code     | Spec          | Price |
|----------|---------------|-------|
| TCCH330  | #30/40 grit   | 79    |
| TCCH340  | #40/50 grit   | 79    |
| TCCH360  | #60/80 grit   | 79    |
| TCCH3100 | #100/120 grit | 79    |
| TCCH3150 | #150/180 grit | 79    |

Medium bond available. Adaptor for Husqvarna, STI, Terco available



## **3" Mega Life Turbo Grinding Wheel**

**Hard Bond - Black (Very long life)**

Available thread: M14

| Code    | Spec        | Price |
|---------|-------------|-------|
| TCCL330 | #30/40 grit | 95    |
| TCCL340 | #40/50 grit | 95    |

Other grit upon request



## **4" Turbo Grinding Wheel**

**Hard bond - Black**

Available thread: M14

| Code     | Spec          | Price |
|----------|---------------|-------|
| TCCH430  | #30/40 grit   | 95    |
| TCCH440  | #40/50 grit   | 95    |
| TCCH460  | #60/80 grit   | 95    |
| TCCH4100 | #100/120 grit | 95    |

Extra Hard bond, Medium bond available



## **Comfort Cup - Dry**

**Less vibration & Noise with cushioning.**

Less noise effect. Fast grinding of hard concrete.

| Code    | Thread | Price |
|---------|--------|-------|
| CRFC414 | M14    | 107   |

Arbor: 22.23mm



## **Dimple Segment Cup - Dry**

**Dimple style segments. Easy and fast grinding.**

| Code | No. Of segments | Price |
|------|-----------------|-------|
| DSG5 | 10              | 95    |
| DSG7 | 12              | 129   |

Available arbor: 22.23mm



## **Mini Wheel For EIBENSTOCK**

**3 fixing screws included.**

| Code | Diameter | Price |
|------|----------|-------|
| MGW5 | 44mm     | 58    |

Soft, Medium, Hard bond available. Segment Spec: 25 x 7 x 5



## Grinding Wheels

### J Grinding Wheels for Festool Grinder

| Item  | Diameter (mm) | Bond Hardness | Material Hardness |
|-------|---------------|---------------|-------------------|
| JGC3  | 84            | Soft          | Hard              |
| JGCM  | 84            | Medium        | Medium            |
| JGCF  | 84            | Hard          | Soft              |
| JGCS5 | 130           | Soft          | Hard              |
| JGCM5 | 130           | Medium        | Medium            |
| JGCF5 | 130           | Hard          | Soft              |



**S**

**M**

**H**

### Dia-Abrasive Cup Wheel

**For soft abrasive concrete, fresh concrete**

Diameter: 130mm Bond hardness: Hard

| Code | Bore | Price |
|------|------|-------|
| DAW5 | 25mm | 110   |



### Dia-Hard Cup Wheel

**For old cured concrete. To remove epoxy resin and paint**

Diameter: 130mm Bond hardness: Medium

| Code | Bore | Price |
|------|------|-------|
| DHW5 | 25mm | 110   |



### Dia-Stone Cup Wheel

**For extremely hard concrete or stone**

Diameter: 130mm Bond hardness: Soft

| Code | Bore | Price |
|------|------|-------|
| DSW5 | 25mm | 110   |



## Vacuum Brazed Cup Wheels

### Power Vacuum Brazed Cup Wheel - Dry

**Fast grinding of concrete. Suitable to grind wall sand ceilings**

Arbor: 22.23mm

| Code   | Diameter       | Price |
|--------|----------------|-------|
| PBC100 | 4 inch / 100mm | 104   |
| PBC125 | 5 inch / 125mm | 137   |
| PBC175 | 7 inch / 175mm | 258   |



### Light Vacuum Cup Wheel - Dry

**Remove epoxy, urethane and paint. Very light weight.**

Arbor: 22.23mm

| Code   | Diameter       | Price |
|--------|----------------|-------|
| LVC125 | 5 inch / 125mm | 110   |
| LVC175 | 7 inch / 175mm | 177   |



### Supero Vacuum Brazed Cup Wheel - Dry

**Patterned diamond dot for fast removing of glue, epoxy, urethane & other coatings.**

Arbor: 22.23mm

| Code | Diameter       | Price |
|------|----------------|-------|
| SVW5 | 5 inch / 125mm | 66    |
| SVW7 | 7 inch / 175mm | 115   |



### Pin Cup Wheel - Dry

**Remove epoxy, urethane and paint. Suitable for wall grinding.**

Arbor: 22.23mm

| Code   | Diameter       | Price |
|--------|----------------|-------|
| PWC100 | 4 inch / 100mm | 110   |
| PWC125 | 5 inch / 125mm | 177   |



### Super Light Vacuum Brazed Cup Wheel - Dry

**Very light for comfort operation. Lower noise.**

Arbor: 22.23mm

| Code  | Diameter       | Price |
|-------|----------------|-------|
| SLVC4 | 4 inch / 100mm | 68    |
| SLVC5 | 5 inch / 125mm | 105   |



### Cyclone Metal Dot Cup Wheel - Dry

**Innovative metal bond to grind very hard concrete. Dot shape for fast and smooth grinding.**

Arbor: 22.23mm

| Code | Diameter       | Price |
|------|----------------|-------|
| CBC5 | 5 inch / 125mm | 79    |
| CBC7 | 7 inch / 175mm | 142   |



## **Lippage Removal Shoes**

### **Lippage Removal Shoe - DRY or WET**

#### **Extra Hard Concrete - Grey**

Segment Spec: D22 x 7mm

| Code   | Spec        | Price |
|--------|-------------|-------|
| LRXC18 | #18/20 Grit | 60    |
| LRXC25 | #25/30 Grit | 57    |
| LRXC30 | #30/40 Grit | 54    |
| LRXC60 | #60/80 Grit | 54    |



#### **Natural stone, terrazzo - Green**

Segment Spec: D22 x 7mm

| Code    | Spec          | Price |
|---------|---------------|-------|
| LRNS30  | #30/40 Grit   | 60    |
| LRNS40  | #40/50 Grit   | 57    |
| LRNS60  | #60/80 Grit   | 54    |
| LRNS120 | #120/150 Grit | 54    |



### **High Lippage Removal Shoe - DRY or WET**

#### **Hard Concrete - Blue**

Segment Spec: D50 x 12mm

| Code   | Spec        | Price |
|--------|-------------|-------|
| HRHC18 | #18/20 Grit | 136   |
| HRHC25 | #25/30 Grit | 131   |
| HRHC30 | #30/40 Grit | 123   |
| HRHC60 | #60/80 Grit | 123   |



#### **Natural stone, terrazzo - Green**

Segment Spec: D50 x 12mm

| Code   | Spec        | Price |
|--------|-------------|-------|
| HRNS18 | #18/20 Grit | 136   |
| HRNS25 | #25/30 Grit | 131   |
| HRNS30 | #30/40 Grit | 123   |
| HRNS60 | #60/80 Grit | 123   |



### **Lippage Removal Metal Disc - DRY or WET (for leveling surface of granite, marble & terrazzo. Velcro backed)**

Diameter: 3 1/8 inch 80mm

| Code   | Spec          | Price |
|--------|---------------|-------|
| LRM30  | #30/40 Grit   | 63    |
| LRM40  | #40/50 Grit   | 63    |
| LRM60  | #60/80 Grit   | 63    |
| LRM100 | #100/120 Grit | 63    |



### **Vacuum Brazed Lippage Removal Pad - DRY (for leveling surface of marble & terrazzo. Velcro backed)**

Diameter: 3 inch 75mm

| Code    | Spec          | Price |
|---------|---------------|-------|
| VLR330  | #30/40 Grit   | 60    |
| VLR340  | #40/50 Grit   | 60    |
| VLR360  | #60/80 Grit   | 57    |
| VLR3100 | #100/120 Grit | 57    |

Diameter: 4 inch 100mm

| Code   | Spec          | Price |
|--------|---------------|-------|
| VLR430 | #30/40 Grit   | 101   |
| VLR440 | #40/50 Grit   | 101   |
| VLR460 | #60/80 Grit   | 95    |
| VR4100 | #100/120 Grit | 95    |



## **PCD Shoes**

- Removal of thick coating of epoxy, urethane paintings & other coatings.
- PCD (Polycrystalline Diamonds) has superior hardness. High fracture strength and uniformed properties as well as excellent wear resistance and high thermal conductivity.
- Right direction(clockwise) and left direction (counter clockwise) available.

### **Heavy Duty Double PCD Shoe Round Diamond**

#### **Powerful removal of thick coatings over 5mm**

| Code  | Direction | Price |
|-------|-----------|-------|
| HDPDR | Right     | 142   |
| HDPDL | Left      | 142   |

Spec: 13 x 2mm



### **Heavy Duty Double PCD Shoe Split PCD**

#### **Powerful removal of thick coatings**

| Code  | Direction | Price |
|-------|-----------|-------|
| HDPDR | Right     | 145   |
| HDPPL | Left      | 145   |

Spec: 13 x 2mm



### **Heavy duty double PCD shoe round TCT**

#### **Powerful removal of thick coatings**

| Code  | Direction | Price |
|-------|-----------|-------|
| PHDTR | Right     | 98    |
| PHDTL | Left      | 98    |

Spec: 13 x 6.5mm



### **Heavy duty double PCD shoe round diamond**

#### **Suitable to remove over 5mm coatings**

| Code  | Direction | Price |
|-------|-----------|-------|
| PHDCR | Right     | 93    |
| PHDCL | Left      | 93    |

Spec: 13 x 6.5mm





### **Heavy Duty PCD Shoe Split PCD**

**To remove heavy coating over 5mm**

| Code           | Direction | Price |
|----------------|-----------|-------|
| PHDRR          | Right     | 98    |
| PHDRL          | Left      | 98    |
| Spec: 13 x 2mm |           |       |



### **High PCD Shoe on Steel Base**

**Free work on thick coating of 3mm**

| Code             | Direction | Price |
|------------------|-----------|-------|
| PHPSR            | Right     | 80    |
| PHPSL            | Left      | 80    |
| Spec: 13 x 1/4mm |           |       |



### **Super Duty PCD Shoe Split PCD on Steel Base**

**Easy removal of thick coating over 3mm. Reuse of PCD.**

| Code             | Direction | Price |
|------------------|-----------|-------|
| PSDSR            | Right     | 164   |
| PSDSL            | Left      | 164   |
| Spec: 13 x 6.5mm |           |       |



### **High PCD Shoe Split PCD on Steel Base**

**Free work on thick coating**

| Code             | Direction | Price |
|------------------|-----------|-------|
| PSHSR            | Right     | 148   |
| PSHSL            | Left      | 148   |
| Spec: 16 x 1/3mm |           |       |



### **Triple PCD Shoe Rhombus PCD**

**Suitable for less than 3mm coating.**

| Spec: 13 x 1/4mm             |           |       |
|------------------------------|-----------|-------|
| Code                         | Direction | Price |
| PCTRR                        | Right     | 86    |
| PCTRL                        | Left      | 86    |
| Supporter: Split Rhombus PCD |           |       |



### **Triple PCD Shoe Round Diamond**

**For work on thick coating of 3mm**

| Spec: 13 x 1/4mm          |           |       |
|---------------------------|-----------|-------|
| Code                      | Direction | Price |
| PCTCR                     | Right     | 85    |
| PCTCL                     | Left      | 85    |
| Supporter: Circle Segment |           |       |



### **Single 1/4 PCD Shoe Split PCD**

| Code             | Direction | Price |
|------------------|-----------|-------|
| SQPSR            | Right     | 52    |
| SQPSL            | Left      | 52    |
| Spec: 13 x 1/4mm |           |       |



### **Double 1/4 PCD Shoe bar Diamond**

Spec: 13 x 1/4mm

| Code                         | Direction | Price |
|------------------------------|-----------|-------|
| PDRR                         | Right     | 71    |
| PDRL                         | Left      | 71    |
| Supporter: Rectangle Segment |           |       |



### **Single 1/4 PCD Shoe Round Segment**

Fast remove of thin coating less than 1mm

| Code                      | Direction | Price |
|---------------------------|-----------|-------|
| PSCR                      | Right     | 48    |
| PSCL                      | Left      | 48    |
| Supporter: Circle Segment |           |       |



### **Single Split PCD Shoe**

To remove thin mill

| Code                       | Spec               | Price |
|----------------------------|--------------------|-------|
| PSPS                       | 40 x 10 x 10 (5+5) | 49    |
| Backing without PCD is 5mm |                    |       |



### **Split PCD Shoe Bar Type / Double**

Fast removing of thin coating less than 1mm

| Code                          | Spec               | Price |
|-------------------------------|--------------------|-------|
| PSPD                          | 40 x 10 x 10 (5+5) | 74    |
| Backing of 5mm is without PCD |                    |       |



### **Rhombus Split PCD Shoe Rhombus Type / Double**

Fast removing of thin coating

| Code                                | Spec               | Price |
|-------------------------------------|--------------------|-------|
| PSPR                                | 20 x 20 x 10 (5+5) | 77    |
| Backing of 5mm is not including PCD |                    |       |



### **6 PCD Shoe Bar Segment**

Suitable to remove less 3mm coating

Spec: 13 x 3mm

| Code                  | Direction | Price |
|-----------------------|-----------|-------|
| SSPDR                 | Right     | 90    |
| SSPDL                 | Left      | 90    |
| For Schwaborn Grinder |           |       |



### **3 PCD Shoe with 3 Bar Segment**

For Husqvarna grinder

Spec: 13 x 1/4 x 3

| Code                    | Direction | Price |
|-------------------------|-----------|-------|
| TPTBR                   | Right     | 99    |
| TPTBL                   | Left      | 99    |
| Supporter: Bar Diamonds |           |       |



### **Sharp 5 PCD Shoe**

Sharp edge to remove hard coating

Spec: 13 x 1/4 X 5mm

| Code | Direction | Price |
|------|-----------|-------|
| FSPR | Right     | 112   |
| FSPL | Left      | 112   |



### **6 Small PCD Shoe**

For 1mm coating removal

Spec: 4.5 x 4.5 x 4.5mm

| Code | Direction | Price |
|------|-----------|-------|
| PSSR | Right     | 70    |
| PSSL | Left      | 70    |



### Sharp Double PCD Split PCD

Sharp edge for hard coating

Spec: 13 x ¼ x 2mm

| Code | Direction | Price |
|------|-----------|-------|
| SPDR | Right     | 77    |
| SPDL | Left      | 77    |

Supporter: Split PCD



### 5 PCD Shoe Bar Segment

For hard coating of 3mm

Spec: 13 x ¼ x 3

| Code | Direction | Price |
|------|-----------|-------|
| FPCR | Right     | 151   |
| FPCL | Left      | 151   |

Supporter: Bar Diamonds. For Husqvarna



### Double PCD Shoe with Split PCD

Supporter: Split Rhombus PCD

Spec: 13 x ¼ X 2mm

| Code  | Direction | Price |
|-------|-----------|-------|
| DPRSR | Right     | 71    |
| DPRSL | Left      | 71    |



### Double ½ PCD with TCT

Supporter: TCT

Spec: 13 X ½ mm

| Code  | Direction | Price |
|-------|-----------|-------|
| DHPTR | Right     | 69    |
| DHPTL | Left      | 69    |



## PCD Shoes for HTC / Lavina

### HTC PCD Shoe

#### Split PCD

Segment Spec: 40 x 10 x 10 (5+5)

| Code | Direction | Price |
|------|-----------|-------|
| HSPR | Right     | 77    |

5mm backing have no PCD



#### Double PCD Bar Segment

Segment Spec: 13 x 1/4

| Code | Direction | Price |
|------|-----------|-------|
| HDPR | Right     | 78    |
| HDPL | Left      | 78    |

Supporter: Diamond Segment



#### Single Big PCD with TCT / T-Rex Dome

Segment Spec: 16 x 1/3

| Code | Direction | Price |
|------|-----------|-------|
| HSPR | Right     | 137   |
| HSPL | Left      | 137   |

Supporter: Dome TCT



#### 5 PCD / T-Rex Super

Segment Spec: 13 x 1/4

| Code | Direction | Price |
|------|-----------|-------|
| HTSR | Right     | 158   |
| HTSL | Left      | 158   |

Supporter: Bar Segment



### Lavina PCD Shoe

#### Double ¼ PCD with TCT Bar

Segment Spec: D13 x 1/4

| Code | Direction | Price |
|------|-----------|-------|
| LPTR | Right     | 80    |
| LTPL | Left      | 80    |

Supporter: TCT Bar



#### Split PCD

Segment Spec: 40 x 10 x 10 (5+5)

| Code | Direction | Price |
|------|-----------|-------|
| LSP  | Right     | 83    |

Backing of 5mm is without PCD



#### Double ¼ PCD Split PCD

Segment Spec: 13 x 1/4

| Code | Direction | Price |
|------|-----------|-------|
| LPSR | Right     | 77    |
| LPSL | Left      | 77    |

Supporter: Rhombus Split PCD



#### Double ½ PCD 2 Round Split PCD

Segment Spec: 13 x 1/2

| Code    | Direction | Price |
|---------|-----------|-------|
| LDPSPR  | Right     | 131   |
| LDP SPL | Left      | 131   |

Supporter: 2 x 10 Split PCD



## PCD Shoes for Scanmaskin

#### Single Big PCD with TCT

Supporter: TCT

| Code  | Spec   | Price |
|-------|--------|-------|
| SCPCS | 13 x 1 | 82    |



#### Double Big PCD

| Code  | Spec   | Price |
|-------|--------|-------|
| SCPCD | 13 x 2 | 117   |



#### Double ½ PCD

Item for round plate

| Code  | Spec       | Price |
|-------|------------|-------|
| RDHPC | 13 x ½ X 2 | 88    |



#### Round Split PCD

PCD height is 5mm

| Code | Spec              | Price |
|------|-------------------|-------|
| RDSP | 20 X 8(5 + 3) X 2 | 80    |



### 9 PCD

| Code  | Spec              | Price |
|-------|-------------------|-------|
| SCNPC | 5.5 x 2.5 x 5.5mm | 131   |



### Split PCD

5mm backing does not have PCD

| Code  | Spec               | Price |
|-------|--------------------|-------|
| SCSPC | 40 X 10 X 10 (5+5) | 82    |



### Double ½ PCD with Split PCD

Round Split PCD is 4mm

| Code  | Spec                   | Price |
|-------|------------------------|-------|
| RDHPT | 13 x ½ x 2 + Split PCD | 119   |



## PCD Shoes for Wolff, DRS, CONTEC

### Wolff PCD Shoes

#### Split PCD

Spec: 40 x 10 x 10mm

| Code | Spec      | Price |
|------|-----------|-------|
| WSPD | #6/8 grit | 78    |



#### Triple PCD with Bar Seg

Supporter: Bar diamonds 13 x ¼ X 3mm

| Code | Direction | Price |
|------|-----------|-------|
| WTPR | Right     | 96    |
| WTPL | Left      | 96    |



### DRS PCD Shoes

#### Double PCD with Arrow Split PCD

Supporter: Split Arrow PCD 13 x ¼ mm

| Code  | Direction | Price |
|-------|-----------|-------|
| PDASR | Right     | 73    |
| PDASL | Left      | 73    |



#### Double Split PCD Shoe

Backing: 5mm

| Code | Spec                  | Price |
|------|-----------------------|-------|
| DDSP | 40 x 10 x 10 (5+5) mm | 70    |



### DRS PCD Shoes

#### Double PCD with Arrow Split PCD

Supporter: Split Arrow PCD 13 x ¼ mm

| Code  | Direction | Price |
|-------|-----------|-------|
| PDASR | Right     | 103   |
| PDASL | Left      | 103   |



#### Double Split PCD Shoe

Backing: 5mm

| Code | Spec                  | Price |
|------|-----------------------|-------|
| DDSP | 40 x 10 x 10 (5+5) mm | 70    |



### CONTEC PCD Shoes

#### Big PCD with Split PCD

Supporter: Split Rhombus with Split PCD Spec: 13 x ½ x Split PCD

| Code   | Direction | Price |
|--------|-----------|-------|
| CHPSPR | Right     | 103   |
| CHPSPL | Left      | 103   |



#### Triple ¼ PCD with TCT Back

Supporter: Split Arrow PCD Spec: 13 x ¼ x 3mm

| Code   | Direction | Price |
|--------|-----------|-------|
| CTHPTR | Right     | 109   |
| CTHPTL | Left      | 109   |




### PCD Cup Wheels

#### Small PCD Cup Wheel - DRY

Suitable for thin coating of 1mm Arbor: 22.23mm (7/8")

| Item     | PCD Size    | No. of PCD | Price |
|----------|-------------|------------|-------|
| SPCC409  | 3 x 1.5 x 3 | 9          | \$136 |
| SPCC512  | 3 x 1.5 x 3 | 12         | \$176 |
| SPCD509  | 3 x 3 x 8   | 9          | \$138 |
| SPCC714  | 3 x 1.5 x 3 | 14         | \$219 |
| SPPCD718 | 3 x 3 x 8   | 18         | \$235 |



#### Medium PCD Cup Wheel

PCD Size: 13 x 1/6 | Available Arbor: 22.23mm (7/8")

| Code    | No. Of PCD | Price |
|---------|------------|-------|
| MPCC506 | 6          | 114   |
| MPCC710 | 10         | 185   |

For medium thick coating of 2-3mm

### **Big PCD Cup Wheel - Single Row - DRY**

PCD Size: 13 x ¼ | Available Arbor: 22.23mm (7/8")

| Code    | No. Of PCD | Price |
|---------|------------|-------|
| BPCS506 | 6          | 146   |
| BPCS706 | 6          | 169   |

For heavy thick coating over 3mm

### **Big PCD Cup Wheel - Double Row - DRY**

PCD Size: 13 x ¼ | Available Arbor: 22.23mm (7/8")

| Code    | No. Of PCD | Price |
|---------|------------|-------|
| BPCD506 | 6          | 146   |
| BPCD708 | 8          | 169   |

For medium thick coating of 2-3mm

### **Smart PCD Cup Wheel - DRY**

PCD Size: 3 X 2.5 | Available Arbor: 22.23mm (7/8")

| Code    | No. Of PCD | Price |
|---------|------------|-------|
| SSPC510 | 10         | 158   |
| SSPC714 | 14         | 214   |

Suitable for thin coating

### **Light Weight PCD Cup Wheel**

PCD Size: 3 X 1.5 | Available Arbor: 22.23mm (7/8")

| Code  | No. Of PCD | Price |
|-------|------------|-------|
| LWPC5 | 9          | 138   |
| LWPC6 | 12         | 172   |
| LWPC7 | 14         | 206   |

Suitable to remove the paint on the walls

### **Square PCD Cup Wheel**

PCD Size: 5 x 4

| Code  | No. Of PCD | Price |
|-------|------------|-------|
| SQPC5 | 4          | 83    |
| SQPC6 | 5          | 106   |
| SQPC7 | 6          | 139   |

Efficient to remove thin coatings of 1mm-2mm

### **Vane PCD Cup Wheel - Dry**

PCD Size: 3 x 1.5

| Code    | No. Of PCD | Price |
|---------|------------|-------|
| VPCC508 | 8          | 149   |
| VPCC714 | 14         | 203   |

Fast removal of thin coating

### **PCD Plugs - DRY**

#### **Super Duty PCD Plug**

Supporter: TCT

| Code | Spec     | Price |
|------|----------|-------|
| SDPP | 13 x 2mm | 208   |

Fast removal of thick coating

#### **Double PCD Plug with Round Segment**

Supporter: Round segment Spec: 13 x ¼mm

| Code | Direction | Price |
|------|-----------|-------|
| DPCR | Right     | 103   |
| DPCL | Left      | 103   |

#### **Double PCD Plug with Rhombus PCD**

Supporter: Rhombus PCD | Spec: 13 x ¼mm

| Code | Direction | Price |
|------|-----------|-------|
| DPRR | Right     | 107   |
| DPRL | Left      | 107   |



#### **Small PCD Plug with Vacuum Brazed Diamond**

| Code | Spec      | Price |
|------|-----------|-------|
| SPVP | 3 x 1.5mm | 142   |

For thin film removal

#### **Heavy Duty PCD Plug with Round Segment**

Supporter: Round segment Spec: 13mm

| Code | Direction | Price |
|------|-----------|-------|
| HPCR | Right     | 131   |
| HPCL | Left      | 131   |

#### **Double PCD Plug with Bar Segment**

Supporter: Bar segment Spec: 13 x ¼ mm

| Code | Direction | Price |
|------|-----------|-------|
| DPBR | Right     | 112   |
| DPBL | Left      | 112   |

### **Triple PCD Plug with Rhombus PCD**

Supporter: Rhombus PCD Spec: 13 x ¼mm

| Code | Direction | Price |
|------|-----------|-------|
| TPRR | Right     | 129   |
| TPRL | Left      | 129   |



### **Triple PCD Plug with Round Segment**

Supporter: Round segment Spec: 13 x ¼ mm

| Code | Direction | Price |
|------|-----------|-------|
| TPCR | Right     | 118   |
| TPCL | Left      | 118   |



## **PCD Plate - DRY**

### **Coating Removal PCD Plate for HTC**

Suitable for HTC420 and HTC800

| Code    | No. of PCD | Price |
|---------|------------|-------|
| CRGPH7  | 6          | 227   |
| CRGPH11 | 11         | 321   |

### **Coating Removal PCD Plate / Rhombus Split PCD**

To remove thin coatings. Suitable for single head or double head grinder.

| Code      | No. Of PCD | Price |
|-----------|------------|-------|
| CRGPR106  | 6          | 244   |
| CRGPR1010 | 10         | 328   |

### **Coating Removal PCD Plate / Rhombus Split PCD**

To remove 3mm coatings. 6 diamonds for support. 6 big holes to reduce the weight of plate.

| Code      | No. Of PCD | Price |
|-----------|------------|-------|
| PCDPR1012 | 12         | 408   |

## **Grinding Plates**

- Suitable for uneven joints, low bump and removing coatings.

-Floor grinding plate for single head grinder or dual head grinder.

### **Floor Grinding Plate - DRY**

Designed to give rough concrete surfaces the smooth finish in fastest time.

| Code   | No. Of Segment | Price |
|--------|----------------|-------|
| FG1010 | 10             | 290   |
| FG1020 | 20             | 403   |
| FG1216 | 16             | 407   |
| FG1220 | 20             | 504   |

### **Interchangeable Grinding Plate - DRY**

You can reuse the steel body after wearing of diamond segment.

Flexible adjustment of diamond segment number.

| Code     | No. Of Segment | Price |
|----------|----------------|-------|
| INFG1010 | 10             | 378   |
| INFG1016 | 16             | 536   |
| INFG1020 | 20             | 646   |

### **Arrow Segment Grinding Plate - DRY**


Medium, Hard, Very Hard bond available. Coarse, Medium grit available.

| Code     | No. Of Segment | Price |
|----------|----------------|-------|
| ASFG1008 | 8              | 315   |
| ASFG1010 | 10             | 375   |
| ASFG1012 | 12             | 425   |

### **Rhombus Segment Grinding Plate - DRY**

Medium, Hard, Very Hard bond available. Coarse, Medium grit available.

| Code     | No. Of Segment | Price |
|----------|----------------|-------|
| RMFG1008 | 8              | 325   |
| RMFG1010 | 10             | 375   |





## Grinding Plates - DRY

### Vane Grinding Plate 10 segs

Powerful grinding.

| Code    | No. Of Segment | Price |
|---------|----------------|-------|
| VFG1010 | 10             | 281   |

### Vane Grinding Plate 20 segs

Powerful grinding.

| Code    | No. Of Segment | Price |
|---------|----------------|-------|
| VFG1020 | 20             | 388   |

### EQ Magnet Grinding Plate

Easy and quick change of tools.

| Code    | No. Of Segment | Price |
|---------|----------------|-------|
| VFG1020 | 20             | 334   |

Medium, Hard bond available.



### Slim Segment Grinding Plate - DRY

- Rooftop slim segment for easy grinding.

- D 270mm big diameter with 60 segments.

- Soft, Medium bond available.

| Code     | No. Of Segment | Price |
|----------|----------------|-------|
| SSFG1160 | 60             | 381   |

- Very soft bond for very hard surface of concrete, terrazzo.



## Terrazzo Plugs - DRY

- Soft, medium and hard bond available | Can be used with water or without water.

### Flat Type - DRY

Segment height: 10mm

| Code   | Spec         | Price |
|--------|--------------|-------|
| TPF218 | #18/20 grit  | 180   |
| TPF225 | #25/30 grit  | 174   |
| TPF230 | #30/40 grit  | 170   |
| TPF260 | #60/80 grit  | 170   |
| TPF280 | #80/100 grit | 170   |



### Grooved Type - DRY

Segment height: 10mm

| Code   | Spec         | Price |
|--------|--------------|-------|
| TPG218 | #18/20 grit  | 180   |
| TPG225 | #25/30 grit  | 174   |
| TPG230 | #30/40 grit  | 170   |
| TPG260 | #60/80 grit  | 170   |
| TPG280 | #80/100 grit | 170   |



### Lippage Removal

Segment height: 12mm

| Code   | Spec        | Price |
|--------|-------------|-------|
| TLR218 | #18/20 grit | 150   |
| TLR225 | #25/30 grit | 129   |
| TLR230 | #30/40 grit | 125   |
| TLR260 | #60/80 grit | 125   |



### Beveled Turbo

Segment height: 12mm

| Code   | Spec         | Price |
|--------|--------------|-------|
| TPT218 | #18/20 grit  | 123   |
| TPT230 | #30/40 grit  | 104   |
| TPT260 | #60/80 grit  | 104   |
| TPT280 | #80/100 grit | 104   |



### X Segment Type

Segment height: 10mm

| Code   | Spec         | Price |
|--------|--------------|-------|
| TPX218 | #18/20 grit  | 128   |
| TPX225 | #25/30 grit  | 122   |
| TPX230 | #30/40 grit  | 118   |
| TPX260 | #60/80 grit  | 115   |
| TPX280 | #80/100 grit | 115   |



### Arrow Segments - 5 seg

Segment height: 10mm

| Code    | Spec         | Price |
|---------|--------------|-------|
| TP5A318 | #18/20 grit  | 176   |
| TP5A325 | #25/30 grit  | 168   |
| TP5A330 | #30/40 grit  | 164   |
| TP5A360 | #60/80 grit  | 164   |
| TP5A380 | #80/100 grit | 164   |



### Segmented Type

Segment height: 10mm

| Code   | Spec          | Price |
|--------|---------------|-------|
| TPS318 | #18/20 grit   | 173   |
| TPS325 | #25/30 grit   | 167   |
| TPS330 | #30/40 grit   | 164   |
| TPS360 | #60/80 grit   | 158   |
| TPS380 | #120/150 grit | 158   |



### Arrow Segments - 3 seg

Segment height: 10mm

| Code    | Spec         | Price |
|---------|--------------|-------|
| TP3A318 | #18/20 grit  | 129   |
| TP3A325 | #25/30 grit  | 123   |
| TP3A330 | #30/40 grit  | 120   |
| TP3A360 | #60/80 grit  | 120   |
| TP3A380 | #80/100 grit | 120   |



## Vivace Metal Dot Disc

Flexible as resin pad. Tool mark removal. Preparation for decorative concrete resurfacing.  
Easy attachment with velcro back. Suitable for concrete, granite, marble and terrazzo.

### VIVACE Flexible Metal Dot Pad - DRY

| Code | Spec             | Price |
|------|------------------|-------|
| MDF3 | 30, 60, 150 grit | 50    |
| MDF4 | 30, 60, 150 grit | 69    |
| MDF5 | 30, 60, 150 grit | 92    |



### VIVACE Rigid Metal Dot Pad - DRY

Suitable for floor grinder. Tool mark removal. Preparation for decorative concrete resurfacing. Fast grinding and good life. Suitable for concrete, granite, marble and terrazzo.

| Code | Spec             | Price |
|------|------------------|-------|
| MDR3 | 30, 60, 150 grit | 53    |
| MDR4 | 30, 60, 150 grit | 72    |
| MDR5 | 30, 60, 150 grit | 98    |



### VIVACE Metal Dot Ring - DRY

Suitable for hand grinder and edge grinder. For grinding concrete and terrazzo.

| Code | Spec             | Price |
|------|------------------|-------|
| MRR7 | 30, 60, 150 grit | 150   |




## Metal Diamonds for Stone

### Raimondi Grinding Shoe Soft Bond - WET

| Item  | No. of segments | Grit#       | Price |
|-------|-----------------|-------------|-------|
| DGR30 | 2               | 30/40grit   | 74    |
| DGR60 | 2               | 60/80grit   | 74    |
| DGR00 | 2               | 100/120grit | 74    |

Segment spec: 10 x 24 x 10 | Body spec: 63/30 x 66 7 x 24 x 10



### Frankfurt Mini - WET

Hard, Medium and Soft bond available | Segment Spec: 25 x 10 x 10

| Code   | Grit#      | Price |
|--------|------------|-------|
| FMCC16 | 16/20 grit | 100   |
| FMCC30 | 30/40 grit | 93    |
| FMCC60 | 60/80 grit | 93    |



### Diamond Wedge - WET

Segment Spec: 40 x 10 x 10

| Code   | Grit#      | Price |
|--------|------------|-------|
| DWMC16 | 16/20 grit | 95    |
| DWMC30 | 30/40 grit | 95    |
| DWMC60 | 60/80 grit | 95    |



### Frankfurt 8 Seg - WET

Hard, Medium and Soft bond available. Other type available. Suitable for granite slab. Good speed and long life.

| Code   | Spec             | Price |
|--------|------------------|-------|
| FWAD16 | 30, 60, 150 grit | 195   |
| FWAD30 | 30, 60, 150 grit | 186   |
| FWAD60 | 30, 60, 150 grit | 177   |



Segment Spec: 30 x 10 x 10

## Klindex Metal Ring Disc - WET

| Item    | Grit#        | Segment spec   | Segment shape    | Price |
|---------|--------------|----------------|------------------|-------|
| KMTR40  | 40/50 grit   | 40 x 10 x 10   | Rectangle        | 299   |
| KMTR60  | 60/80 grit   | 40 x 10 x 10   | Rectangle        | 299   |
| KMTR100 | 100/120 grit | 40 x 10 x 10   | Rectangle        | 299   |
| KMRR40  | 40/50 grit   | 20 x 20 x 10   | Rhombus          | 299   |
| KMRR60  | 60/80 grit   | 20 x 20 x 10   | Rhombus          | 299   |
| KMRR100 | 100/120 grit | 20 x 20 x 10   | Rhombus          | 299   |
| KMBR40  | 40/50 grit   | 16/5 x 20 x 10 | Beveled triangle | 271   |
| KMBR60  | 60/80 grit   | 16/5 x 20 x 10 | Beveled triangle | 271   |
| KMBR100 | 100/120 grit | 16/5 x 20 x 10 | Beveled triangle | 271   |



### **Terrazzo Shoe for Terrco - Speed Shift - DRY**

| Code  | Spec       | Price |
|-------|------------|-------|
| TTS30 | 30/40 grit | 102   |
| TTS60 | 60/80 grit | 102   |

\*Beveled edge for uneven surface of terrazzo.



| Code | Spec    | Price |
|------|---------|-------|
| DMDs | 20 X 15 | 31    |

\*M12 thread. Medium, Hard bonds

### **Diamond Stud Disc - WET**

\*Suitable to make flat surface of granite and concrete slab. Easy to change new diamond segments.

| Code  | Spec    | Price |
|-------|---------|-------|
| DMD16 | 20 X 15 | 457   |

\*M30 thread



### **Metal Disc Pad for Power Trowel**

### **Metal Pad for Power Trowel - WET & DRY**

The grinding and polishing by power trowel is becoming more common these days for big commercial building and warehouses.

New concept of grinding diamond pad for power trowel. Very convenient to attach the metal pad to power trowel | Fast grinding | Rubber wrapped metal dot to keep from breaking | Proper space between each metal dot to move freely in wet | Trapezoid type and round disc type available.

| Code      | Grit#        | Price |
|-----------|--------------|-------|
| PTMT930   | 30/40 grit   | 114   |
| PTMT960   | 60/80 grit   | 105   |
| PTMT9120  | 120/150 grit | 105   |
| PTMD930   | 30/40 grit   | 189   |
| PTMD960   | 60/80 grit   | 189   |
| PTMD9120  | 120/150 grit | 189   |
| PTMT1430  | 30/40 grit   | 183   |
| PTMT1460  | 60/80 grit   | 167   |
| PTMT14120 | 120/150 grit | 167   |
| PTMD1430  | 30/40 grit   | 347   |
| PTMD1460  | 60/80 grit   | 327   |
| PTMD14120 | 120/150 grit | 327   |


\*Remarks: 1. PTMT is glued. 2. Metal




PTMT9



PTMD9



PTMT14





PTMD14

### **Polishing Disc Pad for Power Trowel**


### **Metal Pad for Power Trowel - WET & DRY**

Very easy to use. Easy attachment by velcro backed pad. Suitable to polish concrete, terrazzo.

| Code        | Grit#     | Resin Spec          | Price |
|-------------|-----------|---------------------|-------|
| PTPR9S050   | 50 grit   | ø 60 x 4            | 51    |
| PTPR9S100   | 100 grit  | ø 60 x 4            | 51    |
| PTPR9S200   | 200 grit  | ø 60 x 4            | 51    |
| PTPR9S400   | 400 grit  | ø 60 x 4            | 51    |
| PTPR9S800   | 800 grit  | ø 60 x 4            | 51    |
| PTPR9S1500  | 1500 grit | ø 60 x 4            | 51    |
| PTPR9S3000  | 3000 grit | ø 60 x 4            | 51    |
| PTPR9L050   | 50 grit   | ø 75 x 4            | 57    |
| PTPR9L100   | 100 grit  | ø 75 x 4            | 57    |
| PTPR9L200   | 200 grit  | ø 75 x 4            | 57    |
| PTPR9L400   | 400 grit  | ø 75 x 4            | 57    |
| PTPR9L800   | 800 grit  | ø 75 x 4            | 57    |
| PTPR9L1500  | 1500 grit | ø 75 x 4            | 57    |
| PTPR9L3000  | 3000 grit | ø 75 x 4            | 57    |
| DTPR14S050  | 50 grit   | ø 60 x 3 + ø 75 x 3 | 66    |
| DTPR14S100  | 100 grit  | ø 60 x 3 + ø 75 x 3 | 66    |
| DTPR14S200  | 200 grit  | ø 60 x 3 + ø 75 x 3 | 66    |
| DTPR14S400  | 400 grit  | ø 60 x 3 + ø 75 x 3 | 66    |
| DTPR14S800  | 800 grit  | ø 60 x 3 + ø 75 x 3 | 66    |
| DTPR14S1500 | 1500 grit | ø 60 x 3 + ø 75 x 3 | 66    |
| DTPR14S3000 | 3000 grit | ø 60 x 3 + ø 75 x 3 | 66    |



| Code        | Grit#     | Resin Spec | Price |
|-------------|-----------|------------|-------|
| DTPR14L050  | 50 grit   | ø 75 x 6   | 84    |
| DTPR14L100  | 100 grit  | ø 75 x 6   | 84    |
| DTPR14L200  | 200 grit  | ø 75 x 6   | 84    |
| DTPR14L400  | 400 grit  | ø 75 x 6   | 84    |
| DTPR14L800  | 800 grit  | ø 75 x 6   | 84    |
| DTPR14L1500 | 1500 grit | ø 75 x 6   | 84    |
| DTPR14L3000 | 3000 grit | ø 75 x 6   | 84    |



## **Resin Hockey Puck**

### **Enduro Hockey Puck Medium Bond - DRY or WET**

For long life and high gloss finish. Suitable for concrete and terrazzo. Velcro backed.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| HDD050  | 50 grit   | 29    |
| HDD100  | 100 grit  | 29    |
| HDD200  | 200 grit  | 29    |
| HDD400  | 400 grit  | 29    |
| HDD800  | 800 grit  | 29    |
| HDD1500 | 1500 grit | 29    |
| HDD3000 | 3000 grit | 29    |



### **Rapido Hockey Puck Soft Bond - DRY or WET**

Fast polishing for concrete and terrazzo.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| RDD050  | 50 grit   | 29    |
| RDD100  | 100 grit  | 29    |
| RDD200  | 200 grit  | 29    |
| RDD400  | 400 grit  | 29    |
| RDD800  | 800 grit  | 29    |
| RDD1500 | 1500 grit | 29    |
| RDD3000 | 3000 grit | 29    |



\*Steel plate backing for magnet holder available.

### **Polimate Resin Disc Medium Bond - DRY or WET**

New formula to polish concrete and terrazzo. Extruded thin lines for fast polishing

| Code    | Grit#     | Price |
|---------|-----------|-------|
| PRD050  | 50 grit   | 29    |
| PRD100  | 100 grit  | 29    |
| PRD200  | 200 grit  | 29    |
| PRD400  | 400 grit  | 29    |
| PRD800  | 800 grit  | 29    |
| PRD1500 | 1500 grit | 29    |
| PRD3000 | 3000 grit | 29    |



## **3 Step, 4 Step Puck**

### **3 Step Turbo Hockey Puck - DRY**

You can save extra step for polishing. Suitable for concrete and terrazzo. Long life high rim of 14mm and high gloss finish. Velcro backed.

| Item | Step | Price |
|------|------|-------|
| THP1 | 1    | 41    |
| THP2 | 2    | 41    |
| THP3 | 3    | 41    |



### **4 Step Enduro Hockey Puck - DRY**

Cost saving by essential steps. Good performance in less time. 10mm thick.

| Item  | Step | Price |
|-------|------|-------|
| FSHR1 | 1    | 32    |
| FSHR2 | 2    | 32    |
| FSHR3 | 3    | 32    |
| FSHR4 | 4    | 32    |



### **Round Edge Enduro Puck - DRY**

For concrete and terrazzo.

| Code     | Grit#     | Price |
|----------|-----------|-------|
| RADD4050 | 50 grit   | 41    |
| RADD4100 | 100 grit  | 41    |
| RADD200  | 200 grit  | 41    |
| RADD400  | 400 grit  | 41    |
| RADD800  | 800 grit  | 41    |
| RADD1500 | 1500 grit | 41    |
| RADD3000 | 3000 grit | 41    |



### **Transitional Ceramic Disc**

#### **Super Transitional Disc - DRY**

Quickly remove scratches left behind by metal diamonds.

| Item    | Thickness (mm) | #Grit    | Price |
|---------|----------------|----------|-------|
| STCV050 | 10             | 50 grit  | 47    |
| STCV100 | 10             | 100 grit | 47    |
| STCV200 | 10             | 200 grit | 47    |
| STCV400 | 10             | 400 grit | 47    |



#### **Transitional Ceramic Disc - DRY**

80mm. To remove the scratches on surface. Can save the resin wear of #50, #100 & #200. 10mm thickness

| Item    | #Grit    | Price |
|---------|----------|-------|
| TCDV050 | 50 grit  | 38    |
| TCD100  | 100 grit | 38    |
| TCV200  | 200 grit | 38    |

\*Light colour available



### **Grande Hockey Puck - DRY**

75mm. Copper mixed resin bond for long life. Extra long life 12mm.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| GRD050  | 50 grit   | 45    |
| GRD100  | 100 grit  | 45    |
| GRD200  | 200 grit  | 45    |
| GRD400  | 400 grit  | 45    |
| GRD800  | 800 grit  | 45    |
| GRD1500 | 1500 grit | 45    |
| GRD3000 | 3000 grit | 45    |

\*#400-#1500 is not mixed with copper.



### **Hybrid Resin Hockey Puck**

#### **Hybrid Turbo Hockey Puck - DRY**

75mm, Super height of 14mm for long life. Suitable for soft and medium concrete. Long life with copper mixed resin.

| Code     | Grit#     | Price |
|----------|-----------|-------|
| HTP3030  | 30 grit   | 35    |
| HTP3050  | 50 grit   | 35    |
| HTP3100  | 100 grit  | 35    |
| HTP3200  | 200 grit  | 35    |
| HTP3400  | 400 grit  | 35    |
| HTP3800  | 800 grit  | 35    |
| HTP31500 | 1500 grit | 35    |
| HTP33000 | 3000 grit | 35    |

\* #30 - #200 copper powder. #400 - #3000 are resin.



#### **Octagonal Hybrid Hockey Puck - DRY**

75mm. 10mm for long life. Suitable for soft and medium concrete. Long life with copper mixed resin. Hybrid wet or dry use.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| OHP050  | 50 grit   | 27    |
| OHP100  | 100 grit  | 27    |
| OHP200  | 200 grit  | 27    |
| OHP400  | 400 grit  | 27    |
| OHP800  | 800 grit  | 27    |
| OHP1500 | 1500 grit | 27    |
| OHP3000 | 3000 grit | 27    |

\*#50 - #200 copper powder. #400 - #3000 are resin.





### **Bloom Hybrid Hockey Puck - DRY**

75mm. For small areas. Hybrid wet or dry use.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| BHP050  | 50 grit   | 22    |
| BHP100  | 100 grit  | 22    |
| BHP200  | 200 grit  | 22    |
| BHP400  | 400 grit  | 22    |
| BHP800  | 800 grit  | 22    |
| BHP1500 | 1500 grit | 22    |
| BHP3000 | 3000 grit | 22    |

\* #50 - #200 are included copper powder. #400 - #3000 are resin.



### **Copper Pad/ Copper Puck**

#### **Copper Pad - DRY or WET**

75mm. Suitable for all kinds of concrete and terrazzo. Can save the rapid wear of resin #50 & #100. Reducing time spent on a project without compromising quality. Medium bond and hard bond available.

| Code     | Grit#    | Bond   | Price |
|----------|----------|--------|-------|
| CGPM4050 | 50 grit  | Medium | 21    |
| CGPM4100 | 100 grit | Medium | 21    |
| CGPM4200 | 200 grit | Medium | 21    |
| CGPM4400 | 400 grit | Medium | 21    |
| CGPH4050 | 50 grit  | Hard   | 27    |
| CGPH4100 | 100 grit | Hard   | 27    |
| CGPH4200 | 200 grit | Hard   | 27    |
| CGPH4400 | 400 grit | Hard   | 27    |
| CGPM5050 | 50 grit  | Medium | 23    |
| CGPM5100 | 100 grit | Medium | 23    |
| CGPM5200 | 200 grit | Medium | 23    |
| CGPM5400 | 400 grit | Medium | 23    |
| CGPH5050 | 50 grit  | Hard   | 46    |
| CGPH5100 | 100 grit | Hard   | 46    |
| CGPH5200 | 200 grit | Hard   | 46    |
| CGPH5400 | 400 grit | Hard   | 46    |

Medium bond



Hard bond

#### **Copper Puck - DRY or WET**

75mm. Suitable for all kinds of concrete and terrazzo. Fast grinding for hard concrete. Can be used for heavy grinders. Good to remove scratches. Medium bond and hard bond available.

| Code     | Grit#    | Bond   | Price |
|----------|----------|--------|-------|
| CPPM3050 | 50 grit  | Medium | 36    |
| CPPM3100 | 100 grit | Medium | 36    |
| CPPM3200 | 200 grit | Medium | 36    |
| CPPM3400 | 400 grit | Medium | 36    |
| CPPH3050 | 50 grit  | Hard   | 53    |
| CPPH3100 | 100 grit | Hard   | 53    |
| CPPH3200 | 200 grit | Hard   | 53    |
| CPPH3400 | 400 grit | Hard   | 53    |

Medium bond



Hard bond

### **Resin Polishing Disc**

#### **Cyclone Resin Disc - WET**

75mm. Suitable for marble and terrazzo.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| CRD050  | 50 grit   | 29    |
| CRD100  | 100 grit  | 29    |
| CRD200  | 200 grit  | 29    |
| CRD400  | 400 grit  | 29    |
| CRD800  | 800 grit  | 29    |
| CRD1500 | 1500 grit | 29    |
| CRD3000 | 3000 grit | 29    |



### **Fiore Resin Disc - WET**

Suitable for restoration of granite floor. Velcro backed.

| Code     | Grit#     | Price |
|----------|-----------|-------|
| FRW4050  | 50 grit   | 54    |
| FRW4100  | 100 grit  | 54    |
| FRW4200  | 200 grit  | 54    |
| FRW4400  | 400 grit  | 54    |
| FRW4800  | 800 grit  | 54    |
| FRW41500 | 1500 grit | 54    |
| FRW43000 | 3000 grit | 54    |



### **DIALUX Pad - DRY**

Good for polishing concrete and terrazzo floor. Equivalent to STI FL-07.  
Long life of 10,000 SF with metal mixed resin bond of #50, #100 & #200.  
Works on Premaster and Terrco. Smooth operation by rubber cushion.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| DLX050  | 50 grit   | 22    |
| DLX100  | 100 grit  | 22    |
| DLX200  | 200 grit  | 22    |
| DLX400  | 400 grit  | 22    |
| DLX800  | 800 grit  | 22    |
| DLX1500 | 1500 grit | 22    |
| DLX3000 | 3000 grit | 22    |



### **Vista Polishing Pad**

Suitable for polishing terrazzo and concrete. Can be used on hand or floor polishers.

#### **75mm 3 Inch Diameter**

| Code      | Grit#     | Price |
|-----------|-----------|-------|
| DCVP3050  | 50 grit   | 28    |
| DCVP3100  | 100 grit  | 28    |
| DCVP3200  | 200 grit  | 28    |
| DCVP3400  | 400 grit  | 28    |
| DCVP3800  | 800 grit  | 28    |
| DCVP31500 | 1500 grit | 28    |
| DCVP33000 | 3000 grit | 28    |



#### **100mm 4 Inch Diameter**

| Code      | Grit#     | Price |
|-----------|-----------|-------|
| DCVP4050  | 50 grit   | 30    |
| DCVP4100  | 100 grit  | 30    |
| DCVP4200  | 200 grit  | 30    |
| DCVP4400  | 400 grit  | 30    |
| DCVP4800  | 800 grit  | 30    |
| DCVP41500 | 1500 grit | 30    |
| DCVP43000 | 3000 grit | 30    |




#### **125mm 5 Inch Diameter**

| Code      | Grit#     | Price |
|-----------|-----------|-------|
| DCVP5050  | 50 grit   | 48    |
| DCVP5100  | 100 grit  | 48    |
| DCVP5200  | 200 grit  | 48    |
| DCVP5400  | 400 grit  | 48    |
| DCVP5800  | 800 grit  | 48    |
| DCVP51500 | 1500 grit | 48    |
| DCVP53000 | 3000 grit | 48    |



#### **150mm 6 Inch Diameter**

| Code      | Grit#     | Price |
|-----------|-----------|-------|
| DCVP6050  | 50 grit   | 68    |
| DCVP6100  | 100 grit  | 68    |
| DCVP6200  | 200 grit  | 68    |
| DCVP6400  | 400 grit  | 68    |
| DCVP6800  | 800 grit  | 68    |
| DCVP61500 | 1500 grit | 68    |
| DCVP63000 | 3000 grit | 68    |



### **VISTA 3 Step Polishing Pad - DRY or WET**

To skip steps for fast polishing.

| Code | Grit#    | Price |
|------|----------|-------|
| TVP1 | 50 grit  | 38    |
| TVP2 | 100 grit | 38    |
| TVP3 | 200 grit | 38    |




### **VISTA Resin Ring Pad 180mm - DRY**

| Code     | Grit#     | Price |
|----------|-----------|-------|
| DRR7030  | 30 grit   | 54    |
| DRR7050  | 50 grit   | 54    |
| DRR7100  | 100 grit  | 54    |
| DRR7200  | 200 grit  | 54    |
| DRR7400  | 400 grit  | 54    |
| DRR7800  | 800 grit  | 54    |
| DRR71500 | 1500 grit | 54    |



### **VISTA Polishing Pad 180mm - DRY or WET**

| Code      | Grit#     | Price |
|-----------|-----------|-------|
| DCVP7050  | 50 grit   | 71    |
| DCVP7100  | 100 grit  | 71    |
| DCVP7200  | 200 grit  | 71    |
| DCVP7400  | 400 grit  | 71    |
| DCVP7800  | 800 grit  | 71    |
| DCVP71500 | 1500 grit | 71    |
| DCVP73000 | 3000 grit | 71    |



### **VISTA Polishing Pad 230mm- DRY or WET**

|           |           |     |
|-----------|-----------|-----|
| DCVP9050  | 50 grit   | 126 |
| DCVP9100  | 100 grit  | 126 |
| DCVP9200  | 200 grit  | 126 |
| DCVP9400  | 400 grit  | 126 |
| DCVP9800  | 800 grit  | 126 |
| DCVP91500 | 1500 grit | 126 |
| DCVP93000 | 3000 grit | 126 |



### **VISTA Polishing Pad 280mm - DRY or WET**

|            |           |     |
|------------|-----------|-----|
| DCVP11050  | 50 grit   | 254 |
| DCVP11100  | 100 grit  | 254 |
| DCVP11200  | 200 grit  | 254 |
| DCVP11400  | 400 grit  | 254 |
| DCVP11800  | 800 grit  | 254 |
| DCVP111500 | 1500 grit | 254 |
| DCVP113000 | 3000 grit | 254 |



## **Terrazzo Polishing Pads**

### **Bueno Terrazzo Polishing Pad - WET**

Suitable for terrazzo floor. Can be used by floor grinder and floor scrubber. Velcro backed.

#### **100mm 4 Inch Diameter**

| Code     | Grit#     | Price |
|----------|-----------|-------|
| TRZ4050  | 50 grit   | 30    |
| TRZ4100  | 100 grit  | 30    |
| TRZ4200  | 200 grit  | 30    |
| TRZ4400  | 400 grit  | 30    |
| TRZ4800  | 800 grit  | 30    |
| TRZ41500 | 1500 grit | 30    |
| TRZ43000 | 3000 grit | 30    |

#### **125mm 5 Inch Diameter**

| Code     | Grit#     | Price |
|----------|-----------|-------|
| TRZ5050  | 50 grit   | 55    |
| TRZ5100  | 100 grit  | 55    |
| TRZ5200  | 200 grit  | 55    |
| TRZ5400  | 400 grit  | 55    |
| TRZ5800  | 800 grit  | 55    |
| TRZ51500 | 1500 grit | 55    |
| TRZ53000 | 3000 grit | 55    |

#### **150mm 6 Inch Diameter**

| Code     | Grit#     | Price |
|----------|-----------|-------|
| TRZ6050  | 50 grit   | 71    |
| TRZ6100  | 100 grit  | 71    |
| TRZ6200  | 200 grit  | 71    |
| TRZ6400  | 400 grit  | 71    |
| TRZ6800  | 800 grit  | 71    |
| TRZ61500 | 1500 grit | 71    |
| TRZ63000 | 3000 grit | 71    |



#### **200mm 8 Inch Diameter**

| Code     | Grit#     | Price |
|----------|-----------|-------|
| TRZ8050  | 50 grit   | 148   |
| TRZ8100  | 100 grit  | 148   |
| TRZ8200  | 200 grit  | 148   |
| TRZ8400  | 400 grit  | 148   |
| TRZ8800  | 800 grit  | 148   |
| TRZ81500 | 1500 grit | 148   |
| TRZ83000 | 3000 grit | 148   |

#### **230mm 9 Inch Diameter**

| Code     | Grit#     | Price |
|----------|-----------|-------|
| TRZ9050  | 50 grit   | 123   |
| TRZ9100  | 100 grit  | 123   |
| TRZ9200  | 200 grit  | 123   |
| TRZ9400  | 400 grit  | 123   |
| TRZ9800  | 800 grit  | 123   |
| TRZ91500 | 1500 grit | 123   |
| TRZ93000 | 3000 grit | 123   |

#### **250mm 10 Inch Diameter**

| Code      | Grit#     | Price |
|-----------|-----------|-------|
| TRZ10050  | 50 grit   | 183   |
| TRZ10100  | 100 grit  | 183   |
| TRZ10200  | 200 grit  | 183   |
| TRZ10400  | 400 grit  | 183   |
| TRZ10800  | 800 grit  | 183   |
| TRZ101500 | 1500 grit | 183   |
| TRZ103000 | 3000 grit | 183   |



## **Special Shape Polishing Pads**

### **Trapezoid Floor Pad - WET**

Suitable for terrazzo and stone floor.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| TFP050  | 50 grit   | 29    |
| TFP100  | 100 grit  | 29    |
| TFP200  | 200 grit  | 29    |
| TFP400  | 400 grit  | 29    |
| TFP800  | 800 grit  | 29    |
| TFP1500 | 1500 grit | 29    |
| TFP3000 | 3000 grit | 29    |



### **Banana Floor Pad - WET**

Suitable for terrazzo and stone floor.


| Code    | Grit#     | Price |
|---------|-----------|-------|
| BNF050  | 50 grit   | 29    |
| BNF100  | 100 grit  | 29    |
| BNF200  | 200 grit  | 29    |
| BNF400  | 400 grit  | 29    |
| BNF800  | 800 grit  | 29    |
| BNF1500 | 1500 grit | 29    |
| BNF3000 | 3000 grit | 29    |



## Corner Polishing Pad - DRY or WET

Suitable for corner edge

| Item     | #Grit     | Ref           | Price |
|----------|-----------|---------------|-------|
| CEPP050  | 50 grit   | Electroplated | 35    |
| CEPP100  | 100 grit  | Electroplated | 35    |
| CEPP200  | 200 grit  | Electroplated | 35    |
| CEPP400  | 400 grit  | Electroplated | 35    |
| CRPP800  | 800 grit  | Resin         | 19    |
| CRP1500  | 1500 grit | Resin         | 19    |
| CRPP3000 | 3000 grit | Resin         | 19    |



## Accord Resin Dot - DRY

Suitable for coloured concrete (stained concrete). No mark and no scratch on floor. Safe from fly off during operation.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| ARD050  | 50 grit   | 21    |
| ARD100  | 100 grit  | 21    |
| ARD200  | 200 grit  | 21    |
| ARD400  | 400 grit  | 21    |
| ARD800  | 800 grit  | 21    |
| ARD1500 | 1500 grit | 21    |
| ARD3000 | 3000 grit | 21    |



## Hybrid Resin Dot with Post - DRY

Metal and resin mixed. Velcro back with post. Suitable for stone and terrazzo.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| HRD050  | 50 grit   | 22    |
| HRD100  | 100 grit  | 22    |
| HRD200  | 200 grit  | 22    |
| HRD400  | 400 grit  | 22    |
| HRD800  | 800 grit  | 22    |
| HRD1500 | 1500 grit | 22    |
| HRD3000 | 3000 grit | 22    |



## Small Resin Disc- DRY

\*Thickness: 8mm

| Code    | Grit#     | Price |
|---------|-----------|-------|
| SRD050  | 50 grit   | 21    |
| SRD100  | 100 grit  | 21    |
| SRD200  | 200 grit  | 21    |
| SRD400  | 400 grit  | 21    |
| SRD800  | 800 grit  | 21    |
| SRD1500 | 1500 grit | 21    |
| SRD3000 | 3000 grit | 21    |



## Werkmaster Resin Pad - DRY

Good for Werkmaster grinder. High gloss finish. Suitable medium hard concrete and hard concrete. Spec: 40 x 30mm.

| Code    | Grit#     | Price |
|---------|-----------|-------|
| WDR050  | 50 grit   | 11    |
| WDR100  | 100 grit  | 11    |
| WDR200  | 200 grit  | 11    |
| WDR400  | 400 grit  | 11    |
| WDR800  | 800 grit  | 11    |
| WDR1500 | 1500 grit | 11    |
| WDR3000 | 3000 grit | 11    |



## DiaShineR - WET or DRY

Sharp grinding and polishing by new formula resin bond diamond pad. You can get high gloss as regular resin diamonds. Can save tool change time of conventional resin puck. Long life with resin bar. Suitable for concrete and terrazzo.

| Code                          | Grit#     | Resin Spec          | Price |                                                                                     | Code                          | Grit#     | Resin Spec          | Price |
|-------------------------------|-----------|---------------------|-------|-------------------------------------------------------------------------------------|-------------------------------|-----------|---------------------|-------|
| <b>230mm 9 Inch Diameter</b>  |           |                     |       |   | <b>350mm 14 Inch Diameter</b> |           |                     |       |
| DSR9050                       | 50 grit   | ø 60 x 4            | 71    |                                                                                     | DSR14050                      | 50 grit   | ø 75 x 4            | 120   |
| DSR9100                       | 100 grit  | ø 60 x 4            | 71    |                                                                                     | DSR14100                      | 100 grit  | ø 75 x 4            | 120   |
| DSR9200                       | 200 grit  | ø 60 x 4            | 71    |                                                                                     | DSR14200                      | 200 grit  | ø 75 x 4            | 120   |
| DSR9400                       | 400 grit  | ø 60 x 4            | 71    |                                                                                     | DSR14400                      | 400 grit  | ø 75 x 4            | 120   |
| DSR9800                       | 800 grit  | ø 60 x 4            | 71    |                                                                                     | DSR14800                      | 800 grit  | ø 75 x 4            | 120   |
| DSR91500                      | 1500 grit | ø 60 x 4            | 71    |                                                                                     | DSR141500                     | 1500 grit | ø 75 x 4            | 120   |
| DSR93000                      | 3000 grit | ø 60 x 4            | 71    |                                                                                     | DSR143000                     | 3000 grit | ø 75 x 4            | 120   |
| <b>250mm 10 Inch Diameter</b> |           |                     |       |  | <b>425mm 17 Inch Diameter</b> |           |                     |       |
| DSR10050                      | 50 grit   | ø 75 x 4            | 82    |                                                                                     | DSR17050                      | 50 grit   | ø 60 x 3 + ø 75 x 3 | 179   |
| DSR10100                      | 100 grit  | ø 75 x 4            | 82    |                                                                                     | DSR17100                      | 100 grit  | ø 60 x 3 + ø 75 x 3 | 179   |
| DSR10200                      | 200 grit  | ø 75 x 4            | 82    |                                                                                     | DSR17200                      | 200 grit  | ø 60 x 3 + ø 75 x 3 | 179   |
| DSR10400                      | 400 grit  | ø 75 x 4            | 82    |                                                                                     | DSR17400                      | 400 grit  | ø 60 x 3 + ø 75 x 3 | 179   |
| DSR10800                      | 800 grit  | ø 75 x 4            | 82    |                                                                                     | DSR17800                      | 800 grit  | ø 60 x 3 + ø 75 x 3 | 179   |
| DSR101500                     | 1500 grit | ø 75 x 4            | 82    |                                                                                     | DSR171500                     | 1500 grit | ø 60 x 3 + ø 75 x 3 | 179   |
| DSR103000                     | 3000 grit | ø 75 x 4            | 82    |                                                                                     | DSR173000                     | 3000 grit | ø 60 x 3 + ø 75 x 3 | 179   |
| <b>280mm 11 Inch Diameter</b> |           |                     |       |                                                                                     |                               |           |                     |       |
| DSR11050                      | 50 grit   | ø 60 x 3 + ø 75 x 3 | 88    |                                                                                     |                               |           |                     |       |
| DSR11100                      | 100 grit  | ø 60 x 3 + ø 75 x 3 | 88    |                                                                                     |                               |           |                     |       |
| DSR11200                      | 200 grit  | ø 60 x 3 + ø 75 x 3 | 88    |                                                                                     |                               |           |                     |       |
| DSR11400                      | 400 grit  | ø 60 x 3 + ø 75 x 3 | 88    |                                                                                     |                               |           |                     |       |
| DSR11800                      | 800 grit  | ø 60 x 3 + ø 75 x 3 | 88    |                                                                                     |                               |           |                     |       |
| DSR111500                     | 1500 grit | ø 60 x 3 + ø 75 x 3 | 88    |                                                                                     |                               |           |                     |       |
| DSR113000                     | 3000 grit | ø 60 x 3 + ø 75 x 3 | 88    |                                                                                     |                               |           |                     |       |

### **Softouch Floor Pad - DRY or WET**

The cleaning and polishing action produces a high gloss finish on old or new concrete, stone and terrazzo surfaces. Can be used with or without water. Environment friendly cleaning. No need to use chemicals and wax. Workable for uneven surface of concrete and terrazzo. Very easy to attach and detach for changing the different grit. Aggressive removing of marks, stains and scratches by #30 and #50. #100 and #200 for removing fine scratches and #400 to prepare to shine. Flexible rubber pad. \*Grits available: #30, #50, #100, #200, #400, #800, #1500, #3000


| Item                          | Diameter (mm) | No. Of Buttons | Price |
|-------------------------------|---------------|----------------|-------|
| <b>200mm 8 Inch Diameter</b>  |               |                |       |
| SFP809                        | 200           | 9              | \$71  |
| SFP812                        | 210           | 12             | \$86  |
| <b>230mm 9 Inch Diameter</b>  |               |                |       |
| SFP912                        | 230           | 12             | \$88  |
| SFP915                        | 240           | 15             | \$98  |
| <b>250mm 10 Inch Diameter</b> |               |                |       |
| SFP1015                       | 250           | 15             | \$99  |
| SFP1018                       | 250           | 18             | \$113 |
| <b>280mm 11 Inch Diameter</b> |               |                |       |
| SFP1118                       | 270           | 18             | \$117 |
| <b>400mm 16 Inch Diameter</b> |               |                |       |
| SFP1621                       | 400           | 21             | \$158 |
| <b>425mm 17 Inch Diameter</b> |               |                |       |
| SFP1721                       | 430           | 21             | \$164 |
| SFP1730                       | 430           | 30             | \$205 |
| <b>500mm 20 Inch Diameter</b> |               |                |       |
| SFP2030                       | 500           | 30             | \$218 |



### **DiaFlush Pad - WET**

Very easy to use. Excellent for marble and terrazzo. Light coloured resin for light coloured marble available. Up to 50% reduction in labor by multi disc system. Suitable for floor buffer, orbital or planetary machine. For stone floor by wet available.

| Code                          | Grit#     | Resin Spec          | Price |
|-------------------------------|-----------|---------------------|-------|
| <b>200mm 8 Inch Diameter</b>  |           |                     |       |
| DFP8050                       | 50 grit   | ø 75 x 4            | 54    |
| DFP8100                       | 100 grit  | ø 75 x 4            | 54    |
| DFP8200                       | 200 grit  | ø 75 x 4            | 54    |
| DFP8400                       | 400 grit  | ø 75 x 4            | 54    |
| DFP8800                       | 800 grit  | ø 75 x 4            | 54    |
| DFP81500                      | 1500 grit | ø 75 x 4            | 54    |
| DFP83000                      | 3000 grit | ø 75 x 4            | 54    |
| <b>230mm 9 Inch Diameter</b>  |           |                     |       |
| DFP9050                       | 50 grit   | ø 60 x 3 + ø 75 x 3 | 66    |
| DFP9100                       | 100 grit  | ø 60 x 3 + ø 75 x 3 | 66    |
| DFP9200                       | 200 grit  | ø 60 x 3 + ø 75 x 3 | 66    |
| DFP9400                       | 400 grit  | ø 60 x 3 + ø 75 x 3 | 66    |
| DFP9800                       | 800 grit  | ø 60 x 3 + ø 75 x 3 | 66    |
| DFP91500                      | 1500 grit | ø 60 x 3 + ø 75 x 3 | 66    |
| DFP93000                      | 3000 grit | ø 60 x 3 + ø 75 x 3 | 66    |
| <b>280mm 11 Inch Diameter</b> |           |                     |       |
| DFP11050                      | 50 grit   | ø 60 x 3 + ø 75 x 3 | 70    |
| DFP11100                      | 100 grit  | ø 60 x 3 + ø 75 x 3 | 70    |
| DFP11200                      | 200 grit  | ø 60 x 3 + ø 75 x 3 | 70    |
| DFP11400                      | 400 grit  | ø 60 x 3 + ø 75 x 3 | 70    |
| DFP11800                      | 800 grit  | ø 60 x 3 + ø 75 x 3 | 70    |
| DFP111500                     | 1500 grit | ø 60 x 3 + ø 75 x 3 | 70    |
| DFP113000                     | 3000 grit | ø 60 x 3 + ø 75 x 3 | 70    |
| <b>400mm 16 Inch Diameter</b> |           |                     |       |
| DFP16050                      | 50 grit   | ø 75 x 4            | 113   |
| DFP16100                      | 100 grit  | ø 75 x 4            | 113   |
| DFP16200                      | 200 grit  | ø 75 x 4            | 113   |
| DFP16400                      | 400 grit  | ø 75 x 4            | 113   |
| DFP16800                      | 800 grit  | ø 75 x 4            | 113   |
| DFP161500                     | 1500 grit | ø 75 x 4            | 113   |
| <b>425mm 17 Inch Diameter</b> |           |                     |       |
| DFP17050                      | 50 grit   | ø 60 x 3 + ø 75 x 3 | 132   |
| DFP17100                      | 100 grit  | ø 60 x 3 + ø 75 x 3 | 132   |
| DFP17200                      | 200 grit  | ø 60 x 3 + ø 75 x 3 | 132   |
| DFP17400                      | 400 grit  | ø 60 x 3 + ø 75 x 3 | 132   |
| DFP17800                      | 800 grit  | ø 60 x 3 + ø 75 x 3 | 132   |
| DFP171500                     | 1500 grit | ø 60 x 3 + ø 75 x 3 | 132   |
| DFP173000                     | 3000 grit | ø 60 x 3 + ø 75 x 3 | 132   |





## ***Vista DiaClean Pad - Dry or Wet***

High performance floor care product to maintain shiny floors. Diamond coated floor pad for cleaning and maintenance of marble, granite, polished concrete and terrazzo. Can be used without water. Ideal solution for daily maintenance to keep floors shining. 10 times long lasting than ordinary floor pad. Clean and polish with ease. No need chemicals or wax. Can be used with conventional rotary or auto scrubber and high speed burnisher. High speed pad up to 3000 RPM (no.3, no.4, no.5). RPM:150-300 for no.1 and no.2. Rinse with water after use.

**\*Grits available: #50, #100, #200, #400, #800, #1500, #3000, #BUFF**

| Item  | Diameter (mm) | Price |
|-------|---------------|-------|
| DCP07 | 180           | 39    |
| DCP08 | 200           | 44    |
| DCP10 | 250           | 65    |
| DCP11 | 270           | 66    |
| DCP14 | 355           | 70    |
| DCP16 | 400           | 74    |
| DCP17 | 430           | 74    |
| DCP18 | 450           | 85    |
| DCP20 | 500           | 97    |
| DCP21 | 530           | 101   |
| DCP24 | 600           | 133   |
| DCP27 | 685           | 155   |
| DCP28 | 710           | 161   |



**\*Other size is available upon request. Buff is #10,000.**

## ***RESTORATION & MAINTENANCE***

|          |                                                                                                                                                                                                                                            |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DCP100   | Rough grinding   Rough grinding to remove thin dirt & scratches                                                                                                                                                                            |
| DCP200   | Fine grinding   Fine grinding to remove scratches & stains                                                                                                                                                                                 |
| DCP400   | Fine grinding   For restoration of heavily worn stone & concrete floors   Effectively remove scratches and stains on floors & clean surface                                                                                                |
| DCP800   | Polishing   This step start to shine the floors and leave a clean surface for next step                                                                                                                                                    |
| DCP1500  | Polishing   This step makes the floor to be well prepared shining of stone floor   The concrete floor needs more polishing for bright floor                                                                                                |
| DCP3000  | Polishing   This step makes shining surface of concrete floor   Well prepared for shining of granite and marble                                                                                                                            |
| DCP10000 | Polishing   Final step which will bring the surface to a mirror look   You can maintain the high gloss floor regularly without any wax or chemical   Suitable for high speed polishing of polished concrete, granite, marble and terrazzo. |

## ***Enduro DiaClean Pad***

### ***Enduro DiaClean Pad - DRY or WET***

Dual coating of diamonds. 50% more life than current diamond floor pad. Suitable to polish natural stone, terrazzo, concrete and tile. Very good for daily maintenance. No need chemicals or wax. Rinse with water after use.

| Item      | Grit#     | Price |
|-----------|-----------|-------|
| EDS17100  | 100 grit  | 80    |
| EDS17200  | 200 grit  | 80    |
| EDS17400  | 400 grit  | 80    |
| EDS17800  | 800 grit  | 80    |
| EDS171500 | 1500 grit | 80    |
| EDS173000 | 3000 grit | 80    |



### ***Enduro 3 Step DiaClean Pad - DRY***

You can skip for 2 or 3 steps to save time. Suitable for cleaning and polishing marble, granite, terrazzo and concrete. No need for chemicals or wax. For conventional rotary scrubber, auto scrubber and high speed burnisher. 50% longer life than conventional diamond impregnated pad. Hog hair pad base. 425mm 17 Inch diameter.

| Item    | Step | Price |
|---------|------|-------|
| ETDS171 | 1    | 97    |
| ETDS172 | 2    | 74    |
| ETDS173 | 3    | 74    |



**DiaShineX Pad**

Suitable to polish old surfaces of stone and terrazzo as well as concrete overlay. You can get a fine grind and polished finish without any chemicals. For light and heavy grinders.

| Code      | Grit#     | Diameter | Price |
|-----------|-----------|----------|-------|
| DSX7050   | 50 grit   | 175      | 57    |
| DSX7100   | 100 grit  | 175      | 57    |
| DSX7200   | 200 grit  | 175      | 57    |
| DSX7400   | 400 grit  | 175      | 57    |
| DSX7800   | 800 grit  | 175      | 57    |
| DSX71500  | 1500 grit | 175      | 57    |
| DSX73000  | 3000 grit | 175      | 57    |
| DSX9050   | 50 grit   | 230      | 66    |
| DSX9100   | 100 grit  | 230      | 66    |
| DSX9200   | 200 grit  | 230      | 66    |
| DSX9400   | 400 grit  | 230      | 66    |
| DSX9800   | 800 grit  | 230      | 66    |
| DSX91500  | 1500 grit | 230      | 66    |
| DSX93000  | 3000 grit | 230      | 66    |
| DSX10050  | 50 grit   | 250      | 82    |
| DSX10100  | 100 grit  | 250      | 82    |
| DSX10200  | 200 grit  | 250      | 82    |
| DSX10400  | 400 grit  | 250      | 82    |
| DSX10800  | 800 grit  | 250      | 82    |
| DSX101500 | 1500 grit | 250      | 82    |
| DSX103000 | 3000 grit | 250      | 82    |
| DSX11050  | 50 grit   | 270      | 92    |
| DSX11100  | 100 grit  | 270      | 92    |
| DSX11200  | 200 grit  | 270      | 92    |
| DSX11400  | 400 grit  | 270      | 92    |
| DSX11800  | 800 grit  | 270      | 92    |
| DSX111500 | 1500 grit | 270      | 92    |
| DSX113000 | 3000 grit | 270      | 92    |
| DSX13050  | 50 grit   | 330      | 104   |
| DSX13100  | 100 grit  | 330      | 104   |
| DSX13200  | 200 grit  | 330      | 104   |
| DSX13400  | 400 grit  | 330      | 104   |
| DSX13800  | 800 grit  | 330      | 104   |
| DSX131500 | 1500 grit | 330      | 104   |
| DSX133000 | 3000 grit | 330      | 104   |

\*For extra high gross polish #10000 grit is available.



## ***Diamond Blades for Repair***

### ***V Crack Chaser Laser Welded - DRY***

To grout and widen cracks in concrete. Can make an ideal V groove for sealing preparation. Segment height 12mm

| Code     | Size Inch | Size mm    | Price |
|----------|-----------|------------|-------|
| CCL10006 | 4 X ¼     | 100 X 6.0  | 91    |
| CCL10012 | 4 X ½     | 100 X 12.0 | 145   |
| CCL12506 | 5 X ¼     | 125 X 6.0  | 116   |
| CCL12512 | 5 X ½     | 125 X 12.0 | 167   |
| CCL18006 | 7 X ¼     | 180 X 6.0  | 159   |
| CCL18012 | 7 X ½     | 180 X 12.0 | 228   |
| CCL20012 | 8 X ½     | 200 X 12.0 | 221   |



### ***U Groove Crack Chaser Laser Welded - DRY***

Segment height 10mm

| Code     | Size Inch | Size mm    | Price |
|----------|-----------|------------|-------|
| UCL10010 | 4         | 100 X 10.0 | 124   |



### ***Super Wide Grooving Blades Laser Welded - DRY***

Able to cut or groove the width of 16mm by zigzag segments. Four kicker segments on both sides for slope cut.

| Code    | Bond   | Segment Thickness mm | Price |
|---------|--------|----------------------|-------|
| SWT125S | Soft   | 8.0 X 2              | 347   |
| SWT125M | Medium | 8.0 X 2              | 347   |



### ***Grout Removal Blade TCT Vacuum Brazed***

Designed to remove the grout from expansion joints that are filled with any soft filler such as polyurethane or non hardening epoxies.

| Code   | Size Inch | Size mm   | Price |
|--------|-----------|-----------|-------|
| TGR180 | 7 X ¼     | 180 X 6.4 | 213   |
| TGR250 | 10 X ½    | 250 X 6.4 | 296   |
| TGR300 | 12 X ½    | 300 X 6.4 | 372   |



### ***Multi Grooving Blades Laser Welded - DRY or WET***

To make grooves on the concrete floor with multiple blades. Fast cutting and long life. Segment height .275 inches or 7mm.

| Code    | Diameter Inch | X Segment Thickness mm | Arbor (mm) | Price |
|---------|---------------|------------------------|------------|-------|
| MGB1222 | 5 X .087      | 125 X 2.2              | 50         | 53    |
| MBG1522 | 6 X .087      | 150 X 2.2              | 55         | 49    |
| MGB2524 | 10 X .095     |                        | Hexagon    | 111   |
| MGB2560 | 10 X .236     | 250 X 6.0              | 250 X 2.4  | 130   |



| Code    | Diameter Inch | X Segment Thickness mm | Arbor (mm)               | Price |
|---------|---------------|------------------------|--------------------------|-------|
| MGB2724 | 10 5/8 X .095 | 270 X 2.4              | Hexagon with 6 pin holes | 120   |
| MBG3232 | 12 5/8 X .125 | 320 X 3.2              | 127mm with 8 pin holes   | 188   |
| MGB3250 | 12 5/8 X .196 | 320 X 5.0              | 127mm with 8 pin holes   | 243   |
| MGB4032 | 16 X .125     | 400 X 3.2              | 75mm with 5 pin holes    | 218   |
| MGB4536 | 18 X .136     | 450 X 3.6              | 60mm key hole            | 293   |



## **EQ Magnet System**

### **EQ Tool Change System**

Easy and quick tool change system. Can use universal diamond tools. User friendly design to change tools. Strong magnet to hold the metal diamonds in place. Various models for your needs.



Trapezoid metal diamond

D75~D80mm resin diamond disc

Cavity with wall to protect from falling off



1. Setting of metal diamonds

2. Completion of metal diamonds

3. Attachment of resin diamonds

4. Completion of resin diamonds

### **Easy tool change system of magnet base**

| Code       | Grinder     | Cavity                  | Price |
|------------|-------------|-------------------------|-------|
| EQH1803T   | HTC420      | 3 trapezoids            | 180   |
| EQH2306T   | HTC500, 650 | 6 trapezoids            | 285   |
| EQH2303T3R | HTC500, 650 | 3 trapezoids + 3 rounds | 285   |
| EQH2706T   | HTC800, 950 | 6 trapezoids            | 270   |



EQH180-3T



EQH230-6T



EQH230-3T3R



EQH270-6T

| Code     | Grinder                    | Cavity         | Price |
|----------|----------------------------|----------------|-------|
| EQQ2306T | Husqvarna PG 530, 680      | 6 trapezoids   | 285   |
| EQQ2706T | Husqvarna PG 690, 820, 830 | 6 trapezoids   | 330   |
| EQK2406T | Klindex                    | 6 trapezoids   | 330   |
| EQT2703R | Terrco, PrepMaster2420     | 3 round metals | 510   |
| EQT3203R | Terrco3100, PrepMaster3100 | 3 round metals | 570   |



EQQ240-6T



EQQ270-6T



EQK240-6T



EQT270-3R



EQT320-3R

## Snap On System

### EQ Snap On System

Conversion tool holder for Husqvarna shoe to HTC grinder.

| Code    | Grinder      | Slot | Price |
|---------|--------------|------|-------|
| EQSH239 | HTC 500, 650 | 6    | 285   |
| EQSH270 | HTC 800, 950 | 6    | 315   |



### Velcro backed plate for resin disc

| Code       | Diameter (inch) | Remarks                 | Price |
|------------|-----------------|-------------------------|-------|
| EQH1803T   | 3               | With hole for resin dot | 19    |
| EQH2306T   | 3 3/8           | Round                   | 19    |
| EQH2303T3R | Trapezoid       | Round                   | 19    |
| EQH2706T   | 3 3/8           | With hole for resin dot | 27    |
| EQH2706T   | 3 3/8           | With wall               | 29    |
| EQH2706T   | Trapezoid       | With hole for resin dot | 20    |



VRP75



VRP84



VTS



VRL



VRT



VTH

## Resin Holder

### Spring Holder

| Code       | Grinder      | Cavity         | Price |
|------------|--------------|----------------|-------|
| SHH 3R 230 | HTC 500, 650 | 3 resins       | 172   |
| SHH 3M 270 | HTC 800, 950 | 3 magnet traps | 308   |
| SHH 6R 270 | HTC 800, 950 | 6 resins       | 239   |



SHH 3R 230



SHH 3M 270



SHH 6R 270

### Plastic Holder

Velcro backed plastic holder for resin diamonds

| Code      | Grinder      | Cavity         | Price |
|-----------|--------------|----------------|-------|
| PHH230-3H | HTC 500, 650 | 3 hockey pucks | 120   |
| PHH270-3H | HTC 800, 950 | 3 hockey pucks | 124   |
| PHD240-3H | Diamatic 780 | 3 hockey pucks | 124   |



PHH230-3H



PHH270-3H



PHD240-3H





***Unit 7B, 30-32 Barcoo St, Roseville NSW 2069***

***Shop Online: [www.diamach.com.au](http://www.diamach.com.au)***

***Call 02 8915 5095 or 0417 466 505***

***The products listed in this catalogue are made in Korea and of the highest quality.***