



DIAMACH


GENERAL CATALOGUE

**Unit 7, Level 1 Building
B1, 30-32 Barcoo St,
ROSEVILLE NSW 2069**

**Office 02 8915 5095
Nic Hoskin 0417 466 505**

sales@diamach.com.au

Shop: diamach.com.au



DIAMACH was founded by my father, Dennis Hoskin and I in 2010. We were looking for a brand name for our rapidly expanding range of Diamond Tools. In keeping with family tradition, our company, Hoskin Diamond Products registered the name which stood for DIA (diamond) MA (Max) and CH (Charlie), his grandchildren.

I had worked with my father since 1994. First with AUSBIT, an Australian manufacturer of diamond blades, and then with Hoskin Diamond Products, the company he set up when AUSBIT was sold to another diamond tool supplier. We worked together for almost 20 years. We established the first online diamond toolstore in Australia, and grew our business well beyond Sydney where we were based.

I had a keen interest in the artistic side of stoneworking tools, and began to import carbide tipped chisels from the USA and the UK. This part of the business has flourished as we soon became one of the few suppliers of stone carving tools in Australia. Today i have great pride in the range of tools i supply, and the service i provide. I also strive to offer the best value to my customers.

I hope you find this catalogue informative, it's one of 4 that we offer, including Stone Processing, Surface Preparation and Stoneworking. Our online store features over 4,000 products including those shown here.

We welcome all enquiries and are proud to offer personal service and commitment to our clients into the future.

Cheers

Nic



TIGER Concrete Flush Cut Blades

For cutting and shaping stone and concrete. Unique segment design for faster cooling and better dry cutting performance. Diamond inserts to resist blade jamming and premature wear. M14 thread suits popular grinders.

Code	Spec	Price
125TIGERSBM14	125mm Ø x 22.2mm Bore/M14	40
150TIGERSBM14	150mm Ø x 22.2mm Bore/M14	56
180TIGERSBM14	180mm Ø x 22.2mm Bore/M14	68
230TIGERSBM14	230mm Ø x 22.2mm Bore/M14	88



TIGER Sandstone Flush Cut Blades

For cutting and shaping sandstone and abrasive materials. Unique segment design for faster cooling and better dry cutting performance. Diamond inserts to resist blade jamming and premature wear. M14 thread suits popular grinders.

Code	Spec	Price
105TIGERHBM14	105mm Ø x 22.2mm Bore/M14	33
125TIGERHBM14	125mm Ø x 22.2mm Bore/M14	40
150TIGERHBM14	150mm Ø x 22.2mm Bore/M14	56
180TIGERHBM14	180mm Ø x 22.2mm Bore/M14	68
230TIGERHBM14	230mm Ø x 22.2mm Bore/M14	88



CARVER Granite Flush Cut Blades

For cutting and shaping granite and hard stones. Wide grinding face for surface working hard stone. Sorter bond diamond on a thicker steel centre for maximum strength and performance. M14 thread suits popular grinders.

Code	Spec	Price
75CARVER	75mm Ø x 22.2mm Bore/M14	36
110CARVER	110mm Ø x 22.2mm Bore/M14	39
125CARVER	125mm Ø x 22.2mm Bore/M14	50
180CARVER	180mm Ø x 22.2mm Bore/M14	81
230CARVER	230mm Ø x 22.2mm Bore/M14	104



TAIPAN Marble Flush Cut Blades

For shaping and diamond cutting Marble. Very popular with sculptors. Electroplated diamond both sides of blade. Designed for dry cutting. M14 thread suits popular angle grinders.


Code	Spec	Price
105TAIPAN	105mm Ø x 22.2mm Bore/M14	42
125TAIPAN	125mm Ø x 22.2mm Bore/M14	54
180TAIPAN	180mm Ø x 22.2mm Bore/M14	110
230TAIPAN	230mm Ø x 22.2mm Bore/M14	123



TIGER Sandstone Blades Hard Bond HB

For cutting sandstone, concrete block, hebel. Hard bond matrix ensures long life in abrasive materials. Unique segment design for faster cooling and better dry cutting performance. Diamond inserts to resist blade jamming and premature wear.


Code	Spec	Price
105TIGERHB	105mm Ø x 2.2 x 8 x 20/16	26
115TIGERHB	115mm Ø x 2.2 x 8 x 22.23/20	28
125TIGERHB	125mm Ø x 2.2 x 8 x 22.23/20	29
150TIGERHB	150mm Ø x 2.4 x 8 x 25.4/22.23	53
180TIGERHB	180mm Ø x 2.6 x 8 x 25.4/22.23	57
200TIGERHB	200mm Ø x 2.6 x 10 x 30/25.4	69
230TIGERHB	230mm Ø x 2.6 x 10 x 22.23	77
250TIGERHB	250mm Ø x 3.0 x 10 x 30/25.4	105



TIGER Concrete Blades Soft Bond SB

For cutting masonry incl hard brick, reinforced concrete. Soft bond matrix ensures fast cutting of hard materials. Unique segment design for faster cooling and better dry cutting performance. Diamond inserts to resist blade jamming and premature wear.


Code	Spec	Price
105TIGERSB	105mm Ø x 2.2 x 8 x 20/16	26
115TIGERSB	115mm Ø x 2.2 x 8 x 22.23/20	28
125TIGERSB	125mm Ø x 2.2 x 8 x 22.23/20	29
150TIGERSB	150mm Ø x 2.4 x 8 x 25.4/22.23	53
180TIGERSB	180mm Ø x 2.6 x 8 x 25.4/22.23	57
200TIGERSB	200mm Ø x 2.6 x 10 x 30/25.4	69
230TIGERSB	230mm Ø x 2.6 x 10 x 22.23	77
250TIGERSB	250mm Ø x 3.0 x 10 x 30/25.4	105



RAZOR Ultra Thin Reinforced Turbo

For cutting the hardest tile with ease. Unique reinforced centre for straighter cutting. Ultra-thin for minimal tile wastage and faster cutting. Turbo style for better dry performance


Code	Spec	Price
105RAZOR	105mm \varnothing x 1.2 x 7 x 20/16	20
115RAZOR	115mm \varnothing x 1.2 x 7 x 22.23/20	22
125RAZOR	125mm \varnothing x 1.2 x 7 x 22.23/20	24



DIAMESH Reinforced Mesh Turbo Blades

Thicker, reinforced centre section for faster, more accurate cutting. Mesh style rim and vent holes for fast cooling in longer cuts. Performs very well in structural porcelain and other hard stone/ceramics.

Code	Spec	Price
105DIAMESH	105mm \varnothing x 1.6 x 10 x 20/16	20
115DIAMESH	115mm \varnothing x 1.6 x 8 x 22.23/20	22
125DIAMESH	125mm \varnothing x 1.6 x 10 x 22.23/20	24
150DIAMESH	150mm \varnothing x 1.6 x 10 x 25.4/22.23	46
180DIAMESH	180mm \varnothing x 1.6 x 10 x 25.4/22.23	54
200DIAMESH	200mm \varnothing x 1.8 x 10 x 30/25.4	75
230DIAMESH	230mm \varnothing x 1.8 x 10 x 22.23	95
250DIAMESH	250mm \varnothing x 2.0 x 10 x 30/25.4	110
300DIAMESH	300mm \varnothing x 2.2 x 10 x 30/25.4	158
350DIAMESH	350mm \varnothing x 2.4 x 10 x 30/25.4	186
400DIAMESH	400mm \varnothing x 2.6 x 10 x 30/25.4	224



Electroplated Marble Blades

For cutting tiles, marble and stone. Electroplated for dry cutting.

Code	Spec	Price
75EPSS	75mm \varnothing x 10	20
105EPSS	105mm \varnothing x 20/16	21
115EPSS	115mm \varnothing x 22.23/20	25
125EPSS	125mm \varnothing x 22.23/20	29
150EPSS	150mm \varnothing x 25.4/22.23	43
180EPSS	180mm \varnothing x 25.4/22.23	60
200EPSS	200mm \varnothing x 30/25.4	75
230EPSS	230mm \varnothing x 22.23	92
250EPSS	250mm \varnothing x 25.4/22.23	128
300EPSS	300mm \varnothing x 30/25.4	180


Prices Include GST – Subject to change & availability – E. & O.E. – Buy Online www.diamach.com.au



CHAMPION Granite Turbo

For cutting hard granites. Turbo style with laser slots to allow better cooling. Made in Korea. Thick blade for stronger cutting performance. 8mm high segment

Code	Spec	Price
LTG105	105mm \varnothing x 2.6 x 8 x 22.23/20	50
LTG115	180mm \varnothing x 2.6 x 8 x 22.23/20	56
LTG125	125mm \varnothing x 2.6 x 8 x 22.23/20	59
LTG150	150mm \varnothing x 2.6 x 8 x 22.23/20	75
LTG180	180mm \varnothing x 2.6 x 8 x 22.23/20	97
LTG200	200mm \varnothing x 2.6 x 8 x 25.4	100
LTG230	230mm \varnothing x 2.6 x 8 x 22.23/20	103



Glass Continuous Rim

For cutting the hard. For cutting mosaics and glass. Premium diamond and excellent cutting characteristics.


Code	Spec	Price
100GLASS	105mm \varnothing x 2.2 x 8 x 20/16	28
110GLASS	110mm \varnothing x 1.0 x 10 x 22.23	39
120GLASS	120mm \varnothing x 1.2 x 10 x 22.23/20	50
150GLASS	150mm \varnothing x 1.2 x 10 x 25.4/22.23	56
180GLASS	180mm \varnothing x 1.4 x 10 x 25.4/22.23	69
200GLASS	200mm \varnothing x 1.4 x 10 x 30.0/25.4	95
230GLASS	230mm \varnothing x 1.8 x 10 x 25.4/22.23	104
250GLASS	250mm \varnothing x 1.5 x 10 x 25.4/22.23	166



J-Slot Continuous Rim

For cutting tiles, marble and stone. J-Slot reduces blade tension, providing straighter cuts and better performance. Also known as music slot blades. Minimal chipping on vitrified, ceramic and porcelain.


Code	Spec	Price
105JSLOT	105mm \varnothing x 1.4 x 8 x 20/16	26
115JSLOT	115mm \varnothing x 1.8 x 8 x 22.23/20	27
125JSLOT	125mm \varnothing x 1.8 x 8 x 22.23/20	28
150JSLOT	150mm \varnothing x 2.0 x 8 x 25.4/22.23	36
180JSLOT	180mm \varnothing x 2.0 x 8 x 25.4/22.23	43
200JSLOT	200mm \varnothing x 2.0 x 8 x 30.0/25.4	64
230JSLOT	230mm \varnothing x 2.0 x 8 x 25.4/22.23	90
250JSLOT	250mm \varnothing x 2.0 x 8 x 25.4/22.23	121
300JSLOT	300mm \varnothing x 2.2 x 10 x 30.0/25.4	145
350JSLOT	350mm \varnothing x 2.2 x 10 x 30.0/25.4	177



VOLCANO Junior Laser Granite Blade

Excellent performance for granite cutting. Fast cutting by soft bond. Durable laser welded blade for safety from segment loss. Longer life than conventional turbo blades. High efficiency of cost per cut.

Code	Spec	Price
LGF125	125mm \varnothing x 2.2 x 8 x 22.23	63
LGF180	180mm \varnothing x 2.2 x 10 x 22.23	89
LGF230	230mm \varnothing x 2.4 x 10 x 22.23	122



S-TYPE Turbo Blade

For cutting and mitreing porcelain and ceramics. Unique S-Type segment for faster cooling. 25mm segment depth


Code	Spec	Price
DST125	125mm \varnothing x 1.6 x 25 x 22.23	32



EHWA Granite Turbo Blade

Excellent performance for granite cutting. Fast cutting by soft bond. Turbo style for chip free performance. Fast cooling. Drop segment for wear protection.


Code	Spec	Price
ETG125	125mm \varnothing x 2.0 x 8 x 22.23/20	47
ETG180	180mm \varnothing x 2.4 x 8 x 25.4/22.23	80
ETG230	230mm \varnothing x 2.4 x 8 x 22.23	113



Graphite Powder Porcelain Blade

Continuous Rim with Laser Slots & Graphite Powder for ultra hard porcelain.


Code	Spec	Price
GRCRC230	230mm (9") x 1.6t x 7w x 30/25.4h	107
GRCRC250	250mm (10") x 1.6t x 7w x 30/25.4h	123
GRCRC300	300mm (12") x 2.0t x 8w x 30/25.4h	184



Continuous Rim Cutter with Laser Slots

Premium Continuous Rim Cutter with Laser Slot for extremely hard tile.





Code	Spec	Price
CRC180	180mm (7") x 1.6t x 7w x 25.4/20h	73
CRC200	200mm (8") x 1.6t x 7w x 30/25.4h	87
CRC230	230mm (9") x 1.6t x 7w x 30/25.4h	92
CRC250	250mm (10") x 1.6t x 7w x 30/25.4h	107
CRC300	300mm (12") x 2.0t x 8w x 30/25.4h	172
CRC350	350mm (14") x 2.6t x 8w x 30/25.4h	208



Porcelain Continuous Rim

For clean cutting the hardest porcelain. Premium Korean quality. Suit most popular tilesaws. Minimal chipping on vitrified, ceramic and porcelain.

Code	Spec	Price
POR100	105mm \varnothing x 1.6 x 7 x 20/16	33
POR115	115mm \varnothing x 1.6 x 7 x 22.23/20	36
POR125	125mm \varnothing x 1.6 x 7 x 22.23/20	39
POR150	150mm \varnothing x 2.0 x 7 x 25.4/22.23	49
POR180	180mm \varnothing x 1.6 x 7 x 25.4/22.23	63
POR200	200mm \varnothing x 1.6 x 7 x 30.0/25.4	71
POR230	230mm \varnothing x 2.0 x 7 x 25.4/22.23	76
POR250	250mm \varnothing x 2.0 x 7 x 25.4/22.23	87
POR300	300mm \varnothing x 2.0 x 10 x 30.0/25.4	119
POR350	350mm \varnothing x 2.6 x 10 x 30.0/25.4	190



EHWA Zensis Segmented Chaser Blades

For cutting brick, concrete and general masonry. Aligned Zensis diamond for maximum lifespan and cutting speed.

Code	Spec	Price
125PLES	125mm \varnothing x 2.0 x 8 x 22.23/20	40
180PLES	180mm \varnothing x 2.4 x 8 x 25.4/22.23	83

CROWN Turbo Hard Stone & Tile Blades

Porcelain, Granite, Dekton, Quartz, Ceramic, Marble Tile. Crown diamond segment for extra strength in demanding materials, with 2.4mm segment width for toughness

Code	Spec	Price
DCT125	125mm \varnothing x 2.4 x 10 x 22.23	22



Super-Wide Blades

For porcelain and ceramic tile mitres and cutting. This is for fast cutting performance.

Code	Spec	Price
SW115	115mm Ø x 1.6 x 25 x 22.23	20
SW125	125mm Ø x 1.6 x 25 x 22.23	30



GRID Blade

For porcelain and ceramic tile mitres and cutting. Thicker centre for straighter cuts and mitres.

Code	Spec	Price
125GRID	125mm Ø x 3.0 x 25 x 22.23	46



Bridgesaw Granite Blades Silent Centre

Made in Korea. New segment design to improve cutting performance. Fast cutting and smooth cutting. Laminated sandwich core to reduce noise. 20mm Sandwich segments for clean cutting. Chip free cutting with narrow slot.

Code	Spec	Price
NSVG353220	350D x 3.2W x 20H x 60/50B	401
NSVG403220	400D x 3.2W x 20H x 60/50B	453
NSVG453620	450D x 3.6W x 20H x 60/50B	548
NSVG504020	500D x 4.0W x 20H x 60/50B	786
NSVG604020	600D x 4.0W x 20H x 60/50B	865
NSVG654220	650D x 4.2W x 20H x 60/50B	1259



Bridgesaw Engineered Blades Silent Centre

Made in Korea. Suitable for Caesarstone, Silestone, Technistone and other brands of engineered stone. Fast speed and chip free clean cutting. Silent blade with laminated steel core to reduce noise. 20mm high segment.

Code	Spec	Price
NSE3003220	305D x 3.2W x 20H x 60/50B	343
NSE3503220	350D x 3.2W x 20H x 60/50B	411
NSE403220	400D x 3.2W x 20H x 60/50B	494
NSE453620	450D x 3.6W x 20H x 60/50B	618
NSE504020	500D x 4.0W x 20H x 60/50B	844
NSE604020	600D x 4.0W x 20H x 60/50B	948
NSE654220	650D x 4.2W x 20H x 60/50B	1224



Bridgesaw Marble Blades Silent Centre

Made in Korea. Suitable for all types of Marble. Fast speed and chip free clean cutting. Silent blade with laminated steel core to reduce noise. 10mm high segment. Narrow slot.

Code	Spec	Price
NSM303210	305D x 3.2W x 10H x 60/50B	264
NSM353210	350D x 3.2W x 10H x 60/50B	299
NSM403210	400D x 3.2W x 10H x 60/50B	364
NSM453610	450D x 3.6W x 10H x 60/50B	467
NSM504010	500D x 4.0W x 10H x 60/50B	546
NSM554010	550D x 4.0W x 10H x 60/50B	671
NSM604010	600D x 4.0W x 10H x 60/50B	832
NSM654210	650D x 4.2W x 10H x 60/50B	1245



Bridgesaw Dekton Blades Silent Centre

Made in Korea. Suitable for Dekton, Neolith and Lapitec. Engineered to cut ultra compact surface. Very narrow slot design minimises the chipping on the sharp edges. Excellent cost performance.


Code	Spec	Price
DKQ352810	350D x 2.8W x 10H x 50B	356
DKQ403010	400D x 3.0W x 10H x 50B	420
DKQ453210	450D x 3.2W x 10H x 50B	499
Mitrecut		
MCD352810	350D x 2.8W x 10H x 60/50B	511
MCD403010	400D x 3.0W x 10H x 60/50B	613



Bridgesaw Quartzite Blades Silent Centre

Made in Korea. With 15mm split segment. Silver brazed wet use only. Designed for cutting miter on quartzite. Extremely soft bond for very hard quartzite. The reinforced steel plate can cope with the pressure that is placed on the segment when cutting the angles. Unique turbo segments for smooth cutting

Code	Spec	Price
NSSQ403215	350W x 2.8W x 10H x 50B	356
Mitrecut		
MCQ353210	350mm x 3.2 x 10mm	511
MCQ403210	400mm x 4.2 x 10mm	613



EHWa Tornado Wallchaser Blades

For cutting brick, concrete and general masonry. Premium EHWa quality from Korea.

Code	Spec	Price
ETT125	125mm \emptyset x 2.0 x 8 x 22.23/20	52
ETT150	150mm \emptyset x 2.4 x 8 x 25.4/22.23	62
ETT180	180mm \emptyset x 2.4 x 8 x 22.23	80
ETT200	200mm \emptyset x 2.4 x 8 x 22.23	84
ETT230	230mm \emptyset x 2.4 x 8 x 25.4/22.23	113
FTT250	250mm \emptyset x 2.4 x 8 x 25.4/22.23	132



Crack Chaser Blades

For widening cracks in concrete before repair. V shape allows for various groove widths. Laser Welded. Designed for dry cutting

Code	Spec	Price
CCL1056	105mm \emptyset x 6 x 10 x 20/16	91
CCL10510	105mm \emptyset x 10 x 10 x 20/16	145
CCL1256	125mm \emptyset x 6 x 10 x 22.23	116
CCL12510	125mm \emptyset x 10 x 10 x 22.23	167
CCL1806	180mm \emptyset x 6 x 10 x 22.23	159
CCL18010	180mm \emptyset x 10 x 10 x 22.23	228



Contour Sink Cut-Out Blade

For cutting out sinks and curves in granite and other hard stone. Robust construction with diamond inserts to assist in curve cutting.

Code	Spec	Price
125CONT	125mm \emptyset x 4 x 10 x 22.23mm Bore	68



Bridgesaw Porcelain Blades Silent Centre

Dia-Tex premium Italian made porcelain and compact surface blades. Wet use only on bridgesaws

Code	Spec	Price
38669	300mm J Slot Porcelain	308
39308	350mm J Slot Porcelain	313
39511	360mm Porcelain	442
39513	410mm Porcelain	542
Mitrecut		
42067	410mm Mitre Cut	616
39089	350mm Fortyfive	557



Tuck Pointing Blades

For removing mortar joints in brick and stonework. Hard bond for maximum life in very abrasive materials. Laser Welded. Designed for dry cutting. 6,8 or 10mm Wide segment with undercut protection

Code	Spec	Price
STPP1056	105mm \emptyset x 6 x 10 x 20/16	73
STPP1058	105mm \emptyset x 8 x 10 x 20/16	97
STPPP10510	105mm \emptyset x 10 x 10 x 20/16	99
STPP1156	115mm \emptyset x 6 x 10 x 22.23	87
STPP1158	115mm \emptyset x 8 x 10 x 22.23	107
STPP11510	115mm \emptyset x 10 x 10 x 22.23	115
STPP1256	125mm \emptyset x 6 x 10 x 22.23	88
STPP1258	125mm \emptyset x 8 x 10 x 22.23	114
STPP12510	125mm \emptyset x 10 x 10 x 22.23	128
STPP1806	180mm \emptyset x 6 x 10 x 22.23	148
STPP1808	180mm \emptyset x 8 x 10 x 22.23	166
STPP18010	180mm \emptyset x 10 x 10 x 22.23	192



Milling Wheel

For milling natural & artificial stone. Used on bridgesaws to calibrate stone. 10mm high x 40mm wide angled diamond segments. Nylon centre to reduce noise & vibration. Premium quality diamond segments, supplied with 60mm bore & reducing bush to 50mm.

Code	Spec	Price
350MILL40	350mm \emptyset x 40 x 10 x 60/50	1386

SANDSTONE Blades


Made in Korea. Hard bond for long life in abrasive materials. Great performance in all Australian sandstone.

Code	Spec	Price
Standard Centre		
LSS403210	400D x 3.2W x 10H	248
LSS453610	450D x 3.6W x 10H	323
LSS504010	500D x 4.0W x 10H	417
LSS604210	600D x 4.2W x 10H	551
LSS664210	650D x 4.2W x 10H	797
LSS754510	750D x 4.5W x 10H	1100
Silent Centre		
SSS907010	900D x 7.0/6.0W x 10H	1744
SSS1007010	1000D x 7.0/6.0W x 10H	2056
SSS1057010	1050D x 7.0/6.0W x 10H	2535
SSS1207010	1200D x 7.0/6.0W x 10H	3335

**CONCRETE Blades**


Made in Korea. PROSPECS Premium concrete blade. Long life and fast speed in all concrete. Suits walk behind machines. 1" bore with pin hole.

Code	Spec	Price
WCFM353210	350D x 3.2W x 10H	207
WCFM403210	400D x 3.2W x 10H	242
WCFM453610	450D x 3.6W x 10H	319
WCFM504010	500D x 4.0W x 10H	422
WCFM604210	600D x 4.2W x 10H	482
WCFM664210	660D x 4.2W x 10H	600

**CONCRETE BLOCK Blades**

Made in Korea. For wet or dry cutting concrete block, green concrete etc. Long life in abrasive materials. 1" bore for most machines

Code	Spec	Price
Standard Centre		
DBRH303210	300D x 3.2W x 10H	162
DBRH353210	350D x 3.2W x 10H	228
DBRH403210	400D x 3.2W x 10H	273
DBRH503610	500D x 3.6W x 10H	375
Silent Centre		
SDBRH303210	300D x 3.2W x 10H	277
SDBRH353210	350D x 3.2W x 10H	330
SDBRH403210	400D x 3.2W x 10H	341
SDBRH503610	500D x 3.6W x 10H	481
SDBRH604010	600D x 4.0W x 10H	701

**HARD BRICK Blades**

Made in Korea. HB blades can cut the hardest brick, pavers and stones. Excellent for prestressed concrete or precast concrete. High grade diamonds and high diamond concentration. Large slots.


Code	Spec	Price
Standard Centre		
DHBRH303210	300D x 3.2W x 10H	209
DHBRH353210	350D x 3.2W x 10H	253
DHBRH403210	400D x 3.2W x 10H	342
DHBRH453210	450D x 3.2W x 10H	385
DHBRH503610	500D x 3.6W x 10H	440
Silent Centre		
SDHBRH303210	300D x 3.2W x 10H	231
SDHBRH353210	350D x 3.2W x 10H	294
SDHBRH403210	400D x 3.2W x 10H	342
SDHBRH453210	450D x 3.2W x 10H	445
SDHBRH503610	500D x 3.6W x 10H	505

**HANDSAW Blades**

Made in Korea. Bonds for hard or abrasive materials. Excellent cutting speed and life. Wet or Dry cutting. For petrol cutters. 1" bore, stihl bush available.

Code	Spec	Price
Sandstone & Asphalt		
DAH303210	300D x 3.2W x 10H	208
DAH353210	350D x 3.2W x 10H	241
DAH403210	400D x 3.2W x 10H	275
DHBRH453210		385
Concrete		
DCH303210	300D x 3.2W x 10H	166
DCH353210	350D x 3.2W x 10H	195
DCH403210	400D x 3.2W x 10H	231
SDHBRH353210		294
Thin Blades for Electric Saws		
DCH356210	350D x 2.6W x 10H	184
DCH402610	400D x 2.6W x 10H	226
Super Combination Blades		
DCAH353210	350D x 3.2W x 10H	208
DCAH403210	400D x 3.2W x 10H	240





ELITE CONCRETE & MASONRY Core Drills

For drilling concrete, brick and masonry, and with bonds developed over many years to suit Australian conditions and materials. Suitable for use on handheld or stationary machines. Wet use recommended, dry with care in appropriate materials. Crowns in diameters up to 38mm, segmented above 38mm.

Code	Spec	Price
CBE10	10mm Ø x 450mm 1-1/4" UNC	61
CBE12	12mm Ø x 450mm 1-1/4" UNC	66
CBE14	14mm Ø x 450mm 1-1/4" UNC	67
CBE16	16mm Ø x 450mm 1-1/4" UNC	69
CBE18	18mm Ø x 450mm 1-1/4" UNC	69
CBE20	20mm Ø x 450mm 1-1/4" UNC	71
CBE22	22mm Ø x 450mm 1-1/4" UNC	71
CBE24	24mm Ø x 450mm 1-1/4" UNC	72
CBE25	25mm Ø x 450mm 1-1/4" UNC	72
CBE26	26mm Ø x 450mm 1-1/4" UNC	72
CBE28	28mm Ø x 450mm 1-1/4" UNC	75
CBE30	30mm Ø x 450mm 1-1/4" UNC	75
CBE32	32mm Ø x 450mm 1-1/4" UNC	76
CBE35	35mm Ø x 450mm 1-1/4" UNC	80
CBE38	38mm Ø x 450mm 1-1/4" UNC	89
CBE40	40mm Ø x 450mm 1-1/4" UNC	89
CBE42	42mm Ø x 450mm 1-1/4" UNC	89
CBE46	46mm Ø x 450mm 1-1/4" UNC	90
CBE52	52mm Ø x 450mm 1-1/4" UNC	100
CBE56	56mm Ø x 450mm 1-1/4" UNC	102
CBE63	63mm Ø x 450mm 1-1/4" UNC	113
CBE66	66mm Ø x 450mm 1-1/4" UNC	127
CBE72	72mm Ø x 450mm 1-1/4" UNC	143
CBE76	76mm Ø x 450mm 1-1/4" UNC	143
CBE80	80mm Ø x 450mm 1-1/4" UNC	157
CBE82	82mm Ø x 450mm 1-1/4" UNC	157
CBE84	84mm Ø x 450mm 1-1/4" UNC	157
CBE90	90mm Ø x 450mm 1-1/4" UNC	165
CBE102	102mm Ø x 450mm 1-1/4" UNC	177
CBE110	110mm Ø x 450mm 1-1/4" UNC	187
CBE116	116mm Ø x 450mm 1-1/4" UNC	188
CBE127	127mm Ø x 450mm 1-1/4" UNC	200
CBE136	136mm Ø x 450mm 1-1/4" UNC	211
CBE152	152mm Ø x 450mm 1-1/4" UNC	254
CBE165	165mm Ø x 450mm 1-1/4" UNC	293
CBE180	180mm Ø x 450mm 1-1/4" UNC	341
CBE200	200mm Ø x 450mm 1-1/4" UNC	373
CBE230	230mm Ø x 450mm 1-1/4" UNC	476
CBE254	254mm Ø x 450mm 1-1/4" UNC	524
CBE305	305mm Ø x 450mm 1-1/4" UNC	602
CBE355	355mm Ø x 450mm 1-1/4" UNC	736
CBE400	400mm Ø x 450mm 1-1/4" UNC	1007



Extension Rods

For extending core drills to enable deeper drilling. Centre water hole.

Code	Spec	Price
300EXTROD	300mm working length 1-1/4" UNC	64
450EXTROD	450mm working length 1-1/4" UNC	91
600EXTROD	600mm working length 1-1/4" UNC	114

Core Drilling Adapters

For converting between various drills and cores

Code	Spec	Price
12GM114UNCM	1/2" Gas Male to 1-1/4" UNC Male	44
12GF114UNCF	1/2" Gas Female to 1-1/4" UNC F	44
114UNCHILTI	1-1/4" UNC to HILTI	88
HDDBL	1-1/4" UNC to HILTI DD BL	81
HDDEC114	1-1/4" UNC to HILTI DD EC	88
HDDBI	1-1/4" UNC to HILTI DD BI	46
114QRM	1-1/4" UNC Quick Release Male	44
114QRF	1-1/4" UNC Quick Release Female	3
WSWIVEL	Water Swivel	154
114UNCSDSMAX	1-1/4" UNC to SDS Max	57
114MSDS	1-1/4" UNC to SDS	55



60mm Granite & Hard Stone Core Drills

For drilling granite, concrete, brick and stone. 60mm drill depth. Laser Welded, and with bonds developed over many years to suit a variety of Granites. Suitable for use on handheld or stationary machines. M14 & 1/2" Gas threads as standard, adapters available to suit any machine

Code	Spec	Price
6COREGR	6mm Ø x 8 x 1.5 x M14 & ½"G	35
8COREGR	8mm Ø x 8 x 2.0 x M14 & ½"G	35
10COREGR	10mm Ø x 10 x 2.0 x M14 & ½"G	35
12COREGR	12mm Ø x 10 x 2.5 x M14 & ½"G	37
14COREGR	14mm Ø x 10 x 2.5 x M14 & ½"G	40
16COREGR	16mm Ø x 10 x 2.5 x M14 & ½"G	41
18COREGR	18mm Ø x 10 x 2.5 x M14 & ½"G	42
20COREGR	20mm Ø x 10 x 2.5 x M14 & ½"G	42
22COREGR	22mm Ø x 10 x 2.5 x M14 & ½"G	49
25COREGR	25mm Ø x 10 x 2.5 x M14 & ½"G	58
28COREGR	28mm Ø x 10 x 2.5 x M14 & ½"G	61
30COREGR	30mm Ø x 10 x 2.5 x M14 & ½"G	62
32COREGR	32mm Ø x 10 x 3.0 x M14 & ½"G	64
35COREGR	35mm Ø x 10 x 3.0 x M14 & ½"G	67
38COREGR	38mm Ø x 10 x 3.0 x M14 & ½"G	69
40COREGR	40mm Ø x 10 x 3.0 x M14 & ½"G	72
42COREGR	42mm Ø x 10 x 3.0 x M14 & ½"G	65
45COREGR	45mm Ø x 10 x 3.0 x M14 & ½"G	74
50COREGR	50mm Ø x 10 x 3.0 x M14 & ½"G	78
55COREGR	55mm Ø x 10 x 3.0 x M14 & ½"G	84
60COREGR	60mm Ø x 10 x 3.0 x M14 & ½"G	99
65COREGR	65mm Ø x 10 x 3.0 x M14 & ½"G	102
70COREGR	70mm Ø x 10 x 3.0 x M14 & ½"G	102
75COREGR	75mm Ø x 10 x 3.0 x M14 & ½"G	108
80COREGR	80mm Ø x 10 x 3.0 x M14 & ½"G	111
85COREGR	85mm Ø x 10 x 3.0 x M14 & ½"G	116
90COREGR	90mm Ø x 10 x 3.0 x M14 & ½"G	122
95COREGR	95mm Ø x 10 x 3.0 x M14 & ½"G	124
100COREGR	100mm Ø x 10 x 3.5 x M14 & ½"G	125
105COREGR	105mm Ø x 10 x 3.5 x M14 & ½"G	127
110COREGR	110mm Ø x 10 x 3.5 x M14 & ½"G	130
115COREGR	115mm Ø x 10 x 3.5 x M14 & ½"G	135
125COREGR	125mm Ø x 10 x 3.5 x M14 & ½"G	145
135COREGR	135mm Ø x 10 x 3.5 x M14 & ½"G	160
150COREGR	150mm Ø x 10 x 3.5 x M14 & ½"G	165
180COREGR	180mm Ø x 10 x 3.5 x M14 & ½"G	170

Core Drilling Adapters

For converting between various drills and cores

Code	Spec	Price
M14MM14F	M14 Male to M14 Fem Extender	10
12GMM14M	1/2" Gas to M14 Water Swivel/CNC	14
M14MSDS	M14 to SDS	22



Longreach Granite & Hard Stone Core Drills

For drilling granite, concrete, brick and stone. 150mm drill depth. Laser Welded, and with bonds developed over many years to suit a variety of Granites. Suitable for use on handheld or stationary machines. M14 & 1/2" Gas threads as standard, adapters available to suit any machine

Code	Spec	Price
10CORESTONE150	10mm Ø x 10 x 2.0 x M14 & ½"G	50
12CORESTONE150	12mm Ø x 10 x 2.5 x M14 & ½"G	52
14CORESTONE150	14mm Ø x 10 x 2.5 x M14 & ½"G	53
16CORESTONE150	16mm Ø x 10 x 2.5 x M14 & ½"G	55
18CORESTONE150	18mm Ø x 10 x 2.5 x M14 & ½"G	56
20CORESTONE150	20mm Ø x 10 x 2.5 x M14 & ½"G	63
22CORESTONE150	22mm Ø x 10 x 2.5 x M14 & ½"G	66
25CORESTONE150	25mm Ø x 10 x 2.5 x M14 & ½"G	68
28CORESTONE150	28mm Ø x 10 x 2.5 x M14 & ½"G	72
30CORESTONE150	30mm Ø x 10 x 2.5 x M14 & ½"G	73
32CORESTONE150	32mm Ø x 10 x 3.0 x M14 & ½"G	75
35CORESTONE150	35mm Ø x 10 x 3.0 x M14 & ½"G	83
38CORESTONE150	38mm Ø x 10 x 3.0 x M14 & ½"G	89
40CORESTONE150	40mm Ø x 10 x 3.0 x M14 & ½"G	97
45CORESTONE150	45mm Ø x 10 x 3.0 x M14 & ½"G	114
50CORESTONE150	50mm Ø x 10 x 3.0 x M14 & ½"G	119
55CORESTONE150	55mm Ø x 10 x 3.0 x M14 & ½"G	126
60CORESTONE150	60mm Ø x 10 x 3.0 x M14 & ½"G	134
65CORESTONE150	65mm Ø x 10 x 3.0 x M14 & ½"G	138
70CORESTONE150	70mm Ø x 10 x 3.0 x M14 & ½"G	142
75CORESTONE150	75mm Ø x 10 x 3.0 x M14 & ½"G	147
80CORESTONE150	80mm Ø x 10 x 3.0 x M14 & ½"G	156
85CORESTONE150	85mm Ø x 10 x 3.0 x M14 & ½"G	157
90CORESTONE150	90mm Ø x 10 x 3.0 x M14 & ½"G	159
95CORESTONE150	95mm Ø x 10 x 3.0 x M14 & ½"G	162
100CORESTONE150	100mm Ø x 10 x 3.5 x M14 & ½"G	167
115CORESTONE150	115mm Ø x 10 x 3.5 x M14 & ½"G	180
125CORESTONE150	125mm Ø x 10 x 3.5 x M14 & ½"G	188
135CORESTONE150	135mm Ø x 10 x 3.5 x M14 & ½"G	180
150CORESTONE150	150mm Ø x 10 x 3.5 x M14 & ½"G	200

Core Drilling Adapters

For converting between various drills and cores

Code	Spec	Price
KE1010001	M14 Female to 1/2" Gas Fem	42
DPDADR	1/2" Gas to 10mm Pin Drill	64
M14X12	M14 Heavy Duty Shank	9
M14HEX	M14 to Hex Shank	22
M14X8	M14 to 8mm Shank	3





M14 Vacuum Brazed Routers for Grinders

For routing weep holes in stone, chasing mortar and joints in brickwork and similar applications. Fits M14 grinder/polishers, solid shaft, custom lengths and diameters available

Code	Spec	Price
M14X4X50	4mm x 50mm	50
M14X6X50	6mm x 50mm	50
M14X6X130	6mm x 130mm	77
M14X8X50	8mm x 50mm	50
M14X8X130	8mm x 130mm	77
M14X10X50	10mm x 50mm	50
M14X15X50	15mm x 50mm	50
M14X25X50	25mm x 50mm	66



Vacuum Brazed Tile Core Drills

For drilling tiles and hard materials. 40mm drill depth, M14 thread as standard, adapters available to suit any machine. For best results use on a high speed grinder!

Code	Spec	Price
6COREMULTI	6mm \varnothing x M14	12
8COREMULTI	8mm \varnothing x M14	12
10COREMULTI	10mm \varnothing x M14	13
12COREMULTI	12mm \varnothing x M14	13
14COREMULTI	14mm \varnothing x M14	13
16COREMULTI	16mm \varnothing x M14	15
18COREMULTI	18mm \varnothing x M14	18
20COREMULTI	20mm \varnothing x M14	21
22COREMULTI	22mm \varnothing x M14	21
25COREMULTI	25mm \varnothing x M14	22
28COREMULTI	28mm \varnothing x M14	23
30COREMULTI	30mm \varnothing x M14	26
32COREMULTI	32mm \varnothing x M14	27
35COREMULTI	35mm \varnothing x M14	29
38COREMULTI	38mm \varnothing x M14	31
40COREMULTI	40mm \varnothing x M14	33
45COREMULTI	45mm \varnothing x M14	35
50COREMULTI	50mm \varnothing x M14	37
55COREMULTI	55mm \varnothing x M14	39
60COREMULTI	60mm \varnothing x M14	42
65COREMULTI	65mm \varnothing x M14	48
70COREMULTI	70mm \varnothing x M14	58
75COREMULTI	75mm \varnothing x M14	61
80COREMULTI	80mm \varnothing x M14	63
85COREMULTI	85mm \varnothing x M14	66
90COREMULTI	90mm \varnothing x M14	68
95COREMULTI	95mm \varnothing x M14	78
100COREMULTI	100mm \varnothing x M14	85
110COREMULTI	110mm \varnothing x M14	90
115COREMULTI	115mm \varnothing x M14	92
125COREMULTI	125mm \varnothing x M14	98
165COREMULTI	165mm \varnothing x M14	145
170COREMULTI	170mm \varnothing x M14	165
200COREMULTI	200mm \varnothing x M14	170
225COREMULTI	225mm \varnothing x M14	198

M14 Vacuum Brazed Milling Wheels

For routing stone, ideal for edges and cutouts. Fits M14 grinder/polishers, internal water feed option.

Code	Spec	Price
MB10M14	10mm x 50mm x M14	40
MB15M14	15mm x 50mm x M14	42
MB20M14	20mm x 50mm x M14	48
MB25M14	25mm x 50mm x M14	52
MB50M14	50mm x 50mm x M14	80
MB75M14	75mm x 50mm x M14	104



ADI Diamond Blind Hole Pin Drills

For drilling any stone or tile. 10mm shank. Premium ADI Italian quality. Ideal for tactile work. Wet drilling recommended on a high speed drill.

Code	Spec	Price
5ADIPIN	5mm	43
6ADIPIN	6mm	43
7ADIPIN	7mm	46
8ADIPIN	8mm	53
10ADIPIN	10mm	63
12ADIPIN	12mm	75



DIAMACH Diamond Blind Hole Pin Drills

For drilling masonry, stone or tile. 10mm shank. Ideal for tactile work. Wet drilling recommended on a high speed drill.

Code	Spec	Price
6ECOPIN	6mm	14
8ECOPIN	8mm	16



Spiral Matrix Brazed Tile Core Drills

New spiral design for faster drilling in super hard porcelain. 40mm drill depth, M14 thread as standard, adapters available to suit any machine. For best results use on a high speed grinder!

Code	Spec	Price
POR006	6mm \varnothing x M14	12
POR008	8mm \varnothing x M14	12
POR010	10mm \varnothing x M14	13
POR012	12mm \varnothing x M14	13
POR014	14mm \varnothing x M14	13
POR016	16mm \varnothing x M14	15
POR020	20mm \varnothing x M14	21
POR025	25mm \varnothing x M14	22
POR030	30mm \varnothing x M14	26
POR032	32mm \varnothing x M14	27
POR035	35mm \varnothing x M14	29

150mm Diamond Cup Wheels

Suits premium handheld floor grinding machine with dust extraction. 150mm diameter with 19mm bore. Lightweight and excellent performance.

Code	Spec	Price
150SEGCUP16G	150mm #16	174
150SEGCUP30G	150mm #30	154

**Universal Dust Shrouds**


For dust extraction when grinding. Multiple adapters to suit almost all angle grinders. Grinding Shrouds have sliding guard to allow grinding right up to a wall. The cutting shrouds have depth adjustment. All fit standard vacs

Code	Spec	Price
MYA8	125mm Grinding Shroud	42
MYA10	125mm Cutting Shroud	44
MYA9	180mm Grinding Shroud	49
MYA22	230mm Cutting Shroud	103

**Resin Filled Diamond Cup Wheels**

Resin filled for smooth grinding. Ideal for use on bevel edge or delicate materials. M14 thread suits most popular grinders. Perfectly balanced. Colour coded & engraved for easy identification. Made in Korea. Wet use recommended.

Code	Spec	Price
RFCC100	100mm # 30 Grit (Coarse)	111
RFCM100	100mm # 60 Grit (Medium)	111
RFCF100	100mm # 120 Grit (Fine)	111

**Epoxy & Membrane Round PCD Cup Wheels**

Ideal for glue removal, membrane and epoxy grinding. Won't clog and heat up resins. Use in conjunction with other floor grinding wheels. For removal of soft coatings and epoxies. Huge 6mm PCD's for maximum efficiency. Removable M14 flange available.

Code	Spec	Price
BPCD506	125mm 6 PCD 22.23mm B	129
BPCD708	180mm 8 PCD 22.23mm B	184

**Epoxy & Coating Sharp PCD Cup Wheels**

Ideal for membrane and coating removals. Sharp PCD's supported by steel backing for better results in uneven surfaces. Removable M14 flange available.

Code	Spec	Price
PDS125	125mm 12 PCD 22.23mm B	99
PDS180	180mm 24 PCD 22.23mm B	165

**EHWA T-Seg Concrete Cup Wheels**

T-Segment protrudes past edge of the wheel for edge grinding. Extra coarse 16 grit for fast grinding in concrete and masonry. Low height for dust shroud use.

Code	Spec	Price
EDS410	100mm 22.23/20mm B	50
EDS510	125mm 22.23mm B	91
EDS710	180mm 22.23mm B	146

**130mm Festool Compatible Cup Wheels**

Available in various bonds to suit man materials & applications. 130mm diameter

Code	Spec	Price
130TCUPSIL	Silver - Concrete	154
130TCUPRED	Red - Abrasive Materials	154
130TCUPGRN	Green - Hard Concrete and Stone	172
130TCUPPCD	PCD - Coating Remova	169



Turbo Cup Wheels

Premium Korean quality. Heavy duty grinding cup wheel. Various grits and diameters. Ideal for concrete, masonry & stone.

Code	Spec	Price
TCS10016	100mm Ø #16 Grit	74
TCS10030	100mm Ø #30 Grit	74
TCS10060	100mm Ø #60 Grit	74
TCS12516	125mm Ø #16 Grit	104
TCS12530	125mm Ø #30 Grit	104
TCS12560	125mm Ø #60 Grit	104
TCS125120	125mm Ø #120 Grit	104
TCS150	150mm Ø #16 Grit	137
TCS180	180mm Ø #16 Grit	182

**Aluminium Body Turbo Cup Wheels**

Aluminium body for lighter weight, very well balanced. Wide turbo style face in various grits. Ideal for concrete, masonry & stone.

Code	Spec	Price
105TCUPAL16GRIT	105mm Ø #16 Grit x M14	90
125TCUPAL16GRIT	125mm Ø #16 Grit x M14	106
105TCUPAL30GRIT	105mm Ø #30 Grit x M14	86
125TCUPAL30GRIT	125mm Ø #30 Grit x M14	99
105TCUPAL60GRIT	105mm Ø #60 Grit x M14	86
125TCUPAL60GRIT	125mm Ø #60 Grit x M14	99
105TCUPAL120GRIT	105mm Ø #120 Grit x M14	86
125TCUPAL120GRIT	125mm Ø #120 Grit x M14	99

**Lightweight Fan Cup Wheels**

Features lighter weight, and faster grinding with well spaced segments. Ideal for concrete, masonry & stone. 22.23mm bore

Code	Spec	Price
125FANCUP16M	#16 Grit x Medium Bond	99
180FANCUP16M	#16 Grit x Medium Bond	156
125FANCUP30M	#30 Grit x Medium Bond	80
180FANCUP30M	#30 Grit x Medium Bond	136
125FANCUP60M	#60 Grit x Medium Bond	80
180FANCUP60M	#60 Grit x Medium Bond	136
125FANCUP120M	#120 Grit x Medium Bond	80
180FANCUP120M	#120 Grit x Medium Bond	136

**Sandstone Cup Wheels**

Heavy duty 16 grit diamond. Double row segments. Ultra hard bond for long life in abrasive stone. Available with M14 or 22.23mm bore

Code	Spec	Price
DRC125	125mm #16 Grit	110
DRC180	180mm #16 Grit	149

**SORMA Fastline LM Hybrid Flap Disc**

The Sorma Fastline LM guarantees exceptional cutting power on any material with a homogeneous finish, combining the performance of a cup grinding wheel with the ease of use of a flap disc. It is available in 60, 120 and 220 grit, easily distinguishable by colour code, and can be used dry or wet.

Code	Spec	Price
TFSD030021	115mm #60 Grit	92
TFSD030012	115mm #120 Grit	92
TFSD030021	115mm #200 Grit	92



175mm F Type Cup Wheels Suit FLOOREX

These 175mm Cup wheels suit the Floorex machines. Various grits and segment bonds available

Code	Spec	Price
17509F30H	9 Segment 30/40 Grit Hard Bond White	167
17503F30S	3 Segment 30/40 Grit Soft Bond Gold	98
17508F16S	8 Segment 16/20 Grit Soft Bond Black	173
17506F30S	6 Segment 30/40 Grit Soft Bond Brown	132
17506PCDF	6 PCD	117

250mm F Type Cup Wheels Suit FLOOREX

These 250mm Cup wheels suit the Floorex machines. Various grits and segment bonds available

Code	Spec	Price
F250W	9 Segment 30/40 Grit Hard Bond White	322
F250BLK	8 Segment 16/20 Grit Soft Bond Black	343
F250BROWN	6 Segment 30/40 Grit Soft Bond Brown	208
F2506PCDF	6 PCD	172

Profiling Blades

Heavy duty blades mounted on 6mm shaft for grinding and sculpting. Laser welded for granite and other stones.

Code	Spec	Price
PMBB20	20mm x 2mm	59
PMBB30	30mm x 2mm	59
PMBB40	40mm x 3mm	59
PMBB50	50mm x 5mm	59

Mini Cup Wheels

With M14 thread. Ideal for tight spots, corners and detail grinding. Premium quality for Granite and other stones.

Code	Spec	Price
MCW40	40mm x M14	47
MCW50	50mm x M14	60
MCW60	60mm x M14	63
MCW80	80mm x M14	69

VISTA Diamond Cleaning Pads for Polyvac

High performance floor care product to meet the new trend to maintain shiny floors. Diamond coated floor pad for cleaning and maintenance marble, granite polished concrete and terrazzo. Can be used without water. 10 times longer lasting than ordinary floor pad. No need for chemicals or waxes. Use with rotary or auto scrubber or high speed burnisher. 7" (180mm) to 28" (710mm) available

Code	Description	125mm (5")	180mm (7")	230mm (9")	430mm (17")	500mm (20")
DCP##0	#200 Grit #0	35	39	57	77	83
DCP##1	#400 Grit #1	35	39	57	77	83
DCP##2	#800 Grit #2	35	39	57	77	83
DCP##3	#1500 Grit #3	35	39	57	77	83
DCP##4	#3000 Grit #4	35	39	57	77	83
DCP##5	#10000 Grit #5	35	39	57	77	83

ENDURO DIACLEAN Diamond Cleaning Pads for Polyvac


High performance floor care product to meet the new trend to maintain shiny floors. Double Diamond coated long life floor pad for cleaning and maintenance marble, granite polished concrete and terrazzo. Can be used without water. 2 times longer lasting than normal diamond floor pad. No need for chemicals or waxes. Use with rotary or auto scrubber or high speed burnisher. 7" (180mm) to 28" (710mm) available. Hog hair base

Code	Description	400mm (16")	430mm (17")	500mm (20")
EDS##100	#100 Grit	71	80	93
EDS##200	#200 Grit	71	80	93
EDS##400	#400 Grit	71	80	93
EDS##800	#800 Grit	71	80	93
EDS##1500	#1500 Grit	71	80	93
EDS##3000	#3000 Grit	71	80	93
EDS##10000	#10000 Grit	71	80	93

**Mini Turbo Diamond Blades**

With 6mm shaft. Ideal for tight spots, corners and grout cutting. Premium quality for Granite and other stones. Fits die grinders or drills

Code	Spec	Price
50MINIT	50mm	40
65MINIT	65mm	42
85MINIT	85mm	46



REDI-LOCK Diamond Segment Shoes

36 X 12 X 10mm. Premium quality made in Korea.
Long life and fast grinding

Extra Hard Concrete – Yellow

Code	Spec	Price
HQUC18	#18/20 Grit	39
HQUC20	#20/30 Grit	39
HQUC30	#30/40 Grit	36
HQUC60	#60/80 Grit	36
HQUC120	#120/150 Grit	36

Extra Hard Concrete – Yellow

HQVC20	#20/30 Grit	39
HQVC30	#30/40 Grit	36
HQVC60	#60/80 Grit	36
HQVC120	#120/150 Grit	36

Medium Hard Concrete – Blue

HQHC20	#20/30 Grit	39
HQHC30	#30/40 Grit	36
HQHC60	#60/80 Grit	36
HQHC120	#120/150 Grit	36

Medium Concrete – Red

HQMC20	#20/30 Grit	39
HQMC30	#30/40 Grit	36
HQMC60	#60/80 Grit	36
HQMC120	#120/150 Grit	36

Soft Concrete – Black

HQSC20	#20/30 Grit	39
HQSC30	#30/40 Grit	36
HQSC60	#60/80 Grit	36

Abrasive Concrete – Orange

HQAC20	#20/30 Grit	39
HQAC30	#30/40 Grit	36

PCD

HQPCR	Φ13 x 1/4 x 2 Clockwise	88
HQPCL	Φ13 x 1/4 x 2 Anti- Clockwise	88

1/2" Shank Diamond Router Bits

The vacuum brazed diamond router bits with 1/2" shank are to be used with wood routers and CNC machines for profiling granite, marble and other types of stones. The router bits have 30/40 grit diamond for fast edge profiling and feature a tracer bearing for easy use.

Code	Spec	Price
12ROUTST12NB	12mm Straight no bearing	52
12ROUTST12	12mm Straight	52
5ROUTHB12	5mm ½ Bullnose	50
10ROUTHB12	10mm ½ Bullnose	65
20ROUTHB12	20mm ½ Bullnose	75
45ROUT12NB	45 Degree no bearing	52
45ROUT12	45 Degree	52



Diamond Wedge Blocks

For MasterFinish and similar machines. Long life and fast grinding. 4 of 40 x 10 x 10mm segment.

Code	Spec	Price
WEDGEM16GRIT	#16 Grit Extra Coarse	90
WEDGEM30GRIT	#30 Grit Coarse	70
WEDGEM60GRIT	#60 Grit Medium	70
WEDGEM120GRIT	#120 Grit Fine	70



Diamond Latloc Plugs

For floor grinding machines. 50mm diameter with taper. Long life and fast grinding

Code	Spec	Price
Solid		
PLUGM16GRIT	#16 Grit Extra Coarse	99
PLUGM30GRIT	#30 Grit Coarse	92
PLUGM60GRIT	#60 Grit Medium	92
PLUGM120GRIT	#120 Grit Fine	92
Segmented		
PLUGSEG16GRIT	#16 Grit Extra Coarse	99
PLUGSEG30GRIT	#30 Grit Coarse	92
PLUGSEG60GRIT	#60 Grit Medium	92
PLUGSEG120GRIT	#120 Grit Fine	92
PCD		
PLUGPCD2	2 PCD, 1 Button	139



Cretemower Plate

For concrete grinding. 20 segments 40 x 10 x 10mm for maximum life. 16 grit for aggressive grinding

Code	Spec	Price
CRETE2030	#16 Grit	284



1/4" Shank Diamond Router Bits

With 1/4" shank to suit trimmers or die grinders. Cylindrical drum shaped diamond head in various diameters. For all stone and masonry with longer life than brazed burrs

Code	Spec	Price
SB6X6	6mm Diameter	18
SB8X6	8mm Diameter	19
SB10X6	10mm Diameter	20
SB12X6	12mm Diameter	20
SB14X6	14mm Diameter	21
SB16X6	16mm Diameter	21
SB18X6	18mm Diameter	22
SB20X6	20mm Diameter	25



1/2" Shank Diamond Profile Routers

The vacuum brazed diamond router bits with 1/2" shank are to be used with wood routers and CNC machines for profiling granite, marble and other types of stones. The router bits have 30/40 grit diamond for fast edge profiling. No bearing so guides must be used


Code	Spec	Price
12ROUTER6	6mm Straight	38
12ROUTERV20	20mm Bullnose	50
12ROUTERV30	30mm Bullnose	64
12ROUTERV36	36mm Bullnose	76
12ROUTERV40	40mm Bullnose	81



1/2" Shank Diamond Profile Routers

The vacuum brazed diamond router bits with 1/2" shank are to b6.35mm shaft. Ideal for shaping all types of stone. Sintered for longer life in soft stoning. Various shapes for intricate carving. Shapes may vary due to hand grinding and moulding process during manufacture. Optional M14 adapter available

Code	Spec	Price
DYA01	35mm D x 2.6mm H	21
DYB01	25mm D x 6mm H	21
DYC01	25mm D x 6mm H	21
DYD01	12mm D x 20mm H	21
DYE01	15mm D	21
DYF01	12mm D x 15mm H	21
DYG01	12mm D x 25mm H	21
DYH01	22mm D x 5mm H	21
DYI01	22mm D x 8mm H	21
DYJ01	12mm D x 13mm H	21
DYK01	12mm D x 20mm H	21
DYL01	11mm D x 20mm H	21
DYM01	12mm D x 15mm H	21
DYN01	10/15mm D x 16mm H	21
DYP01	15/10mm D x 14mm H	21
DYQ01	14mm D x 13mm H	21



Sintered Sculpting Tools

These segmented routers feature an M14 thread or 22.23mm hole for attachment to an angle grinder or polisher. They also have internal water holes for use with a wet polisher or CNC. Long life in hard stone

Code	Spec	Price
20MUSH	20mm Mushroom	89
25MUSH	25mm Mushroom	97
50MUSH	50mm Mushroom	165
125X50RBPW	125mm x 50mm Reverse Bullnose	323
180X25RBPW	180mm x 25mm Reverse Bullnose	320



M14 Vacuum Brazed Diamond Profile Routers

For forming edges on natural or engineered stone, porcelain tiles and concrete countertops. With a M14 thread they can be used on any variable speed grinders or polishers, plus they feature an internal water feed for optimum cooling of the bit. A guide on the top of the bit rides on the surface of the stone and a rotary toucher controls the depth of cut for consistent shaping. Optimal speed for operation of the profilers is 3000 RPM.

Code	Spec	Price
5ROUTBM14	5mm Half Bullnose	115
10ROUTBM14	10mm Half Bullnose	121
20ROUTBM14	20mm Half Bullnose	163
20ROUTVM14	20mm Bullnose	203
30ROUTVM14	30mm Bullnose	235
35ROUTVBM14	35mm Bullnose	266
40ROUTVBM14	40mm Bullnose	303
50ROUTVBM14	50mm Bullnose	324
20ROUTFM14	20mm Ogee	148
DYQ601	30mm 45 Degree	152



M14 Segmented Diamond Profile Routers

The segmented diamond router bits have a thick diamond segment, giving much longer lifespan than plated diamond wheels. They are aggressive and best suited to abrasive materials like sandstone and concrete. Featuring M14 thread to suit angle grinders, they also have internal water feed for use on wet polishers/grinders.

Code	Spec	Price
B20SSM14	20mm Half Bullnose	215
B30SSM14	30mm Half Bullnose	
V30SSM14	30mm Bullnose	300
V40SSM14	40mm Bullnose	351
V50SSM14	40mm Bullnose	425
E20SSM14	20mm 45 Degeee	



1/4" Shank Vacuum Brazed Burrs

The vacuum brazed diamond router bits with 1/4" 6.35mm shaft. Ideal for shaping all types of stone. Various shapes for intricate carving, rebating, grout removal, corner grinding and more. Optional adapter converts to M14

Code	Spec	Price
VBBURR1	Reverse Countersink	10
VBBURR2	Squarenosed Point	10
VBBURR3	Medium Point	10
VBBURR4	Small Disc	10
VBBURR5	Small Ball	10
VBBURR6	Oval	10
VBBURR7	Sharp Point	10
VBBURR8	Small Bullet	10
VBBURR9	Broad Point	10
VBBURR10	Countersink	10
VBBURR11	Ball	10
VBBURR12	Large Countersink	10
VBBURR13	Rounded Point	10
663M114	M14 to 6/6.3mm Adapter	24



Diamond Sanding Block

For faster sanding and polishing of all types of stone and concrete. Colour coded for easy identification. Ergonomic 90 x 55mm size. Metal bond for maximum lifespan

Code	Spec	Price
DIABLOCK30	#30 Grit	28
DIABLOCK60	#60 Grit	24
DIABLOCK120	#120 Grit	24
DIABLOCK200	#200 Grit	24
DIABLOCK400	#400 Grit	24
DIABLOCK800	#800 Grit	24
DIABLOCK1500	#1500 Grit	24
DIABLOCK3000	#3000 Grit	24



20mm Bullnose Block

For faster sanding and polishing of all types of stone and concrete. Colour coded for easy identification. Ergonomic 90 x 55mm size. Metal bond for maximum lifespan


Code	Spec	Price
20DIABLOCKV50GRIT	#60 Grit	38
20DIABLOCKV120GRIT	#120 Grit	38
20DIABLOCKV200GRIT	#200 Grit	38
20DIABLOCKV400GRIT	#400 Grit	38
20DIABLOCKV800GRIT	#800 Grit	38
20DIABLOCKV1500GRIT	#1500 Grit	38
20DIABLOCKV3000GRIT	#3000 Grit	38



Diamond Sanding Sheet

For faster sanding and polishing of all types of stone and concrete. Colour coded for easy identification. 100 x 100mm size. Metal bond for maximum lifespan


Code	Spec	Price
DIASHEET50GRIT	#50 Grit	35
DIASHEET100GRIT	#100 Grit	35
DIASHEET200GRIT	#200 Grit	35
DIASHEET400GRIT	#400 Grit	35
DIASHEET800GRIT	#800 Grit	35
DIASHEET1500GRIT	#1500 Grit	35
DIASHEET3000GRIT	#3000 Grit	35



30mm Bullnose Block

For faster sanding and polishing of all types of stone and concrete. Colour coded for easy identification. Ergonomic 90 x 55mm size. Metal bond for maximum lifespan


Code	Spec	Price
20DIABLOCKV50GRIT	#60 Grit	38
20DIABLOCKV120GRIT	#120 Grit	38
20DIABLOCKV200GRIT	#200 Grit	38
20DIABLOCKV400GRIT	#400 Grit	38
20DIABLOCKV800GRIT	#800 Grit	38
20DIABLOCKV1500GRIT	#1500 Grit	38
20DIABLOCKV3000GRIT	#3000 Grit	38



Multitool Triangle Sheet

For faster sanding and polishing of all types of stone and concrete. Colour coded for easy identification. Velcro backed. Metal bond for maximum lifespan


Code	Spec	Price
TRIPAD30GRIT	#30 Grit	32
TRIPAD60GRIT	#60 Grit	24
TRIPAD120GRIT	#120 Grit	24
TRIPAD200GRIT	#200 Grit	24
TRIPAD400GRIT	#400 Grit	24
TRIPAD800GRIT	#800 Grit	24
TRIPAD1500GRIT	#1500 Grit	24
TRIPAD3000GRIT	#3000 Grit	24



Multitool Grinding Plates

For faster grinding of concrete and stone. Various grits and attachments

Code	Spec	Price
TRC45	45 Grit Carbide	16
TRIPADAR6	#6 Grit Arrow	60
TRARV6	# 6 Grit Arrow Velcro	5
TRIPADDOT6	#6 Grit Dot	7
TRDV6	#6 Grit Dot Velcro	58
TRT40	#40 Grit Turbo	43



Multitool Blades

For grinding out joints. Various types available for traditional FEIN machines and newer multitools. Vacuum brazed unless stated

Code	Spec	Price
FEINTVB	FEIN Standard	20
FEINTVBXL	FEIN Extra Long	22
FEINEP	FEIN Electroplated	56
MULTIVB	Multitool Standard	20
MULTIVBXL	Multitool Extra Long	22
MULTIINVB	Multitool with cutout	20



Diamond Flap Disc

For fast sanding tile and stone. 115mm diameter 22.23mm bore for angle grinders.

Code	Spec	Price
115DIAFLAP60GRIT	#60 Grit	55
115DIAFLAP100GRIT	#100 Grit	45
115DIAFLAP200GRIT	#200 Grit	45
115DIAFLAP400GRIT	#400 Grit	45

White Resin Polishing Pads

Wet for light coloured stone. Ideal for use on Engineered Stone, Marble & Concrete. Can be used on handheld wet polishers or adapted to floor polisher use. 3mm thick resin for long life.

Code	Spec	Price
75mm (3") Diameter		
75POLPADWHT50GRIT	#50 Grit	15
75POLPADWHT100GRIT	#100 Grit	15
75POLPADWHT200GRIT	#200 Grit	15
75POLPADWHT400GRIT	#400 Grit	15
75POLPADWHT800GRIT	#800 Grit	15
75POLPADWHT1500GRIT	#1500 Grit	15
75POLPADWHT3000GRIT	#3000 Grit	15
75POLPADWHTBUFF	Buff	15
100mm (4") Diameter		
100POLPADWHT50GRIT	#50 Grit	17
100POLPADWHT100GRIT	#100 Grit	17
100POLPADWHT200GRIT	#200 Grit	17
100POLPADWHT400GRIT	#400 Grit	17
100POLPADWHT800GRIT	#800 Grit	17
100POLPADWHT1500GRIT	#1500 Grit	17
100POLPADWHT3000GRIT	#3000 Grit	17
100POLPADWHTBUFF	Buff	17
125mm (5") Diameter		
125POLPADWHT50GRIT	#50 Grit	22
125POLPADWHT100GRIT	#100 Grit	22
125POLPADWHT200GRIT	#200 Grit	22
125POLPADWHT400GRIT	#400 Grit	22
125POLPADWHT800GRIT	#800 Grit	22
125POLPADWHT1500GRIT	#1500 Grit	22
125POLPADWHT3000GRIT	#3000 Grit	22
125POLPADWHTBUFF	Buff	22
150mm (6") Diameter		
150POLPADWHT50GRIT	#50 Grit	30
150POLPADWHT100GRIT	#100 Grit	30
150POLPADWHT200GRIT	#200 Grit	30
150POLPADWHT400GRIT	#400 Grit	30
150POLPADWHT800GRIT	#800 Grit	30
150POLPADWHT1500GRIT	#1500 Grit	30
150POLPADWHT3000GRIT	#3000 Grit	30
150POLPADWHTBUFF	Buff	30
180mm (7") Diameter		
180POLPADWHT50GRIT	#50 Grit	45
180POLPADWHT100GRIT	#100 Grit	45
180POLPADWHT200GRIT	#200 Grit	45
180POLPADWHT400GRIT	#400 Grit	45
180POLPADWHT800GRIT	#800 Grit	45
180POLPADWHT1500GRIT	#1500 Grit	45
180POLPADWHT3000GRIT	#3000 Grit	45
180POLPADWHTBUFF	Buff	45

Dry Resin Polishing Pads

Dry use on Concrete and Stone. Check material specs for suitability, and use PPE. Hexagonal matte style diamond pattern. Suits use on dry sanders and polishers

Code	Spec	Price
100mm (4") Diameter		
100POLPADWHT50GRIT	#50 Grit	17
100POLPADWHT100GRIT	#100 Grit	17
100POLPADWHT200GRIT	#200 Grit	17
100POLPADWHT400GRIT	#400 Grit	17
100POLPADWHT800GRIT	#800 Grit	17
100POLPADWHT1500GRIT	#1500 Grit	17
100POLPADWHT3000GRIT	#3000 Grit	17
100POLPADDRYWHTBUFF	White Buff	17
100POLPADDRYBLKBUFF	Black Buff	17
125mm (5") Diameter		
125POLPADWHT50GRIT	#50 Grit	24
125POLPADWHT100GRIT	#100 Grit	24
125POLPADWHT200GRIT	#200 Grit	24
125POLPADWHT400GRIT	#400 Grit	24
125POLPADWHT800GRIT	#800 Grit	24
125POLPADWHT1500GRIT	#1500 Grit	24
125POLPADWHT3000GRIT	#3000 Grit	24
125POLPADDRYWHTBUFF	White Buff	24
125POLPADDRYBLKBUFF	Black Buff	24
150mm (6") Diameter		
150POLPADWHT50GRIT	#50 Grit	34
150POLPADWHT100GRIT	#100 Grit	34
150POLPADWHT200GRIT	#200 Grit	34
150POLPADWHT400GRIT	#400 Grit	34
150POLPADWHT800GRIT	#800 Grit	34
150POLPADWHT1500GRIT	#1500 Grit	34
150POLPADWHT3000GRIT	#3000 Grit	34
150POLPADDRYWHTBUFF	White Buff	34
150POLPADDRYBLKBUFF	Black Buff	34
180mm (7") Diameter		
180POLPADWHT50GRIT	#50 Grit	39
180POLPADWHT100GRIT	#100 Grit	39
180POLPADWHT200GRIT	#200 Grit	39
180POLPADWHT400GRIT	#400 Grit	39
180POLPADWHT800GRIT	#800 Grit	39
180POLPADWHT1500GRIT	#1500 Grit	39
180POLPADWHT3000GRIT	#3000 Grit	39
180POLPADDRYWHTBUFF	White Buff	39
180POLPADDRYBLKBUFF	Black Buff	39

Hybrid Polishing Pads




For polishing concrete. New generation resin bond. Huge 5mm thick pad with tapered edges for maximum lifespan. Best value concrete pad on the market. Colour coded and velcro backed for easy use. And with white colour they won't stain, perfect for dry use. Now 7mm thick on the 180mm pads! Use appropriate dust protection equipment when using dry.

Code	Spec	Price
100mm (4") Diameter		
100MONSTER50	#50 Grit	25
100MONSTER100	#100 Grit	25
100MONSTER200	#200 Grit	25
100MONSTER400	#400 Grit	25
100MONSTER800	#800 Grit	25
100MONSTER1500	#1500 Grit	25
100MONSTER3000	#3000 Grit	25
125mm (5") Diameter		
125MONSTER50	#50 Grit	30
125MONSTER100	#100 Grit	30
125MONSTER200	#200 Grit	30
125MONSTER400	#400 Grit	30
125MONSTER800	#800 Grit	30
125MONSTER1500	#1500 Grit	30
125MONSTER3000	#3000 Grit	30
180mm (7") Diameter		
180MONSTER50	#50 Grit	50
180MONSTER100	#100 Grit	50
180MONSTER200	#200 Grit	50
180MONSTER400	#400 Grit	50
180MONSTER800	#800 Grit	50
180MONSTER1500	#1500 Grit	50
180MONSTER3000	#3000 Grit	50

M14 Diamond Drums

Used to polish inside radius such as undermount sink holes. 50mm diameter x 38mm high. Wet polishing will generally result in better shine and the tools will last longer. With M14 threads, the wet diamond polishing drums can fit on most polishers and variable speed grinders.

Code	Spec	Price
50DRUMSEG	Segmented	141
50POLDRUM50GRIT	#50 Grit	64
50POLDRUM100GRIT	#100 Grit	64
50POLDRUM200GRIT	#200 Grit	64
50POLDRUM400GRIT	#400 Grit	64
50POLDRUM800GRIT	#800 Grit	64
50POLDRUM1500GRIT	#1500 Grit	64
50POLDRUM3000GRIT	#3000 Grit	64



Electroplated Polishing Pads

Electroplated pads can be used wet or dry. The exposed diamond is much quicker than resin type diamonds in most materials. Plus available in a very coarse 30 grit for fast grinding.

Code	Spec	Price
75mm (3") Diameter		
75POLPADEP30GRIT	#30 Grit	28
75POLPADEP60GRIT	#60 Grit	22
75POLPADEP120GRIT	#120 Grit	22
75POLPADEP200GRIT	#200 Grit	22
75POLPADEP400GRIT	#400 Grit	22
100mm (4") Diameter		
100POLPADEP30GRIT	#30 Grit	38
100POLPADEP60GRIT	#60 Grit	32
100POLPADEP120GRIT	#120 Grit	32
100POLPADEP200GRIT	#200 Grit	32
100POLPADEP400GRIT	#400 Grit	32
125mm (5") Diameter		
125POLPADEP30GRIT	#30 Grit	48
125POLPADEP60GRIT	#60 Grit	42
125POLPADEP120GRIT	#120 Grit	42
125POLPADEP200GRIT	#200 Grit	42
125POLPADEP400GRIT	#400 Grit	42
150mm (6") Diameter		
150POLPADEP30GRIT	#30 Grit	84
150POLPADEP60GRIT	#60 Grit	65
150POLPADEP120GRIT	#120 Grit	65
150POLPADEP200GRIT	#200 Grit	65
150POLPADEP400GRIT	#400 Grit	65
180mm (7") Diameter		
180POLPADEP30GRIT	#30 Grit	110
180POLPADEP60GRIT	#60 Grit	88
180POLPADEP120GRIT	#120 Grit	88
180POLPADEP200GRIT	#200 Grit	88
180POLPADEP400GRIT	#400 Grit	88

Marble Sponge Pads

For polishing marble. Velcro backed wet use. Unique abrasive for marble. High grits for high polish. Low speed recommended

Code	Spec	Price
100mm (4") Diameter		
100MONSTER50	#50 Grit	25
100MONSTER100	#100 Grit	25
100MONSTER200	#200 Grit	25
100MONSTER400	#400 Grit	25
100MONSTER800	#800 Grit	25
100MONSTER1500	#1500 Grit	25
100MONSTER3000	#3000 Grit	25

125mm (5") Diameter

125MONSTER50	#50 Grit	30
125MONSTER100	#100 Grit	30
125MONSTER200	#200 Grit	30
125MONSTER400	#400 Grit	30
125MONSTER800	#800 Grit	30
125MONSTER1500	#1500 Grit	30
125MONSTER3000	#3000 Grit	30

ZEC Semiflexible Discs

For dry grinding. Premium Italian quality. Use dry only on appropriate materials and with PPE

Code	Spec	Price
100ZECF16GRIT	100mm #16 Grit	8
100ZECF24GRIT	100mm #24 Grit	8
100ZECF36GRIT	100mm #26 Grit	8
125ZECF16GRIT	125mm #16 Grit	12
125ZECF24GRIT	125mm #24 Grit	12
125ZECF36GRIT	125mm #36 Grit	12
180ZECF36GRIT	180mm # 36 Grit	13

ZEC Rigid Plastic Discs


For dry grinding. Premium Italian quality. Use dry only on appropriate materials and with PPE

Code	Spec	Price
100ZECRP16GRIT	100mm #16 Grit	9
100ZECRP24GRIT	100mm #24 Grit	9
100ZECRP36GRIT	100mm #26 Grit	9
125ZECRP16GRIT	125mm #16 Grit	11
125ZECRP24GRIT	125mm #24 Grit	11
125ZECRP36GRIT	125mm #36 Grit	11

Antiquing Brushes 100mm


For antiquing surfaces, giving a leathered finish. M14 & snail lock attachment.

Code	Spec	Price
100ANTSL24GRIT	#24 Grit	31
100ANTSL36GRIT	#36 Grit	31
100ANTSL46GRIT	#46 Grit	31
100ANTSL60GRIT	#60 Grit	31
100ANTSL120GRIT	#120 Grit	31
100ANTSL220GRIT	#220 Grit	31
100ANTSL360GRIT	#360 Grit	31
100ANTSL500GRIT	#500 Grit	31

**SAIT Marble Sandpaper**

For wet or dry polishing marble and similar stones. Premium Italian quality. 125mm velcro backed. Use dry only on appropriate materials and with PPE.

Code	Spec	Price
125SAIT40GRIT	#40 Grit	1
125SAIT60GRIT	#60 Grit	1
125SAIT120GRIT	#120 Grit	1
125SAIT220GRIT	#220 Grit	1
125SAIT320GRIT	#320 Grit	1
125SAIT400GRIT	#400 Grit	1
125SAIT600GRIT	#600 Grit	1
125SAIT800GRIT	#800 Grit	1
125SAIT1200GRIT	#1200 Grit	1

**PVA Polishing Wheels**

For dry polishing marble & tile. 100mm diameter. 16mm bore. 8500 RPM Max. Use dry only on appropriate materials and with PPE

Code	Spec	Price
100PVA36GRIT	100mm #36 Grit	9
100PVA60GRIT	100mm #60 Grit	9
100PVA80GRIT	100mm #80 Grit	9
100PVA120GRIT	100mm #120 Grit	9
100PVA220GRIT	100mm #220 Grit	9
100PVA400GRIT	100mm # 400 Grit	9

**Antiquing Brushes 130mm**

For antiquing surfaces, giving a leathered finish. M14 & snail lock attachment.


Code	Spec	Price
130ANTSL24GRIT	#24 Grit	40
130ANTSL36GRIT	#36 Grit	40
130ANTSL46GRIT	#46 Grit	40
130ANTSL60GRIT	#60 Grit	40
130ANTSL120GRIT	#120 Grit	40
130ANTSL220GRIT	#220 Grit	40
130ANTSL360GRIT	#360 Grit	40
130ANTSL500GRIT	#500 Grit	40



MONTOLIT Tile Nibblers

Professional tile nibbler specifically designed for glass and ceramic mosaics. This tool is extremely useful for making classic and artistic mosaics, small finishing touches for angles, special shapes. Made of carbon-alloy steel and forged with the latest technology, it combines excellent finishing and precision with a slim line that makes it ergonomic and well-balanced. The tool has two tungsten carbide cutting wheels with titanium nitride coating. The highly effective lever combined with the concentrated points of contact between the material and the cutting edges guarantees extremely high cutting forces and accurate results. This means that the tool can also be used on vitreous mosaics and high finishing of cuts.

Code	Spec	Price
55W2	Glazed Tile/Mosaic	85
33W	Porcelain	82



MONTOLIT Tutorcut

Straight and perfect cuts, nothing more simple using TUTORCUT, an easy but effective and revolutionary tool. It can be put on every single grinder, you only need to put it on its axle and is blocked, safe and ready to go. This tool is able to maintain accurate linearity and keep the blade on the same line of the tile, the result is an assisted cut straight and free from chipping.

Code	Spec	Price
TURORCUT125	For 125mm Blades	44



MONTOLIT Levelling Lifters

The LEVELLING LIFTERS tool have a large lifting capacity that greatly facilitates the laying of Large Tiles on the wall. It allows micro metrical lifting of the Tile Slab by using a ratchet lever which then positions with precision/perfect levelling. Made of steel and aluminium, they are sold in pairs. Also suitable for cabinetry works.

Code	Spec	Price
LIFTERS	1 x Pair	54



Aluminium Backing Discs

Rigid aluminium for flatter surfaces. Gives the ultimate flat surface. M14 thread. Wet or Dry use. Low profile.

Code	Spec	Price
75BACKERAM14	75mm 3 Inch	16
100BACKERAM14	100mm 4 Inch	23
125BACKERAM14	125mm 5 Inch	37
180BACKERAM14	180mm 7 Inch	66



Super Flexible Backing Discs

Super Flexible for curves. M14 Thread. Recommended for wet use to avoid heat buildup

Code	Spec	Price
100BACKERSFM14	100mm 4 Inch	16

Rubber Backing Discs

Flexible for uneven surfaces or edges. M14 Thread. Recommended for wet use to avoid heat buildup



Code	Spec	Price
100BACKERFM14	100mm 4 Inch	16
125BACKERFM14	125mm 5 Inch	19
180BACKERFM14	180mm 7 Inch	54



Plastic Backing Discs

Semi Flexible with foam. M14 Thread. Recommended for dry use foam allows for heat dissipation

Code	Spec	Price
100BACKERFMM14	100mm 4 Inch	19
125BACKERFMM14	125mm 5 Inch	28
150BACKERFMM14	150mm 6 Inch	27
180BACKERFMM14	180mm 7 Inch	32



Carborundum Hand Rubbing Blocks

150mm x 75mm x 50mm size. For smoothing stone and masonry

Code	Spec	Price
CARBOBLOCKC	Coarse	32
CARBOBLOCKM	Medium	32
CARBOBLOCKF	Fine	32



Silicon Carbide Hand Rubbing Blocks

150mm x 50mm x 50mm size. Sharper, more aggressive shaping of stone and masonry. Made by Norton abrasives.

Code	Spec	Price
SCB20	#20 Grit	33
SCB36	#36 Grit	33
SCB60	#60 Grit	33



MEGAPOXY Construction Adhesives

Made in Australia. Renowned quality and value.

Code	Spec	Price
MEGAPOXY PM	1 Litre Kit	68
PMWH4	4 Litre Kit	151
PMWH20	20 Litre Kit	404

MEGAPOXY PF is a specially formulated structural non-sag epoxy filling paste and adhesive. This easy to use two-part epoxy sets after mixing to an extremely durable adhesive ideal for bonding natural stone, concrete, steel, timber, glass and masonry. Off white colour

MEGAPOXY PF	1 Litre Kit	86
PFWH1.5	4 Litre Kit	165
PFWH4	20 Litre Kit	514

MEGAPOXY 69 is a translucent clear non-sag gel type epoxy. Ideal for structural bonding of metals to metals, metals to concrete and masonry, assembly of granite and marble fabrications, and many other civil engineering applications requiring superior bond strengths. MEGAPOXY 69 is also ideal for structural timber joinery and applications in the marine environment. It retains its high strength after repeated high impact forces

MEGAPOXY 69	1 Litre Kit	67
694	4 Litre Kit	151
6920	20 Litre Kit	490

MEGAPOXY H is recommended as a suitable high strength material for bonding and anchoring steel reinforcement, starter bars and tie bars into concrete, brick work and stone. MEGAPOXY H is also ideal for sealing / waterproofing concrete structures and can be mixed with sand to make mortar systems. The addition of pigments can also be added for industrial floor coatings.

H4	4 Litre Kit	148
H20	20 Litre Kit	490

Carborundum Wedge Blocks

Semi Flexible with foam. M14 Thread. Recommended for dry use foam allows for heat dissipation

Code	Spec	Price
100BACKERFMM14	100mm 4 Inch	19
125BACKERFMM14	125mm 5 Inch	28
150BACKERFMM14	150mm 6 Inch	27
180BACKERFMM14	180mm 7 Inch	32



DIAMACH Merch

Rock our cool logo in our bargain tee's and warm hoodies!

Code	Spec	Price
DMTS...	S,M,L,XI,XXL,XXL	24
HOODIE	L,XL,XXL,XXL	35
TOOLBAG	Canvas	24



ACTICHEM Stone Care

A touch of magic. Great range of stone sealers, cleaners and treatments
Full range available online

Code	Spec	Price
Actisorb poltice stain absorber		
AP151350	350gram	37
AP1514	4kg	204
Tile And Grout Cream Nano tech cream for removing wax, grime, paint et		
AP152500	500ml	37
AP1525	5 Litre	264
Tile And Grout Restore "safe acid" cleaner for heavy duty hard surface cleaning		
AP1605	5 Litre	93
AP16015	15 Litre	259
Grout Restore 20 phosphoric acid cleaner for hard surfaces		
AP1615	5 Litre	49
AP16115	15 Litre	131
Tile And Grout Power Super-strength, ultra-concentrated caustic tile cleaner		
AP1635	5 Litre	67
AP16315	15 Litre	186
Tile And Grout Cleaner LF Low-foam, alkaline tile & grout cleaner		
AP1675	5 Litre	67
AP16715	15 Litre	180
Solv Sealer Pro Penetrating sealer for stone & porcelain Solvent based		
AP169500	500ml	40
AP16925	2.5 Litre	153
AP1695	5 Litre	289
AP16915	15 Litre	837
Preseal Premium preseal and grout-release, for porous stone and tiles		
AP1715	5 Litre	49
AP17115	15 Litre	128
Stone Sealer Pro Premium quality water-based sealer		
AP17225	2.5 Litre	171
AP1725	5 Litre	286
AP17215	15 Litre	838
Graffiti Repel Water-based, Green-star, anti-graffiti sealer.		
AP174500	500ml	60
AP17425	2.5 Litre	256
AP1745	5 Litre	481
AP17415	15 Litre	1408
Solv Sealer Gold Premium solvent based penetrating sealer		
AP176500	500ml	64
AP17625	2.5 Litre	281
AP1765	5 Litre	512
AP17615	15 Litre	1490
Defender SV solvent based water repellent for porous masonry.		
AP672500	500ml	29
AP6725	5 Litre	182
AP67215	15 Litre	509

ACTICHEM Stone Care

Code	Spec	Price
Stone Sealer Gold Premium water based penetrating sealer		
AP177500	500ml	55
AP17725	2.5 Litre	229
AP1775	5 Litre	433
AP17715	15 Litre	1285
Intense Colour enhancing penetrating sealer for low porosity stone		
AP178500	500ml	68
AP17825	2.5 Litre	280
AP1785	5 Litre	533
AP17815	15 Litre	1589
Defender WB Water-based presealer and general water repellent.		
AP1795	5 Litre	139
AP17915	15 Litre	383
Defender CSD Pure High purity consolidator for stone and concrete.		
AP6755	5 Litre	304
AP67515	15 Litre	1008
Polishing Powder marble polishing powder		
AP1811	1kg	83
AP181453	4.53kg	326
Polishing Compound marble polishing compound		
AP1821	1kg	71
AP182453	4.53kg	264
Granite Polish granite polishing cream		
AP183946	946ml	128
Stone Soap Concentrate cleaner for delicate stone surfaces.		
AP184500	500ml	25
AP1845	5 Litre	148
Instastrip Coating remover for use on all surfaces including vinyl & lino		
AP4005	5 Litre	69
AP40015	15 Litre	113
Powerstrip High-performance stripping solution for resilient surfaces		
AP4045	5 Litre	172
AP40415	15 Litre	493
Solv Strip super strength solvent based stripper		
AP4065	5 Litre	172
AP40615	15 Litre	490
Instabuff Super Spray-buff and cleaner in one.		
AP4125	5 Litre	74
Instaseal Acrylic polymer base coat and sealer. Low sheen.		
AP4205	5 Litre	122
AP42015	15 Litre	354
Instagloss Acrylic polymer top coat. High gloss		
AP4225	5 Litre	101
AP42215	15 Litre	292
Instaglaze Ultra-high solids (UHS) burnishable top coat. High gloss		
AP4255	5 Litre	148
AP42515	15 Litre	431
Pro-Neutro Top-class neutral detergent for all applications		
AP6621	1 Litre	25
AP6625	5 Litre	43
AP66215	15 Litre	110



LITHOFIN Stone Care

German quality. Great range of stone sealers, cleaners and treatments
Full range available online

Code	Spec	Price
LFKSTNST01	KF Stain-stop 1 Litre tile sealer	80
LFNANOTOP01	PRO Nanotop 1 Litre high performance natural stone protector	200
LFSTNST0.5	MN Stain-stop 500ml natural stone sealer	57
LFSTNST01	MN Stain-stop 1 Litre natural stone sealer	96
LFSTNST05	MN Stain-stop 5 Litre natural stone sealer	474
LFSTNSTPLUS01	MN Stain-stop Plus 1 Litre colour enhancing natural stone sealer	111
LFSTNSTPLUS05	MN Stain-stop Plus 5 Litre colour enhancing natural stone sealer	526
LFVE01	PRO FVE 1 litre natural stone maximum enhancing sealer	200
LFSTNSTW01	MN Stain-stop W 1 Litre water based natural stone sealer	94
LFSTNSTW05	MN Stain-stop W 5 Litre water based natural stone sealer	425
LFMNSTE01	MN Stain-stop ECO 1 Litre limestone sealer	91
LFMNSTE05	MN Stain-stop ECO 5 Litre limestone sealer	437
LFMCLRINT01	MN Colour Intensifier 1 Litre	57
LFMCLRINT05	MN Colour Intensifier 5 Litre	267
LFMPOLLIQ01	MN Polish Liquid-Wax 1 Litre	57
LFPRO05	PRO Impregator 5 Litre pre-sealer	371
LFMBLDCLN01	MN Builders Clean 1 Litre	34
LFMBLDCLN05	MN Builders Clean 5 Litre	163
LFMOUTCLN01	MN Outdoor Cleaner 1 Litre	30
LFMPWRCLN01	MN Power-Clean 1 Litre	33
LFMPWRCLN05	MN Power-Clean 5 Litre	156
LFWAXOFF01	Wax-off 1 Litre	49
LFASR01	ASR Special Cleaner 1 Litre	50
LFASR05	ASR Special Cleaner 5 Litre	233
LFMECLNS0.5	MN Easy-Clean Spray 500ml	19
LFMECLNS01	MN Easy-Clean 1 Litre refill	24
LFMPOLCRM150	MN Polish Cream 150 MI	21
LFMPOLCRM500	MN Polish Cream 500 MI	36
LFGDCLN01	Daily Care Cleaner 1 Litre Green	21
LFGMSCLN05	Multi Surface Cleaner 500ml Spray	42
LFGSANICLN05	Sanitary Cleaner 500ml Spray	22
LFGDEEPCLN01	Deep Cleaner 1 Litre Green	41
LFMNECARE01	MN Easy-Care 1 Litre	33
LFMNECARE05	MN Easy-Care 5 Litre	152
LFMBATHCLN05	MN Bathroom Cleaner 500 MI	25
LFMBATHCLN01	MN Bathroom Cleaner Refill 1 Litre	27
LFKMILDAW05	KF Mildew-away Spray 500 MI	33

GUARDIT Green Products

Code	Spec	Price
Green Acid Replacement Green Acid is a safe alternative to harsh acids, replacing hydrochloric acid in the removal of cement residue, mortar residue and efflorescence		
GAR1	1 Litre	20
GAR5	5 Litre	68
GAR15	15 Litre	139
Eco Degreaser Environmentally responsible, soy-based degreaser which contains no toxic chemicals and is highly effective in the removal of soot, grease and oil from all surfaces		
DEG1	1 Litre	17
DEG5	5 Litre	60
DEG5	15 Litre	146
Porous All Stone Sealer Environmentally responsible, penetrating, water-based, high-performance protective sealer		
ASSP1	1 Litre	40
ASSP5	5 Litre	161
ASSP15	15 Litre	445
Dense All Stone Sealer Environmentally responsible, penetrating, water-based, high-performance protective sealer		
ASSD1	1 Litre	42
ASSD5	5 Litre	173
ASSD15	15 Litre	477
Soy All Stone Graffiti Remover Gel Safe to use, contains no toxic chemicals and is highly effective in removing graffiti from porous surfaces		
GRAFREM5	5 Litre	132
GRAFREM15	15 Litre	327
Soy Safe Sensitive Graffiti Remover Safe to use, contains no toxic chemicals and is highly effective in removing graffiti from sensitive surfaces.		
1GRAFSEN	1 Litre	39
5GRAFSEN	5 Litre	126
15GRAFSEN	15 Litre	323
Graffiti Shield Invisible protective coating specifically designed for porous surfaces from being defaced by graffiti		
GRAFSHLD5	5 Litre	308
GRAFSHLD15	15 Litre	817
Paving & Concrete Cleaner heavy duty, water based degreaser which contains revolutionary, high performance Soy solvent for the safe removal of industrial grease, oil, dirt and grime from hard surfaces		
PCC5	5 Litre	84
PCC15	15 Litre	207
MVR safe alternative to harsh acids used in the removal of, Manganese, Vanadium and Rust stains.		
MVR1	1 Litre	45
MVR5	5 Litre	146
MVR15	15 Litre	347



CHEMFORCE

Code	Spec	Price
------	------	-------

S-Complex Cutting and grinding performance additive for natural stone

RSC5	5 Litre	115
------	---------	-----

C-Complex Cutting and grinding performance additive for natural stone

RCC5	5 Litre	115
------	---------	-----

RCC20	20 Litre	365
-------	----------	-----

TED™ The efflorescence destroyer Removes efflorescence and rust marks from porous materials, including stone, concrete, brick and grout

TED1	1 Litre	21
------	---------	----

TED5	5 Litre	63
------	---------	----

Forti-Col™ Colloidal silica densifier New Colloidal Silica technology. Smaller nano-particles = better penetration. More reactive, superior densification, faster curing.

FC5	5 Litre	70
-----	---------	----

FC20	20 Litre	232
------	----------	-----

FORTI-COL EG™ New technology colloidal silica densifier. The ultimate densifier for concrete polishing, anti-dusting and slab curing

CHFCEG20	20 Litre	277
----------	----------	-----

CHEMFORCE Forti Trowel Colloidal Silica Trowelling Aid New technology colloidal silica trowelling / finishing aid for freshly poured concrete slabs.

CHTC20	20 Litre	167
--------	----------	-----

Forti-Kal™ Potassium silicate densifier for concrete Pure, premium quality potassium silicate. UV and chemically resistant. Lasts for decades, even outdoors

FK5	5 Litre	46
-----	---------	----

FK20	20 Litre	127
------	----------	-----

Forti-Grout™ Premium ready-to-use polymer grouting and patching agent for concrete polishing.

CFG20	20 Litre	130
-------	----------	-----

Stain Protector™ Premium impregnating sealer world-leading protection for stone and other porous surfaces. Maximum water and oil repellence for optimal stain protection.

CHSP1	1 Litre	82
-------	---------	----

CHSP5	5 Litre	338
-------	---------	-----

CHSP20	20 Litre	1295
--------	----------	------

Fortifier Plus™ Impregnating, permanent consolidator and water repellent. Premium protection from salt spalling & freeze-thaw spalling. Superior protection for very porous building materials, including natural stone, which are exposed to saltwater or freeze-thaw conditions

CHFP5	5 Litre	228
-------	---------	-----

CHFP20	20 Litre	809
--------	----------	-----

Enhance-® New Formula Premium, colour enhancing, impregnating sealer for natural stone and polished concrete. Enhances/deepens the colour of the surface. Water and oil repellence. Semi-permanent, UV stable technology

CHSP1	1 Litre	89
-------	---------	----

CHSP5	5 Litre	406
-------	---------	-----



GRABO Ottovac

The Grabo Ottovac is designed for tilers and glaziers and is ideal for easy lifting of glass and small to medium tiles. Featuring an automatic sensor, suction indicator and an ergonomic design, the Ottovac is rated to lift 200kg and runs off four AA batteries. When the vacuum level drops below -55 kPa, the pump will automatically restart, reaching the optimum pressure

Code	Spec	Price
OTTOVAC	200kg 4 x AA	182



GRABO Original

The Grabo is a fully portable electric vacuum intended to lift, move and place everything from tiles and plasterboard to furniture and large appliances. Now with a suction gauge, The Grabo can hold up to 170kg and grab almost any surface with ease. This vacuum lifter is a new and revolutionary way to lift and handle tiles, glass, concrete, plasterboard, furniture and much more. Rough, textured, dusty or wet, the Grabo grabs them all. With a 1.5 hour run time, the Grabo makes positioning stone and tiles easy.

Code	Spec	Price
HEGRABO	170kg 1.5hr	317



GRABO Pro-Lifter

The GRABO Pro-Lifter 2 hour charge for 1.5 hour work time. Up to 170kg of holding force. The foam rubber vacuum seal is strong and resistant to loss of vacuum pressure. Slimline ergonomic handle for better grip and less fatigue when moving heavy objects. Use for all surface types, with automatic stop function at 11.6Psi, digital display and electronic pressure gauge. Automatic vacuum monitor, if pressure is lost the pump is automatically powered until vacuum pressure is restored..

Code	Spec	Price
HEGRABOPRO20	170kg 1.5hr	405



GALESKI 125mm Wet Feed Grinder

The Vario is a light and compact wet grinder. Featuring a continuous water feed and splash guard, the Vario is a variable speed grinder with adjustable speed dial. The 125mm version of the Vario now features a brushless motor for increased productivity. The Vario is the ultimate on-site grinder for wet processing.

Code	Spec	Price
ECOMAX125VARIOB	125mm Brushless	1199



GALESKI 230mm Wet Feed Grinder

Rugged stone cutter. 2400 watt 63mm cut depth. Splash guard and removable cover. Spindle lock and soft start.


Code	Spec	Price
ECOMAX230	230mm 6000RPM	1779



EIBENSTOCK 125mm Wet Saw EDS125

Mitre adjustment (stepless up to 45°) and cutting depth adjustment (stepless up to 36 mm) without the need for tools. Roller guided plate- smooth guiding, protects the surface. Integrated water supply with flow regulator - easy adjustment of the water-volume and dust free working while wet cutting.

Code	Spec	Price
EDS125	125mm 1250w	575
1500RAIL	1500mm Rail	289
GUIDEJOINER	Rail Joiner	95



EIBENSTOCK 180/200mm Wet Saw EDS181

Wet/Dry cutting saw. Soft start. 2300w. 63mm depth capacity. Mitre function. Roller guided plate. Vacuum takeoff or water fed. Guiderails available.

Code	Spec	Price
EDS181	180mm 2300w	1665
1500RAIL	1500mm Rail	289
GUIDEJOINER	Rail Joiner	95



EIBENSTOCK 400mm Cutter ETR400.2P

Integrated water feed. Service indicator. Soft start, overload protection. 152mm cut depth 1950rpm 11.4kg

Code	Spec	Price
ETR4002P	400mm	2599



FLEX CS 60 Wet Saw

Diamond masonry wet saw with GFCL. High-performance motor: extra powerful for stone cutting and joint milling. Continuous cut depth setting from 0-60 mm, with rail guide up to 54 mm. In the mitre cut from 0-44 mm, with guide rail up to 38 mm. Continuous angle adjustment for mitre cuts from 0-45°. High-quality magnesium die-castings for protective cover and base plates. GFCL operator protector circuit breaker

Code	Spec	Price
CS60	180mm 1400w	2164
V359351	1600mm Guiderail	259
V353272	Rail Connector	196



EIBENSTOCK 3 Head Corner Grinder

Tool Includes : 1 set of diamond grinding discs and a dust shroud. Grinding into angles, edges and small areas, e.g. niches, window reveals, under radiators Ideal for overhead work. Low - dust work, especially indoors. Variable speed 4000-13000 RPM

Code	Spec	Price
EES14003	1400w	1328



EIBENSTOCK 180mm Wet Polisher

180mm capacity. Ergonomic 60 degree head. Water supply under motor. Soft start. Variable speed. 1200w. 1500-2800 RPM 4.4kg

Code	Spec	Price
WPM180	180mm M14	855



EIBENSTOCK 125mm Concrete Grinder

The robust hand-held grinder for small to medium sized surfaces. 125mm. 1500w. 10,000RPM, 22.23 connection. 4.7kg

Code	Spec	Price
EBS12540	125mm	1195



EIBENSTOCK 180mm Concrete Grinder

For larger surfaces. 180mm. 2500w, 8,500RPM. 22.23 connection. 8.4kg

Code	Spec	Price
EBS180H	180mm	2166



EIBENSTOCK Wallchasers

Includes case and a set of premium blades. Wet or dry use.150mm and 180mm versions available. PRCD breaker and vacuum takeoff included. Adjustable depth and slot widths

Code	Spec	Price
EMF1501P	150mm	1603
EMF1802	180mm	1858



EIBENSTOCK PLD182 Core Drill

Drill motor up to 180mm capacity. 3 Speed. 2300w. 60mm collar. 7.5kg. Drill stand 995mm column, quick mount adapter, 60mm collar, 45 degree tilt.

Available separate or as a package

Code	Spec	Price
PLD1821N	3 Speed Drill	1799
BST182	Drill Stand	1959
PLE182	Drill Motor & Stand	3646



ICS Petrol Chainsaws

The Packed with innovations and loaded with dependability. The distinctive black powerhead houses redesigned carburetion and ignition systems that work together to ensure easy starting, cooler operation, and dependable performance at just about any elevation. Improved airflow design keeps the engine much cooler, extending its life.

Code	Spec	Price
ICSS45236	695GC-14 9.5kg, 5Hp, up to 35cm Bar includes 14" bar & Concrete or Abrasive chain	5200
ICSS45235	695PG-14 9.6kg up to 40cm Bar includes 16" bar & PowerGrit chain	4800



ICS Diamond Chains

Genuine ICS Diamond Chains for Concrete, Abrasive and Ductile

Code	Spec	Price
ICSS25342	ProFORCE 15" Concrete	1408
ICSS31749	ProFORCE 20" Concrete	1736
ICSS31751	ProFORCE 20" Premium-L Concrete	2059
ICS607664	PowerGrit 15" (PG)	979
ICSS37765	PowerGrit 20" (PG)	1050
ICSS25344	ProFORCE 15" Abrasive	1434
ICSS31753	ProFORCE 20" Abrasive	1914
ICSS25346	ProFORCE 25" Concrete	1912
ICSS25347	ProFORCE 25" Abrasive	2162

MANTA Site Saw

Light and versatile Aluminium tile saw with an extremely accurate cutting. The head slides on two chrome-plated ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base to collect the water cooling the blade. Vertical head motion by means of a handwheel for a fast and stable adjustment. Tilting head for 45° cuts. Provided with folding legs for easy transport; Stabilizer bars. Wet saws need to cut precisely, and the MANTA 120A 120cm aluminium stone and tile saw is made with exceptional quality.

Code	Spec	Price
MANTA120A	350mm Blade 120cm Cut	5990



ICS Hydraulic Chainsaw

The new 814PRO 13 cutting system offers the superior strength of FORCE4™ technology in a package that meets industry standards of design and ergonomics. Built for the hardcore cutter, this sleek powerhouse is packed with features designed to make it the hardest working saw ICS® has ever made.

Code	Spec	Price
ICS566127	890F4 PRO Package 15" includes 15" bar & concrete chain	8500
ICS566123	890PG PRO Package 15" includes 15" bar & powergrit chain	8493
ICS566124	890PG PRO Package 20" includes 20" bar & powergrit chain	9431
ICS550888	P95 PowerPack	10753



ICS Accessories

Genuine ICS

Code	Spec	Price
523080	890F4 15" Guidebar	441
524490	695F4 16" Force4 Guidebar	474
529767	890F4 20" Guidebar	495
525320	890F4 25" Guidebar	692
525496	695F4 Drive Sprocket	58
70949	680/695GC Drive Sprocket	46
565065	890F4 Drive Sprocket	429





Bushhammer Wheel

For bushhammer effect on stone and concrete. Ideal for roughing surfaces. Replacement rollers available. MUST BE USED AT LOW RPM to avoid stone, wheel and polisher damage.

Code	Spec	Price
125BUSHHAMMERM14	125mm 3 Rollers M14	363
125BUSHROLLER	Replacement Roller	55



Wedges & Shims

New design incorporates rubber ring to hold the set together, no more lost feathers/shims! Longer wedge/plug for easier striking. Great quality casting for long life.

Code	Spec	Price
WS12X125	12mm hole x 125mm depth	14
WS14X125	14mm hole x 125mm depth	15
WS16X125	16mm hole x 125mm depth	17
WS20X190	20mm hole x 190mm depth	24
WS24X190	12mm hole x 190mm depth	27
WS32X280	32mm hole x 280mm depth	38
WS38X320	38mm hole x 320mm depth	46



Footprint Hammers

The Footprint Fibreglass Handle Club Hammer is not just another off the shelf product. Forged, hardened and tempered head Solid fibreglass core handle. Thick rubberised grip for superior comfort when striking objects. Large safety loop (a carabiner can fit through it) for tethering the hammer when operating at height Comes with a 2.5lb or 4lb head.

Code	Spec	Price
FP11925	2.5lb	49
FP11940	4lb	53



Bushing Heads

Use on SDS Hammers to achieve bushhammered effect on stone or masonry

Code	Spec	Price
SDSBUSH	SDS Plus 16 Carbide Tips 30 x 30mm	66
SDSMBUSH1638	SDS Max 16 Cast Tips 38 x 38mm	117
SDSMBUSH2540	SDS Max 25 Carbide Tip 40 x 40mm	96
SDSMBUSH1632	SDS Max 16 Carbide Tips 32 x 32mm	66



Footprint Chisels

Stonemason's favourite. Made in the UK. Premium steel for better performance.

Code	Spec	Price
1236	115mm (4-1/2") Bolster with Ribs	52
1230	64mm (2-1/2") Pitcher	55
1232	64mm (2-1/2") Nicker	55
1234	64mm (2-1/2") Mason's Chisel	37



Footprint Scutches

Original Footprint quality. Standard toothed scutch of flat (Drove) types. Available in singles, packs of 5 or containers of 100

Code	Spec	Price
FP57811	1 Inch 25mm Drove Bit	2.5
FP57821	1 Inch 25mm Scutch Comb	2.5
FP5781112	1-1/2 Inch 38mm Drove Bit	4
FP5782112	1-1/2 Inch 38mm Scutch Comb	4
FP5781	1 Inch 25mm Scutch Holder	46
FP578112	1-1/2 Inch 38mm Scutch Holder	50



ARMEG SDS Scutch Holder

The SDS Plus Scutch Comb Chisel is the perfect choice for general preparation work in masonry. The hammer action chisel is purpose designed for masonry dressing, levelling uneven masonry surfaces and forming channels / back box holes etc. For 38mm scutches

Code	Spec	Price
G150B4SCH	38mm SDS	78



FOOTPRINT Line Pins

Used for placing a line along a wall to build straight and true. Made from a single piece of drop forged carbon steel. Chrome plated to prevent rust and premature wear and tear. Hardened blades to prevent bending and snapping

Code	Spec	Price
FP620C	Pair	22




Mumme Scutch Hammers & Scutches

Original MUMME brand


Code	Spec	Price
5HSCH38	Scutch Hammer Wood Handle	57
5SHWC25	25mm Scutch Comb Holder	44
5SHWC38	38mm Scutch Comb Holder	46
5SHWC50	50mm Scutch Comb Holder	57
5SC25	25mm Scutch Comb	2
5SC38	38mm Scutch Comb	3
5SC50	50mm Scutch Comb	4

Don't forget to check out our website for our full range, latest specials and clearance items!



www.diamach.com.au

DIAMACH



“ — Roseville Chase — ”
30-32 Barcoo St
Park in loading dock B1
Then lift to level 1